# **Table of Contents**



POSCO History & Policies	2
MRC, Glaze Removers, UV Washes	3
Blanket & Roller Washes	4
Fountain Solutions	6
Fountain Additives & Other Chemistry	7
Oils & Greases	. 10
Aerosols	. 12
Filters	. 14
Wash Up Blades	. 17
Blanket Wash Cloth Rolls, Pre-Saturated	18
Blanket Wash Cloth Rolls, Dry	. 19
Hickey Pickers	
BBA Products	21
Pressroom Accessories	. 22
Absorbents & Dispensing Goods	23
Hand Cleaners & Gloves	
Safety Cabinets & Safety Cans	25
Pressroom Consumables	
Measuring Equipment & Gauges	30
Plates & Plate Chemistry	
Blankets	
Press Packing	
PrintGuard Anti-Marking Products	
Coatings	
Ink	
Perfing Products	. 40
Suckers	
Sheet Separators & Ink Knives	
Heidelberg QM Supplies	
Heidelberg Consumables	
Feeder Belts	
Press Parts	
Tower Coater Blades & Ink Fountain Side Plates	
Gripper Fingers	
Brushes	
Reitschle Pumps & Accessories	
Chemicals	
Index	
	-



Printers Oil Supply Co., Inc. (POSCO) is New England's oldest family run manufacturer of graphic arts supplies. We have been manufacturing and distributing chemicals to the graphic arts and printing industries for over 100 years.

In the year 1898, Wallace "WM" Fiske established the company in Wilmington, MA. After taking a train to Everett, MA each morning he would go to his stable and pick up his horse and buggy which he used to deliver kerosene and lubricating oils to the many print shops in Boston.

In 1930, Wallace's son Edwin L. Fiske, known as "Larry" to his many friends and customers, came to work for him. In 1959, Larry's son William "Bill" Fiske (POSCO's current President) began to work for POSCO as a truck driver. The father and son team designed and erected a new manufacturing and storage facility on Ballardvale Street in 1962. This has been the location of POSCO ever since.

In 1986, Bill's son William H. Fiske (current Vice President) came to work for the company, and again a father and son tandem was created. Together, in 1996, they completely renovated the existing facility. This included new, state of the art mixing rooms, drumming machines, etc. along with a new fleet of trucks.

Today, POSCO continues to be a family run business loaded with family traditions. We continue to modernize our facility allowing us to offer you even more products and services. For generations, POSCO has been dedicated to providing you, our valued customers, with the finest products available. We understand the value of consistency and customer service. Our team is committed to making your job easier, working hard in the development of new solutions, and improving products to satisfy your changing needs. We strive to operate with integrity, building relationships that last a lifetime. Call us today! We look forward to serving you.

Call (800)252-5290

Fax (978)658-6142

#### HOURS

Open from 7:30a.m. - 5:00p.m. E.S.T. Mon-Frí. We are closed for most major national holidays.

#### ORDERING

Call (800)252-5290 during regular business hours to speak to a live representative, not an automated system! Fax orders any time to (978)658-6142.

E-Mail orders to customerservice@poscoinc.com
All orders must meet our \$25 net minimum billing.

#### SHIPPING

Customers located in our region will usually have their orders delivered on one of our own trucks. Smaller orders typically ship via UPS. We also utilize a wide variety of other carriers to suit your needs. We are happy to do whatever we can to ship your order according to your preferences.

#### RETURNS

Your satisfaction is guaranteed for all of the products that we sell. If you would like to return an item, please contact us first so that we can ensure that your return is handled correctly. Some chemicals and other items do have a limited shelf life and therefore must be inspected and approved prior to being returned and credited. We are happy to work with you and strive to offer fair service when it comes to returns & exchanges

#### MSDS SHEETS

Material Safety Data Sheets are available for all the products we sell. Call, fax, or e-mail us to request documents. To ensure accurate information, please specify the POSCO part number when requesting MSDS. During non-business hours you can get emergency MSDS info at (800)424-9300

#### TERMS

We offer open accounts of Net 30 Days to customers pending approval of a credit application. We also accept Visa, MasterCard and American Express. C.O.D. shipments can be arranged, but be aware that most carriers charge a C.O.D. fee.

# We are happy to assist any customer with questions that they may have regarding the following:

- EPA Issues
- State and Federal Regulations
- Material Safety Data Sheets
- OSHA Issues
- Hazardous Waste Disposal Issues
- Container Storage and Labeling
- VOC and Product Usage Reports
- VOC Reduction



# METERING ROLLER CLEANERS

EZ Solv MRC: Fast acting MRC with a mild citrus scent. P5709

**Low VOC MRC:** A strong and effective metering roller cleaner containing solvents that are less than 30% by weight V.O.C. *P5869* 

Ozone Safe MRC Special: Strong, fast drying MRC with a bearable scent. Very effective cleaner. May not meet regulations in all areas. *P1024* 

# **GLAZE REMOVERS**

<u>Blanket Brite:</u> Quick-drying blanket reconditioner. When used intermittently, extends blanket life. *P7203* 

Glaze-B-Gone: A combination of surfactants, water and solvents loosen and remove gum, fountain glaze and imbedded ink from blankets & rollers. *P5500* 

Glaze Remover 502: A fast drying solvent deglazer for use on blankets. P4011

**R&B Deglazer:** A strong solvent glaze remover formulated for use on blankets as well as rollers. **P5724** 

Rubber Rejuvenator: Fast dry blanket reconditioner and rejuvenator. P7205

# **UV WASH**

<u>UV 100 Wash:</u> A strong, general purpose wash for UV and Hybrid inks. Can also be used as a combination wash to clean conventional oil based ink. *P3153* 

<u>Premium UV Wash:</u> A very effective product that cleans UV, Hybrid and conventional inks. It has a low odor and a flash point of 155 F. *P7872* 

Nova N-360UV (FOGRA): Fogra certified wash with a special blend of solvents designed to work on UV, EB and hybrid inks. Non-damaging to EPDM rollers. Compatible with hybrid composite, and buna-nitrile roller compounds. N360UV

1 Quart Bottles

12 Quart Cases

1 Gallon Jugs

**6 Gallon Cases** 



5 Gallon Pails

30 Gallon Drums

55 Gallon Drums

345 Gallon Totes



# ONE STEP BLANKET AND ROLLER WASHES

Alpha 499: A strong, water miscible wash with enhanced evaporation rate and a citrus scent. Recommended as a roller wash for the Heidelberg QM. *P7101* 

ABC Wash: An economical, water miscible blanket and roller wash with a mild, pleasant scent. *P1600* 

<u>Auto Roller Wash:</u> Certified and approved by KBA and Baldwin for use in their automatic wash-up units. *P5733* 

<u>Ecolo-Pro Series:</u> Our Ecolo-Pro series of blanket washes have been developed to comply with emissions rules. Using soy based blends, these washes can meet your specific needs. A large variety of washes with different concentrations of VOC's can aid in a gradual transition from conventional washes to compliant washes without a sudden change in clean up results.

<u>Power Pro:</u> A powerful one step wash with water miscible capabilities and a pleasant citrus scent. Very effective in Heidelberg presses equipped with automatic blanket and roller wash systems. *P5505* 

<u>Press-Solv 140 & 140K:</u> Meets the flashpoint requirement that is set by many manufacturers, govt. agencies, and insurance companies. Press-Solv 140 & 140K meet guidelines and clean effectively. Press-Solv 140 has a pleasant citrus scent. Press-Solv140K has a cinnamon fragrance. *P5640* (140) *P5792* (140K)

<u>Press-Solv FA:</u> A Fogra certified wash with a 142 F flash point and a very mild odor. It is water miscible and contains an anticorrosive agent. Approved for Heidelbergs, KBAs and Man Rolands equipped with auto wash systems. *P9398* 

<u>Press Wash 902X:</u> A strong one step wash that is Baldwin approved. Works well in Heidelberg, Komori and other presses with automatic blanket and roller wash systems. Combats blanket piling when mixed with water. *P1042* 

<u>Press Wash PWM & PWM Special</u>: A great cleaning, highly water miscible wash that is Baldwin approved. Mix with up to 50% water to reduce V.O.C.'s and cost. Press Wash PWM works well in presses equipped with automatic blanket and roller wash systems. *P1250* - Press Wash PWM Special is the same great cleaning wash, but adds a pleasant citrus scent *P5504* 

<u>Wash #7:</u> A premium, all purpose, water miscible blanket and roller wash for any size shop. Can also be used in presses with automatic systems. *P1116* 



# **2 STEP ROLLER WASH**

<u>Color Wash #1:</u> A strong detergent and solvent emulsion used to deep clean rollers during the toughest of color changes. *P1122* 

<u>Color Clean #2:</u> A mild, low odor step 2 rinse used in conjunction with Color Wash #1, to create a superb cleaning system for rollers. Because of its smooth glide, it also works well as a blanket wash. *P5783* 

# **BLANKET WASHES**

<u>Blanket Cleaner 505:</u> A powerful, medium to fast drying wash. Provides thorough, deep cleaning along with a smooth slide during wash-up. *P2011* 

Blanket Wash 430: Mild, yet fast drying blanket wash for any size press. Recommended as a blanket wash for the Heidelberg Quickmaster. *P4300* 


<u>Blanket Wash 530:</u> Recent government guidelines regulating emissions prompted us to develop this product. Blanket Wash 530 remains a strong cleaner while still meeting the guidelines of most local and state agencies. Low vapor pressure reduces emissions by not evaporating as quickly. *P7144* 

Blanket Wash ERP: A fast acting, very effective, blanket wash that contains less than 30% VOC by weight. *P7678* 

Blanket Wash Regular: A strong and effective fast drying blanket wash. P1101

<u>Chase It Clean:</u> An economical, fast drying blanket wash for any size press. <u>P1001</u>

CAN'T FIND A WASH LISTED HERE THAT MEETS
YOUR REQUIREMENTS? GIVE US A CALL. OUR EXPPERT TECHNICAL REPRESENTATIVES WOULD LOVE
TO HELP YOU FIND A PRODUCT THAT WILL SATISFY
YOUR CLEANING NEEDS AS WELL AS YOUR SAFETY
AND REGULATORY REQUIREMENTS. THIS HAS BEEN
OUR SPECIALTY FOR OVER 100 YEARS!





# **FOUNTAIN SOLUTIONS**

<u>PFC-PLUS</u>: A universal, acid fountain solution with special buffering agents to fight off alkaline by-products during press runs. Formulated to help keep back cylinders clean. *P6081* 

<u>PFC-XBG:</u> A hard working acid fountain solution designed to battle excessive alkaline by-products during long press runs. The additional buffering and desensitizing compounds make this an effective product. *P8515* 

<u>Poscofount SF:</u> An acid fountain solution formulated with extra gum for better plate desensitizing. Works well on Heidelbergs. Works well on conventional and continuous dampening systems. *P1098* 

<u>PFC-7 Series:</u> A series of acid-based fountain concentrates developed specifically to fight the constant problem of calcium carbonate buildup from today's paper stocks. Our PFC-7 Series fountain solutions contain additives to fight the alkaline byproducts from paper during press runs, and to stabilize conductivity. PFC-7G was developed for use on sensitive CTP plates. PFC-7GM has extra desensitizers to help control toning during long runs when using CTP plates.

<u>PFC One Step:</u> A universal one step sheetfed fountain solution with a desensitizing package that gives fast, clean starts. Its buffering system helps to prevent calcium glazing and plate blinding. Unique wetting agents provide excellent ink and water balance. *P8956* 

<u>Web Fount One Step:</u> A one step web fountain solution that helps to eliminate ink feedback and build up on the metering roller. Its controlled pH helps to minimize paper piling and paper waste while providing excellent ink and water balance. *P8917* 

- 1 Quart Bottles
- 12 Quart Cases
- 1 Gallon Jugs
- **4 Gallon Cases**



**5 Gallon Pails** 

30 Gallon Drums

**55 Gallon Drums** 

275 Gallon Totes

# **ALCOHOL REPLACEMENTS**

AR-8500: A successful alcohol replacement containing a combination of surface tension reduction compounds, non-piling additives, and wetting agents. *P5796* 

AR-8700: A universal alcohol replacement utilizing enhanced wetting agents together with non-piling additives and alcohol substitute compounds. *P8531* 

AR-7000: Effective alcohol replacement formulated to be less aggressive on the ink during runs. Contains non-piling additives and other wetting agents. *P7059* 

<u>Isofree:</u> Alcohol replacement blended w/additional alcohol substitutes. It also contains non-piling additives and wetting agents. *P5634* 

# **FOUNTAIN ADDITIVES**

Foam Aid: Controls foaming in circulator tanks. P5639

Fungus Arrest: Prevents fungus, algae & mold throughout the circulator. P5655

Ink Drying Additive: Speeds ink setting and drying for fast turn around. P5658

Non-Piling Additive: Helps to lubricate blankets resulting in fewer blanket

washings and less picking and paper piling. P2153

Printers Alcohol: 99% Isopropyl Alcohol. P9051

<u>Pure Gum Arabic:</u> A high quality gum to be used in plate storage or added to fountain solution for extra desensitizing. *P1258* 

# PLATE CLEANERS

Aqua Plate C/P: A multi-purpose plate cleaner and preserver. Effectively cleans, leaving behind a protective film to help preserve the plate. *P7950* 

**Roll Up Plate Cleaner:** Heavy Duty plate cleaner & scratch remover. An emulsification of surfactants, abrasives, and gums cleans and protects plates. *P9238* 

<u>Hit'n Run:</u> Plate cleaner and conditioner for metal plates. Combines the best features of solvent cleaning, and gum protection for non-image areas. *P5747* 

On The Spot: Fast acting liquid plate cleaner. Very strong alkaline based cleaner to remove heavy oxidation. Helps stored plates to roll up clean. *P5502* 

<u>Scratch Remover:</u> Effectively and efficiently cleans and removes scratches from metal plates. *P5859* 



# **SPECIALTY PRODUCTS**

<u>Aqua Ammonia:</u> Used as an aqueous cleaner. Available in a wide variety of concentrations to meet your specific needs.

Aqueous Coating Cleaner: A non-ammonia product used to clean coating blankets and units. It has a pleasant citrus scent. *P6096* 

<u>Back Cylinder Cleaner:</u> A powerful blend of fast drying solvents that can clean dried ink off of back cylinders. *P5679* 

Blanket Hardener: Improves sheet release on difficult stocks. P1114

<u>Calcium Cleaner:</u> An effective roller rinse specially designed to remove calcium deposits created by alkaline paper stock. *P5866* 

Clean N Store: Asphaltum gum etch product for use in storing plates. P5747

Clean It Up: All-purpose cleaner/degreaser for pressroom cleaning. P6061

Chrome Roller Cleaner (CRC): Chrome roller cleaner and desensitizer. P5706

<u>Chrome Roller Desensitizer (CRD):</u> Keeps chrome rollers "water loving" to provide a uniform film of fountain solution to the plate. *P1010* 

**EZ Fold:** Folding aid and paper softener for wet scoring on folding machines. To replace alcohol. *P5673* 

<u>Film Kleen:</u> Fast drying film cleaner with built-in anti-static compound. Diazo film cleaner also available. *P6000* 

<u>Fix-A-Blanket:</u> Temporarily restores low spots on blankets. Available in 4oz jars with applicator brush. *P5682* 

<u>Glass Cleaner:</u> All purpose liquid glass cleaner. Also available in aerosol cans. *P5642* 

Ink Guard Concentrate: Liquid form ink anti-skinning compound. P1004

Ink Guard (Aerosol): Ink anti-skinning spray. An aerosol used to spray ink and blankets during periods of shut-down. *P5629* 

# **SPECIALTY PRODUCTS**

<u>Power Paste:</u> For trouble free color changes. Power Paste penetrates roller pores to deep clean while leaving no residue. Conditions rollers by removing ink glaze and calcium deposits. No VOC's. Available in 2.1 pound tubs. *P7315* 

Pumice Powder: Grade FFF. For tough glaze on blankets & rollers. 1# P6086

<u>Quick Change Roller Cleaner:</u> Non-flammable, non-toxic liquid roller cleaner. Penetrates, dissolves, and extracts oil or water soluble inks. Also removes gum glaze, paper dust, overprint varnish, etc. 17 oz. squirt bottle. *P7123* 

Roller Lube-N-Clean: Idle Unit (open frame) compound Prevents friction build up on ink rollers on idle units. Unlike most other brands, Roller Lube-N-Clean gently cleans while protecting rollers. Available in 2.1 pound tubs. *P7323* 

Silicone Spray: Liquid form silicone for bindery and pressroom needs. P5723

<u>Super Concentrated Silicone Spray:</u> Highly concentrated non-aerosol silicone for use in bindery & pressroom. Works great on back cylinders! *P5784* 

<u>The Terminator</u>: Circulator tank cleaner used to flush out the main tank, lines, and water pans. *P5686* 

**Web Fold Concentrates:** Silicone emulsions for web presses. Available in 10%, 20%, 35%, and 60% concentrations.



LOX Wash: Anilox Roll Cleaner.
-Removes deeply embedded ink & pigment buildup and helps restore cell volume.

-Use On: ceramic & chrome anilox rolls, photopolymer & rubber plates, ink trays, screen rollers, plate cylinders, fountains, tools & more. 1 Gallon Jugs - ZM434-1



#### **Mobil Synthetic Oils**

Full Mobil line available

- Hydraulic Oils
- Greases
- Lubricating Oils

Most Available in:

- -Grease Cartridges
- -5 Gallon Pails
- -15 Gallon Kegs
- -55 Gallon Drums



#### **Mobil Greases**

Full line of Mobil Greases Avail.

- -Cartridges
- -Box of 10 Cartridges
- -Case of 40 Cartridges
- -5 Gallon Grease Pails



#### Emerald 2000 1-Step Chain Saver #E6041

- -1 pint spray bottle
- -1 Gallon Jug with spray bottle
- -5 Gallon Pail
- -55 Gallon Drum



#### **Optimol PD2 Grease**

Available in 14oz cartridges or in a case of 20 cartridges #RP7691

#### **G67EP Grease**

Grease cartridges #RP7890



#### **Super Lube**


Multi-Purpose Grease Can Synthetic Lubricant Aerosol Synthetic Penetrant Aerosol Other Super Lube Products Available Upon Request #M7988-TUB #M32015-AERSOL



#### Elkalub

LA-8P **#RP7639-9** LFC 1460 H **#M8084** FLC 1012 Gleit Spray **RP8167** 

Many others available as well



#### Kluber Lube

Manufacturer recommended, Centoplex GLP500 High Pressure Fluid Grease.

1 Kilo Can #**RP7499** 



#### **Tribology Specialty Lubes**

Full line of Tribology brand specialty lubes.

-T465P Oil #**MT46-6** -Tri-333 High Tack Grease #**MT333-1** 

-Other Tribology Lubes, please call for details & pricing



#### Perma Lube #RP9039 12 MONTH #RP7683 6 MONTH

This automatic lubrication system provides 24 hour protection to your bearings and bushings independent of motors, pumps, or messy wiring. Choose between 6, 12, or 24 month cans.



#### Oil Filters

Oil filters available for your Komori, Heidelberg, and all other presses.

See Page 14 for more details.





# **POSCO Oils**

A great money saving alternative. Manufactured to meet the same specifications as the equivalent Mobil oil. Made with name brand oil bases and additives.

Hydraulic Press Lubes		ISO VG
POSCO Premium HPL 24	P5986	32
POSCO Premium HPL 25	P5987	46
POSCO Premium HPL 26	P5988	68
POSCO Premium HPL 27	P5989	100
POSCO HPL Light	P5990	32
POSCO HPL Medium	P5991	46
POSCO HPL Heavy Medium	P5992	68
POSCO HPL Heavy	P5993	100
POSCO HPL Extra Heavy	P5994	150
POSCO HPL BB	P5995	220
Gear Oils		ISO VG
POSCO Gear Oil 626 (AGMA	2) <b>P6030</b>	68
POSCO Gear Oil 627 (AGMA	3) <b>P6031</b>	100
POSCO Gear Oil 629 (AGMA	4) <b>P6032</b>	150
POSCO Gear Oil 630 (AGMA	5) <b>P6033</b>	220
POSCO Gear Oil 632 (AGMA	6) <b>P6034</b>	320
POSCO Gear Oil 634 (AGMA	7) <b>P6035</b>	460
Press Oils		ISO VG
POSCO Press Oil #2	P6010	68
POSCO Press Oil #3	P8914	150
POSCO Press Oil #4	P6012	220
Spindle Oils		ISO VG
POSCO Spindle Oil #3		2
POSCO Spindle Oil #6	P6051	10
POSCO Spindle Oil #10	P8165	22
POSCO Mist Lube 270	P6040	100

#### **AVAILABLE PACKAGE SIZES**

-1 Gallon Cans- -6 Gallon Cases- -5 Gallon Pails--30 Gallon Drums- -55 Gallon Drums-





# **Mobil Oils**

Full line of Mobil Oils available for your pressroom needs. Please ask us if you don't find it listed here.

We stock a wide variety of Mobil products.

Hydraulic Press Lubes		ISO VG
Mobil DTE 24	M602623	32
Mobil DTE 25	M602631	46
Mobil DTE 26	M602649	68
Mobil DTE 27		100
Mobil DTE Light	M600148	32
Mobil DTE Medium	M600155	46
Mobil DTE Heavy Med.	M600163	68
Mobil DTE Heavy	M600189	100
Mobil DTE Ex. Heavy	M600205	150
Mobil DTE BB	M600221	220
Gear Oils		ISO VG
Mobilgear 600XP 68 (A	GMA 2) <b>M610857</b>	68
Mobilgear 600XP 100 (A	GMA 3) <b>M610923</b>	100
Mobilgear 600XP 150 (A	GMA 3) <b>M610865</b>	150
Mobilgear 600XP 220 (A	GMA 3) <b>M610873</b>	220
Mobilgear 600XP 320 (A	GMA 3) <b>M610881</b>	320
Mobilgear 600XP 460 (A	GMA 3) <b>M610907</b>	460
Press Oils		ISO VG
Mobil Vactra #2	M600494	68
Mobil Vactra #3	M600502	150
Mobil Vactra #4	M600510	220
Spindle Oils		ISO VG
Mobil Velocite #3	M600643	2
Mobil Velocite #6	M600668	10
Mobil Velocite #10	M600684	22
Mobil Mist Lube 27	M607028	100

#### **AVAILABLE PACKAGE SIZES**

-5 Gallon Pails--Grease Cartridges - Singles - Boxes of 10 - Cases of 40--15 Gallon Grease Kegs-

# PRESSROOM OILS





#### ANTI-STATIC SPRAY #955 S5727

- Prevents mis- or non-feeding of material on press.
- Counteracts electrostatic charges that attract dust & particles that cause spots on negatives & prints.
- Will not cause draw sheet to shrink or swell.
- Also for use on scanners, image processors.

#### IND. WHITE GREASE LUBRICANT S715

- High industrial-grade grease lubricant for applications where metal meets metal.
- Provides long-lasting, non-contaminated lubricating film with excellent heat resistance.
- Helps keep printing machinery running smoothly.
- Assures longer lifespan, high productivity.



### JET CLEAN #805 <u>SP805</u>

- High-powered, moisture free cleaner.
- Use on keyboards, screens, and other delicate items.
- Attached tube allows for pin-point accuracy
- Ideal for use on lenses, slim negatives, projectors, enlargers, light tables, and optical parts.

#### SILICONE SPRAY #945 S7181

- Non-staining, durable coating for smooth operation.
- Stops squeaking, sticking; protects surfaces.
- Dries rapidly with no greasy or oily film.
- Lubricates screen frames, vacuum beds, printing platens.



#### SILICONE LUBRICANT #77 S7107

- Economical combination lubricant and release agent.
- Stops squeaks, prevents corrosion, reduces friction.
- Reduces cleanup time, friction on paper cutters, knives, drills, etc.
- Helps print shop equipment to last longer.

#### FDA SILICONE SPRAY #946 S7185

- Stops sticking and binding; protects equipment.
- Reduces friction; speeds cleanup of parts and equipment; increases production, reduces downtime.
- FDA approval; can be used in food processing.
- Remains dry; non-staining.



#### GLASS CLEANER #50 S5795

- The most versatile glass cleaner available cleans glass, windows, mirrors, windshields; enamel surfaces, chrome, tile, porcelain and other hard surfaces.
- Dissolves dirt, grease, grit, and grime.
- Heavy-duty foam clings to vertical surfaces.

#### GLASS CLEANER #40 S5758

- Clinging foam cleaner has special anti-static formula.
- Removes smoke film, finger prints, and dirt.
- Contains no ammonia.
- Best for use on computer screens.



# FLEX-D Spray Cook

#### FLEX-O SPRAY COAT #727 SP727

- Increases print quality.
- Reduces plate cleaning time.
- Allows for faster, more efficient running of the press.
- Can be used on other surfaces where ink cleanup is a problem.

#### PRECISION CONTACT CLEANER <u>S789-9</u>

- Effectively removes soil & other contaminants from electrical components
- Quick drying.
- Leaves no residue.
- Safe for use on most plastics.





#### **HOIL PENETRATING OIL #961 S5967**

- An ideal way to loosen nuts, bolts, shafts, screws, pipes, motors, and machine parts in all environments.
- Lubricates surfaces to be disengaged.
- Used as a preventative measure, it retards corrosion of tools and tool room equipment.
- Non-conducting; never dries.

#### MASTER INK ANTI DRY AEROSOL RP7870-9

- Prevents ink from skinning in the fountain.
- Also prevents skinning on blankets & rollers.
- Can be used on open ink cans to prevent waste.
- Leaves no greasy residue.-







Silicone

#### Fax (978)658-6142





#### INK GUARD P5629

- For longer-term screen print stoppages such as overnight or weekends.
- Eliminates washups; works with any type of ink.
- Prevents skinning; delays drying of inks in screens.

#### COMPUTER SCREEN TERMINAL CLEANER

- Fast drying and non-streaking cleaner for use on all screens and monitors.
- Dissipates electrostatic charge which attracts dust and other particular matter.
- Non-abrasive, anti-stat and anti-fogging additives will not scratch terminal surfaces.





#### TFE-DRY LUBR. RELEASE AGENT SP101

of graphic arts equipment.

RD90 SPRAY LUBRICANT S7182

types of machinery and equipment.

An long-lasting industrial oil-based lubricant for all

Stops squeaking, prevents rust, displaces moisture.

Use on parts, shafts, and rotary systems of all types

- Easy-to-use colorless dry lubricant release agent.
- Non-staining. Contains neither silicone nor oil.
- Remains clean and dry during use.
- Perfect as a general liquid masking to release rubber and plastic check printing plates.





#### C-60 SOLVENT CLNR & DE-GREASER S7183

- Removes oil and grease stains, ink, and fresh paints.
- Non-flammable; safe to use while running machines without disrupting production.
- Effective for cleaning oily and greasy parts while servicing and repairing presses and other equipment.



- Non-wrinkling, water-resistant and repositionable
- Use for both temporary and permanent bonds.
- Bonds many materials easily.
- Ideal for quick layouts, paste-ups, and labeling.



#### FAST TACK ADHESIVE #87 S8381

- Non-staining formula
- Ideal for lightweight bonding applications
- Fast tack. High solids
- No chlorinated solvents.



#### LITHCO CHAIN CLEANER & LUBE

- LIT8274
- 11.24oz Aerosol Can
- With Teflon
- Chain Cleaner & Lubricant in 1 step



Provides a clear acrylic protective coating to artwork, proofs, photos, etc.

PLASTIC SPRAY CLEAR FIXATIVE SP201

- Highly-flexible; water-resistant; quick-drying.
- Will not harm artwork of any kind.
- Offers protection against constant handling.

#### **RUBBER CLEANER & REJUVENATOR S7337**

- Enhances production; prolongs parts life.
- Restores ink-laden, hardened rollers and blankets.
- Removes difficult soil on copier covers and flaps.
- Removes glazing resulting from friction, ink, etc.
- Can be used while presses are running.

# MATTE FIXATIVE SP204


- Provides clear, permanent, waterproof protection for artwork, opaque negatives, etc.
- Quick-drying matte finish may be worked over with any art medium.
- Will not alter art technique or effect when used as directed.

#### FILM CLEANER #205 S7338

- An easy-to-use, quick-drying film cleaner.
- Easily removes tape marks, adhesives, inks, and dirt
- Safely cleans film positives and negatives.
- Helps reproductions turn out crisp, clean, sharp.
  - Not recommended for diazo, scanner drums, plastics











#### WATER FILTERS



ITEM #	DESCRIPTION
ST1006	BALDWIN FOAM FILTER 4 1/4 I.D. X 8 3/4 X 3/4
ST1007	BALDWIN FOAM FILTER 6 I.D. X 11 1/2 X 1
ST1008	U-FILTERS 7" X 15" U SHAPE 6.50
ST1009	BALDWIN FLAT FILTERS 7 1/8 X 7 1/8 X 1/2
ST1010	ROYSE FOAM FILTERS 5 I.D. X 7 1/8 X 7/8
1011	DAHLGREN & HALM FLAT FILTER 7 1/8 X 13 1/2 X 7/8

1012 FOAM FILTER 10 X 12 (BLACK) ST1013 BOX FOAM FILTER 8" X 10" ST1017 ROYSE FOAM FILTER 7 1/2 X 14 1/2 X 3/4

ST1019 FOAM FILTER (8" TALL) 4 1/4 X 8 X 3/4 1030 FOAM FILTERS 7 1/2 X 12 1/4 X 1 ST1039 DIFFUSION PADS 3 1/2 D 1049 FOAM FILTER 7 1/2 X 11 1/2 1051 FOAM FILTER 8 X 10 5/8

TECHNOTRANS FILTER 16 1/2 X 16 1/2 X 1 1058

1085 FELT FILTER 15 1/4 X 22 1/2 ST1090 POLYFILTER 12 X 12 X 1 FOAM FILTER 14 1/2 X 8 3/4 X 3/4 1106

1115-1 BALDWIN FLAT FILTER 16 X 12 X 3/4 1117 FOAM FILTER 7 1/4 X 11 1/4

RP7753 ROYSE AIR FILTER W/FRAME 10 3/4 X 15 X 1/2 1130000301

1131-1 POLY FILTER7 3/4 X 12 3/4 X 1/2 ST1131-2 TECHNOTRANS FILTER 9 X 7 1/2 X 1/2 1132 BALDWIN FOAM FILTER 8 X 13 ST1134 FOAM FILTER 12 3/4 X 7 3/4 1139 BALDWIN FILTER 12 X 18 X 1/2 1140 FILTER 8 X 12 1/2 X 1"

BALDWIN FILTER 6 X 18 ST1148 TECHNOTRANS FILTER 10" X 18 1/2" X 1/2" 1148-1 TECHNOTRANS FILTER 9 1/2 X 17 1/2 X 1/2" ST1155 FOAM FILTER MAN ROLAND 10 X 18 1/2 X 3/4

FOAM FILTERS 9 1/4 X 11 1/4 1162 1163 FOAM FILTER 6 X 18 ST1172 TECHNOTRANS FILTER 10" X 12" FOAM FILTER 10" X 12" 1182 1192 POLY FILTER 8 X 14 X 3/4 (BALDWIN) ST1193 FOAM FILTER 10 X 12 1/4 512 FILTER 5" X 12 1/4" X 3/4"

712 FOAM FILTER 7 3/4 X 12 3/8 X 1" 911 FOAM FILTERS 9 1/2 X 11 X 3/4 1151 POLY FILTER 9 1/2 X 9 1/2 X 1/2 ST1178 FILTER 10 1/2 X 25 1/2 X 1/2 POLY 1178-2 FILTER POLY 11 X 26 X 1/2TECHNOTRANS FILTER 9 1/2 X 18 ST1181-2 V7249-15

FOURTAIN PURE FILTERS (6/CASE) 7600-EAE L7743 FOUNTAIN PURE FILTERS LSW (LARGE) 1" (4/CASE) 7602-EAE



ST1141

#### OIL FILTERS



FILTER #	DESCRIPTION	Item#
F3Z0-2600-34I	KOMORI OIL FILTER (BLUE) #3Z0-2600-34I	RP7276
F3Z0-2600-35I	KOMORI OIL FILTER (ORANGE) #3Z0-2600-35I	RP7275
F3Z0-2600-41I	KOMORI OIL FILTER (#3Z0-2600-41I)	RP8359
F3Z0-2600-13I	KOMORI OIL FILTER (#3Z0-2600-13I)	
F3Z0-2600-19I	KOMORI OIL FILTER (#3Z0-2600-19I)	RP7804
F3Z0-2600-20I	KOMORI OIL FILTER (#3Z0-2600-20I)	RP8923
F3Z0-2600-24I	KOMORI OIL FILTER (#3Z0-2600-24I)	RP7805
F39460456	INGERSOL RAND OIL FILTER	

F39588777 INGERSOL RAND AIR FILTER F39763156 INGERSOL RAND AIR FILTER F39907175 INGERSOL RAND OIL FILTER F41.004.87.193 BOGE FILTER ELEMENT OIL FILTER TUBE FILTER FC5EP

#### **BAG FILTERS**



ST1036-3A

ST1036-5







FILTER # DESCRIPTION 1181004701 ROYSE FILT. BAG 9" X 6" W/FIT RP7914 ST1036-10 BALDWIN FILTER BAG 8 X 12 ST1036-13 FILTER BAG 8 1/2 X 8 1/2 1036-14

13 X 14 (fits 1 3/8" tube) BAG FILTER 11 3/4 X 10 1/2 HALM JET FILTER BAG 9 X 12

88529 BALDWIN FILTER BAG W/TUBING 10 1/4 X 8 1/2 FILTERBOTTLE FILTER-BOTTLE STYLE BAG 8 1/4 X 7 3/4 TECHNO-NEW TECHNOTRANS FILTER—NEW 8 X 10 RP8136 TECHNO-OLD TECHNOTRANS FILTER—OLD 9 1/2 X 12 1/4 RP8156



#### RIETSCHLE SILENCERS



FILTER #	<u>O.D.</u>	<u>I.D.</u>	O.A.L.	SCREEN
F307436	2-1/2"	1"	5-1/4"	NO
F307437	2-1/2"	1"	5-1/4"	YES
F315541	2-1/2"	1"	8-3/4"	YES
F315542	2-1/2"	1"	8-3/4"	NO
F307438	2-1/2"	1-5/8"	5-1/4"	NO
F307439	2-1/2"	1-5/8"	5-1/4"	YES
F315606	2-1/2"	1-5/8"	8-3/4"	YES
F307440 <b>RP8845</b>	3-1/4"	1-1/2"	7"	NO
F307441 <b>RP8846</b>	3-1/4"	1-1/2"	7"	YES
F307434	1-3/8"	1"	4-11/16"	NO
F307435	1-3/8"	1"	4-11/16"	YES
F315193	1-3/8"	1"	1-9/16"	NO
F315448	1-3/8"	1"	6-1/4"	NO
F315449	1-3/8"	1"	6-1/4"	YES
F307446	4-3/8"	2-5/8"	8-3/4"	NO
F307447	4-3/8"	2-5/8"	8-3/4"	YES
F314632 <b>RP8853</b>	4-3/8"	2-5/8"	10-1/2"	NO
F314633 <b>RP8854</b>	4-3/8"	2-5/8"	10-1/2"	YES
F307448	5-1/4"	4"	14"	NO
F307449	5-1/4"	4"	14"	YES
F314666	5-1/4"	4"	16"	YES
F314667	5-1/4"	4"	16"	NO
F307444	3-3/4"	2-3/8"	7-13/16"	NO
F307445	3-3/4"	2-3/8"	7-13/16"	YES
F315660	3-3/4"	2-3/8"	9-3/8"	NO
F315661	3-3/4"	2-3/8"	9-3/8"	YES
F307442	3.30"	1.95"	7"	NO
F307443	3.30"	1.95"	7"	YES
F317000	3.30"	1.95"	8-3/4"	NO
F317001	3.30"	1.95"	8-3/4"	YES
F315049 <b>RP8463</b>	1.96"	0.78"	2.36"	NO

BECKER #

730501



# **AIR FILTERS BECKER PUMP**

DVP,VP,DP-25 & 40       2       FC75/2       909505         DVP,VP,VP-60 & 70       2       FC912       909506         DVP,VP,DP-100 & 140       2       FC1112/2       909507         VT 3.25       1       FC76/2       909521         1       FC44       909518         DVT-2.100       1       FC1112/2       909507         DVT-2.80       1       FC75/2       909505         1       FC713       909510       RP8302         DVT-2.140       1       FC1112/2       909507         1       FC75/2       909505         1       FC718       909514         DVT-3.80       1       FC1112/2       909507         1       FC912       909506         1       FC713       909510         KVT-2.100       1       FC1112/2       909507         1       FC713       909505         1       FC75/2       909505         1       FC713       909510         KVT-2.100       1       FC713       909510	MODEL #	QTY.	ITEM#	BECKER #	Item#
DVP,VP,DP-100 & 140       2       FC1112/2       909507         VT 3.25       1       FC76/2       909521         1       FC44       909518         DVT-2.100       1       FC1112/2       909507         DVT-2.80       1       FC75/2       909505         1       FC713       909510       RP8302         DVT-2.140       1       FC1112/2       909505         1       FC75/2       909505         1       FC718       909514         DVT-3.80       1       FC1112/2       909506         1       FC912       909506         1       FC713       909510         KVT-2.100       1       FC1112/2       909505         1       FC75/2       909505         1       FC75/2       909505         1       FC713       909510	DVP,VP,DP-25 & 40	2	FC75/2	909505	
VT 3.25	DVP,VP,VP-60 & 70	2	FC912	909506	
1 FC44 909518  DVT-2.100 1 FC1112/2 909507  DVT-2.80 1 FC75/2 909505  1 FC713 909510 RP8302  DVT-2.140 1 FC1112/2 909507  1 FC75/2 909505  1 FC718 909514  DVT-3.80 1 FC1112/2 909507  1 FC912 909506  1 FC713 909510  KVT-2.100 1 FC1112/2 909507  1 FC713 909505  1 FC713 909505  1 FC75/2 909505  1 FC75/2 909505  1 FC75/2 909505	DVP,VP,DP-100 & 140	2	FC1112/2	909507	
DVT-2.100 1 FC1112/2 909507  DVT-2.80 1 FC75/2 909505  1 FC713 909510 RP8302  DVT-2.140 1 FC1112/2 909505  1 FC75/2 909505  1 FC718 909514  DVT-3.80 1 FC1112/2 909507  1 FC912 909506  1 FC713 909510  KVT-2.100 1 FC1112/2 909507  1 FC713 909505  1 FC713 909505  1 FC75/2 909505  1 FC75/2 909505  1 FC75/2 909505	VT 3.25	1	FC76/2	909521	
DVT-2.80 1 FC75/2 909505 1 FC713 909510 RP8302  DVT-2.140 1 FC1112/2 909507 1 FC75/2 909505 1 FC718 909514  DVT-3.80 1 FC1112/2 909507 1 FC912 909506 1 FC713 909510  KVT-2.100 1 FC1112/2 909507 1 FC713 909505 1 FC75/2 909505 1 FC75/2 909505		1	FC44	909518	
DVT-2.140	DVT-2.100	1	FC1112/2	909507	
DVT-2.140	DVT-2.80	1	FC75/2	909505	
1 FC75/2 909505 1 FC718 909514  DVT-3.80 1 FC1112/2 909507 1 FC912 909506 1 FC713 909510  KVT-2.100 1 FC1112/2 909507 1 FC75/2 909505 1 FC713 909510		1	FC713	909510	RP8302
1 FC718 909514  DVT-3.80 1 FC1112/2 909507  1 FC912 909506  1 FC713 909510  KVT-2.100 1 FC1112/2 909507  1 FC75/2 909505  1 FC713 909510	DVT-2.140	1	FC1112/2	909507	
DVT-3.80 1 FC1112/2 909507 1 FC912 909506 1 FC713 909510  KVT-2.100 1 FC1112/2 909507 1 FC75/2 909505 1 FC713 909510		1	FC75/2	909505	
1 FC912 909506 1 FC713 909510 KVT-2.100 1 FC1112/2 909507 1 FC75/2 909505 1 FC713 909510		1	FC718	909514	
1 FC713 909510 KVT-2.100 1 FC1112/2 909507 1 FC75/2 909505 1 FC713 909510	DVT-3.80	1	FC1112/2	909507	
KVT-2.100 1 FC1112/2 909507 1 FC75/2 909505 1 FC713 909510		1	FC912	909506	
1 FC75/2 909505 1 FC713 909510		1	FC713	909510	
1 FC713 909510	KVT-2.100	1	FC1112/2	909507	
		1	FC75/2	909505	
1 EC1110/0 000507		1	FC713	909510	
KV1-2.140 1 FC1112/2 909307	KVT-2.140	1	FC1112/2	909507	
1 FC75/2 909505		1	FC75/2	909505	
1 FC718 909514		1	FC718	909514	
KVT-2.80 1 FC1112/2 909507	KVT-2.80	1	FC1112/2	909507	
1 FC713 909510		1	FC713	909510	

#### **AIR FILTER REFERENCE GUIDE**

ITEM #	<u>I.D.</u>	O.D.	HEIGHT	FEATURES
FC31	7/16"	1-3/16"	1-7/32"	COEB
FC31/1	7/16"	1-3/16"	1-15/32"	COEB
FC32	7/16"	1-3/16"	2-1/2"	COEB
FC42/1	1/2"	1-1/2"	1-15/32"	COEB
FC44	1/2"	1-1/2"	1-15/32"	COE
FC43	1/2"	1-1/2"	2-1/2"	COEB
FC46	1/2"	1-1/2"	5"	COEB
FC64/1	11/16"	2-5/16"	1-15/32"	COEB
FC64/3	11/16"	2-5/16"	1-15/32"	COE
FC66/1	11/16"	2-5/16"	2-1/32"	COEB
FC66	11/16"	2-5/16"	2-1/2"	COEB
FFP70T	27/32"	1-3/4"	3-1/4"	COEB,2G
FFP100T	27/32"	1-3/4"	4-13/16"	COEB,2G
FC79/1	1"	2-1/2"	2-27/32"	COEB
FC711 <b>RP8199</b>	1"	2-9/16"	4-1/2"	COEB,2G
FC74	1-1/16"	2-5/8"	1-1/16"	STD,3G
FC78/2	1-1/16"	2-5/8"	2-3/16"	STD,3G
FC69/1	1-7/32"	2"	5-5/8"	COEB,G
FC610/2 RP7316	1-7/32"	2"	6-3/8"	COEB,G
FC76/2	1-1/2"	2-1/2"	1-3/4"	COE
FC78/6	1-1/2"	2-1/2"	2-1/4"	COE,G
FC79/2	1-1/2"	2-1/2"	2-11/16"	COE,G
FC75/2	1-1/2"	2-1/2"	2-11/16"	COE,G
FC718/1	1-1/2"	2-1/2"	6-1/4"	COE,3G,S
FC713 <b>RP8302</b>	1-1/2"	2-9/16"	4-1/2"	COEB,2G
FC718	1-1/2"	2-9/16"	6-7/16"	COEB,1G
FC711/1	1-1/2"	2-5/8"	2-3/4"	COE
FC1049	1-13/16"	3-1/2"	5-3/4"	STD
FFPC100BW	1-27/32"	3-1/4"	2-3/8"	MOLDED
FC912	2-3/8"	3-5/16"	2-3/4"	COE,G
FC1112	2-3/8"	3-7/8"	2-13/16"	STD
FC1132	2-3/8"	3-7/8"	3-15/16"	STD
FC1112/2	2-1/2"	3-7/8"	2-3/4"	COEB,2G
FC1337	2-9/16"	5"	4-13/16"	STD
FC15124/1	3-1/2"	5-7/8"	8-3/4"	STD,2G
FC24355	5-1/4"	9-1/2"	8-5/8"	COE,G

WERIE	MODEL
MODEL #	

CL-60-DV

QTY.

ITEM#

FC31/1

CL-40-DVVL &   2   FC42/1   730506				1	FC31/1	730501
CL-40-DVVL & 2 FC41/1 730501 CL-60-DVVL 3 FC64/1 730506 CLFT-40-DV 2 FC32 730502 CLFT-60-DV 2 FC32 730502 CLFT-60-DV 2 FC32 730502 CLFT-80-DV 2 FC66 730507 CLFT-100-DV 1 FC66 730507 CLFT-100-DV 1 FC32 730502 CLFT-100-DV 1 FC66 730507 CLFT-41-DV 2 FC66 730507 CLFT-41-DV 2 FC66 730507 CLFT-61-DV 2 FC66 730507 CLFT-61-DV 2 FC66 730507 CLFT-61-DV 2 FC66 730507 CLFT-101-DV 3 FC66 730507 CLFT-101-DV 4 FC66 730507 CLFT-101-DV 5 FC66 730507 CLFT-101-DV 6 FC66 730507 CLFT-101-DV 7 FC66 730507 CLFT-101-DV 8 FC66 730507 CLFT-101-DV 8 FC66 730507 CLFT-101-DV 1 FC66/1 730504 CLFT-101-DV 2 FC42/1 730504 CLFT-101-DV 2 FC42/1 730504 CLFT-101-DV 2 FC66/1 730507 CLFT-40-DV 2 FC66/1 730507 CLFT-40-DV 2 FC66/1 730506 CLFT-40-DV 2 FC79/1 730508 CLFT-40-DV 2 FC66/1 730506 CLFT-40-DV 2 FC66/1 730506 CLFT-41-V 2 FC66/1 730507 CLFT-41-V 2 FC66/1 730506 CLFT-41-V 2 FC66/1 730506 CLFT-41-V 2 FC66/1 730507 CLFT-41-V 2 FC66/1 730506 CLFT-41-V 2 FC66/1 730507 CLFT-41-V 2 FC66/1 730507 CLF				2	FC42/1	730504
CL-60-DVVL 2 FC32 730502 CLFT-40-DV 2 FC32 730502 2 FC63 730502 2 FC66 730507 CLFT-60-DV 2 FC66 730507 CLFT-80-DV 2 FC66 730507 CLFT-100-DV 1 FC32 730502 2 FC66 730507 CLFT-100-DV 1 FC32 730502 CLFT-41-DV 2 FC32 730502 2 FC66 730507 CLFT-41-DV 2 FC32 730502 CLFT-61-DV 2 FC32 730502 CLFT-61-DV 2 FC32 730502 CLFT-61-DV 2 FC32 730502 CLFT-101-DV 2 FC32 730502 CLFT-101-DV 3 FC66 730507 CLFT-101-DV 4 FC32 730505 CLFT-101-DV 5 FC66 730507 CLFT-101-DV 5 FC66 730507 CLFT-101-DV 6 FC66 730507 CLFT-101-DV 7 FC66/1 730504 CLFT-101-DV 7 FC66/1 730506 CLFT-101-DV 7 FC66 730507 CLFT-10				2	FC64/1	730506
CL-60-DVVL 2 FC32 730502 PC32 730502 PC66 730507 PC66 730507 PC67-10-DV PC66 730507 PC66 PC67 PC66 PC66 PC66 PC66 PC66 PC6	5			2	FC31/1	730501
CLFT-40-DV					,	
CLFT-60-DV 2 FC64 730505  CLFT-80-DV 2 FC66 730507  CLFT-100-DV 1 FC32 730502  CLFT-100-DV 1 FC32 730505  CLFT-100-DV 1 FC32 730505  CLFT-41-DV 2 FC43 730505  CLFT-41-DV 2 FC43 730505  CLFT-41-DV 2 FC66 730507  CLFT-61-DV 2 FC66 730507  CLFT-61-DV 2 FC66 730507  CLFT-81-DV 2 FC66 730507  CLFT-81-DV 2 FC66 730507  CLFT-101-DV 2 FC66 730507  CLFT-101-DV 3 FC66 730507  CLFT-101-DV 4 FC32 730502  CLFT-101-DV 5 FC66 730507  CLFT-101-DV 5 FC66 730507  CLFT-101-DV 6 FC66 730507  CLFT-101-DV 7 FC66 730507  CLFT-101-DV 8 FC66 730507  CLFT-101-DV 9 FC66 730507  CLFT-101-DV 1 FC66 730507  TR-10-DV 1 FC42/1 730504  TR-10-DV 2 FC66/1 730507  TR-25-DV 1 FC64/1 730506  TR-25-DV 1 FC64/1 730506  TR-40-DV 2 FC66/1 730507  TR-80-DV(V) 2 FC79/1 730508  TR-80-DV(V) 2 FC79/1 730508  CLFG-41-V 2 FC66/1 730507  DCL(F)-60-DV 4 FC32 730502  DCL(F)-60-DV 4 FC32 730502  DCL(F)-60-DV 4 FC32 730502  DCL(F)-60-DV 4 FC32 730502  DCL(F)-80-DV 4 FC32 730502  DCL(F)-80-DV 4 FC32 730502  DCL(F)-80-DV 4 FC32 730502  DCL(F)-80-DV 4 FC32 730502  DCL(F)-100-DV 5 FC66 730507  DCL(F)-100-DV 6 FC66 730507  DCL(F)-100-DV 7 FC66 730507  DCL(F)-100-DV 8 FC43 730505  DCL(F)-100-DV 8 FC43 730505  DCL(F)-100-DV 9 FC43 730506  DCL(F)-100-DV 1 FC66 730507  DCL(F)-100-DV 2 FC79/1 730508  DCL(F)-100-DV 1 FC66 730507  DCL(F)-200-DV 1 FC66 730507  DCL(F)-200-DV 1 FC66 730507  DCL(F					,	
CLFT-60-DV 2 FC43 730502 CLFT-80-DV 2 FC66 730507 CLFT-100-DV 1 FC43 730505 CLFT-100-DV 1 FC32 730502 CLFT-100-DV 1 FC32 730505 CLFT-41-DV 2 FC66 730507 CLFT-41-DV 2 FC66 730507 CLFT-61-DV 2 FC66 730507 CLFT-61-DV 2 FC66 730507 CLFT-81-DV 2 FC66 730507 CLFT-101-DV 3 FC66 730507 CLFT-101-DV 4 FC66 730507 CLFT-101-DV 5 FC66 730507 CLFT-101-DV 6 FC66 730507 CLFT-101-DV 6 FC66 730507 CLFT-101-DV 7 FC66 730507 CLFT-101-DV 8 FC66 730507 CLFT-101-DV 1 FC61 730524 CLFT-101-DV 1 FC66 730507 CLFT-101-DV 2 FC66/1 730524 CLFT-101-DV 2 FC66/1 730506 CLFT-101-DV 1 FC66/1 730506 CLFT-101-DV 2 FC66/1 730506 CLFT-101-DV 1 FC66/1 730506 CLFT-101-DV 2 FC66/1 730506 CLFT-101-DV 1 FC66/1 730506 CLFT-101-DV 2 FC66/1 730506 CLFT-101-DV 1 FC66/1 730506 CLFT-101-DV 1 FC66/1 730506 CLFT-101-DV 1 FC66/1 730508 CLFT-101-DV 1 FC66/1 730508 CLFT-101-DV 1 FC66/1 730508 CLFT-101-DV 2 FC79/1 730508 CLFT-101-DV 2 FC79/1 730508 CLFT-101-DV 2 FC66/1 730507 CLFT-60-DV 1 FC66/1 730507 CLFT-60-DV 2 FC32 730502 CLFT-60-DV 1 FC66/1 730507 CLFT-60-DV 2 FC32 730502 CLFT-60-DVVL 2 FC66/1 730507 CLFT-60-DVVL 2 FC66/1 730507 CLFT-60-DVVL 1 FC66/1 730507 CLFT-80-DVVL 1 FC66/1 730507 CLFT-80-DVVL 1 FC66/1 730507 CLFT-80-DVVL 2 FC43 730505 CLFT-101-DVVL 1 FC66/1 730508 CLFT-101-DVVL 1 FC66/1 730507 CLFT-101-DVVL 1 FC66/1 730507 CLFT-101-DVVL 1 FC66/1 730507 CLCFT-101-DVVL 1 FC66/1 730507 CLCLFT-80-DVVL 1 FC6						
CLFT-80-DV 2 FC66 730507  CLFT-100-DV 1 FC32 730502  CLFT-100-DV 1 FC32 730502  2 FC43 730505  3 FC66 730507  CLFT-41-DV 2 FC32 730502  2 FC43 730505  2 FC66/1 730507  CLFT-61-DV 2 FC32 730502  CLFT-61-DV 2 FC32 730502  CLFT-61-DV 2 FC32 730502  CLFT-81-DV 2 FC66/1 730524  CLFT-81-DV 2 FC43 730505  CLFT-101-DV & 1 FC32 730502  CLFT-101-DV & 1 FC66/1 730524  TR-10-DV 2 FC43 730505  TR-10-DV 2 FC43 730505  TR-10-DV 2 FC43 730505  TR-10-DV 2 FC42/1 730504  1 FC66/1 730524  TR-25-DV 1 FC42/1 730504  1 FC64/1 730506  1 FC64/1 730506  TR-40-DV 2 FC66/1 730524  TR-80-DV(V) 2 FC79/1 730504  TR-80-DV(V) 2 FC79/1 730508  TR-80-DV(V) 2 FC79/1 730508  DCL(F)-40-DV 2 FC66/1 730507  DCL(F)-60-DV 4 FC32 730502  DCL(F)-60-DV 4 FC32 730502  DCL(F)-60-DV 4 FC32 730502  DCL(F)-80-DVVL 2 FC66 730507  DCL(F)-80-DVVL 2 FC66 730507  DCL(F)-80-DVVL 2 FC66 730507  DCL(F)-80-DVVL 2 FC66 730507  DCL(F)-130-DV 2 FC43 730505  DCL(F)-100-DV 2 FC43 730506  DCL(F)-100-DV 2 FC43 730502  DCL(F)-130-DVVL 1 FC66 730507  DCL(F)-130-DVVL 2 FC43 730505  DCL(F)-130-DVVL 1 FC66 730507  DCL(F)-130-DVVL 1 FC66 730507  DCL(F)-130-DVVL 1 FC66 730507  DCL(F)-100-DV 2 FC43 730502  DCL(F)-100-DV 2 FC43 730505  DCL(F)-100-DV 2 FC43 730505  DCL(F)-100-DV 2 FC43 730505  DCL(F)-100-DV 1 FC66 730507  DCL(F)-100-DV 2 FC43 730505  DCL(F)-100-DV 2 FC43 730505  DCL(F)-100-DV 1 FC66 730507  DCL(F)-100-DV 2 FC43 730505  DCL(F)-100-DV 1 FC66 730507  DCL(F)-100-DV 2 FC43 730505  DCL(F)-100-DV 1 FC66 730507  DCL(F)-200-DV 1 FC31/1 730501						
CLFT-80-DV 2 FC43 730505				2	FC32	730502
CLFT-100-DV 1 FC32 730507  CLFT-41-DV 2 FC66 730507  CLFT-41-DV 2 FC66 730507  CLFT-61-DV 2 FC66/1 730524  CLFT-61-DV 2 FC66/1 730524  CLFT-61-DV 2 FC66/1 730507  CLFT-81-DV 2 FC66/1 730507  CLFT-81-DV 2 FC66/1 730507  CLFT-81-DV 2 FC66/1 730507  CLFT-101-DV 3 FC66/1 730507  CLFT-101-DV 4 FC66/1 730507  CLFT-101-DV 5 FC66/1 730507  CLFT-101-DV 6 FC66/1 730507  CLFT-101-DV 7 FC66/1 730507  CLFT-101-DV 8 FC66/1 730507  CLFT-101-DV 1 FC66/1 730507  TR-10-DV 2 FC66/1 730507  TR-10-DV 2 FC66/1 730507  TR-10-DV 2 FC66/1 730507  TR-25-DV 1 FC64/1 730506  TR-25-DV 1 FC64/1 730506  TR-40-DV 2 FC66/1 730507  TR-80-DV(V) 2 FC79/1 730508  TR-80-DV(V) 2 FC79/1 730508  TR-80-DV(V) 2 FC79/1 730508  CLFG-41-V 2 FC66/1 730507  DCLFG-60-DV 4 FC32 730502  DCLFG-60-DV 4 FC32 730502  DCLFG-60-DV 4 FC32 730502  DCLFG-60-DV 4 FC32 730502  DCLFG-80-DVVL 2 FC66 730507  DCLFG-80-DVVL 2 FC66 730507  DCLFF-80-DVVL 1 FC66 730507  DCLFF-80-DVVL 2 FC43 730505  DCLFF-80-DVVL 2 FC43 730505  DCLFF-80-DVVL 1 FC66 730507  DCLFF-80-DVVL 2 FC43 730505  DCLFF-80-DVVL 1 FC66 730507  DCLFF-80-DVVL 1 FC66 730507  DCLFF-80-DVVL 2 FC43 730505  DCLFF-80-DVVL 1 FC66 730507				2	FC66	730507
CLFT-100-DV				2	FC43	730505
CLFT-100-DV				2	FC66	730507
CLFT-41-DV				1		
CLFT-41-DV 2 FC32 730507  CLFT-61-DV 2 FC32 730502  CLFT-61-DV 2 FC66/1 730524  CLFT-61-DV 2 FC66/1 730527  CLFT-81-DV 2 FC66 730507  2 FC66/1 730527  CLFT-81-DV 2 FC66 730507  2 FC66/1 730524  CLFT-101-DV 3 FC66 730507  CLFT-101-DV 4 FC32 730502  CLFT-141-DV 2 FC66/1 730524  CLFT-141-DV 2 FC43 730505  TR-10-DV 2 FC42/1 730504  1 FC32 730502  TR-15-DV 2 FC66/1 730527  TR-15-DV 2 FC66/1 730504  1 FC66/1 730524  TR-25-DV 1 FC42/1 730504  1 FC66/1 730506  CLFT-00-DV(V) 2 FC79/1 730508  1 FC66/1 730506  CLFG-41-V 2 FC66/1 730508  CLFG-41-V 2 FC66/1 730508  DCL(F)-60-DV 4 FC32 730502  DCL(F)-60-DV 4 FC32 730502  DCL(F)-60-DV 4 FC32 730502  DCL(F)-80-DVL 2 FC66 730507  DCL(F)-80-DVL 2 FC66 730507  DCL(F)-80-DVL 1 FC66 730507  DCL(F)-80-DVVL 2 FC43 730502  DCL(F)-80-DVVL 1 FC66 730507  DCL(F)-130-DV & PC79/1 730508  DCL(F)-100-DV 2 FC43 730502  DCL(F)-100-DV 2 FC43 730502  DCL(F)-100-DV 2 FC43 730505  DCL(F)-100-DV 2 FC43 730502  DCL(F)-100-DV 2 FC43 730502  DCL(F)-100-DV 2 FC43 730505  DCL(F)-100-DV 1 FC66 730507  DCL(F)-100-DV 2 FC43 730505  DCL(F)-100-DV 2 FC43 73						
CLFT-41-DV 2 FC43 730502 2 FC66/1 730505 2 FC66/1 730505 2 FC66/1 730507 2 FC66 730507 2 FC66/1 730524 CLFT-101-DV & 1 FC32 730502 CLFT-141-DV 2 FC43 730505 3 FC66 730507 3 FC66 730507 3 FC66 730507 3 FC66/1 730524 TR-10-DV 2 FC42/1 730504 1 FC42/1 730506 1 FC42/1 730506 1 FC42/1 730506 1 FC64/1 730506 1 FC64/1 730506 1 FC66/1 730506 1 FC66 730507 DCL(F)-40-DV 2 FC32 730502 DCL(F)-60-DV 4 FC32 730502 DCL(F)-60-DV 4 FC32 730502 DCL(F)-60-DVL 2 FC66 730507 DCL(F)-80-DVL 2 FC66 730507 DCL(F)-80-DVL 2 FC43 730502 DCL(F)-80-DVL 1 FC66 730507 DCL(F)-80-DVL 1						
CLFT-61-DV 2 FC66/1 730524  CLFT-61-DV 2 FC32 730502  CLFT-81-DV 2 FC66/1 730524  CLFT-81-DV 2 FC66/1 730524  CLFT-81-DV 2 FC66/1 730505  2 FC66/1 730505  2 FC66/1 730505  2 FC66/1 730505  2 FC66 730507  CLFT-101-DV & 1 FC32 730502  CLFT-101-DV & 1 FC66 730507  3 FC66 730507  TR-10-DV 2 FC42/1 730504  1 FC64/1 730504  1 FC64/1 730504  1 FC64/1 730504  1 FC64/1 730506  1 FC64/1 730506  1 FC64/1 730506  1 FC66/1 730524  TR-40-DV 2 FC66/1 730506  1 FC66/1 730506  CLFT-40-DV 2 FC79/1 730508  1 FC60-DV(V) 2 FC79/1 730508  1 FC60/2 515310  CLFG-41-V 2 FC64/1 730506  DCL(F)-40-DV 2 FC32 730502  DCL(F)-40-DV 4 FC32 730502  DCL(F)-60-DVL 2 FC32 730502  DCL(F)-60-DVL 2 FC66 730507  DCL(F)-80-DVVL 2 FC43 730502  DCL(F)-80-DVVL 2 FC43 730502  DCL(F)-80-DVVL 1 FC66 730507  DCL(F)-100-DV 2 FC43 730502  DCL(F)-100-DV 2 FC43 730505  DCL(F)-130-DVVL 1 FC66 730507  DCL(F)-130-DVVL 1 FC66 730507  DCL(F)-130-DVVL 1 FC66 730507  DCL(F)-130-DVVL 5 FC79/1 730508  DCL(F)-130-DVVL 6 FC79/1 730508  DCL(F)-130-DVVL 7 FC43 730505  DCL(F)-130-DVVL 8 FC79/1 730508  DCL(F)-130-DVVL 8 FC79/1 730508  DCL(F)-130-DVVL 8 FC79/1 730508  DCL(F)-130-DVVL 9 FC43 730505  DCL(F)-200-DV 9 FC43 730505  D						
CLFT-61-DV 2 FC32 730502  CLFT-81-DV 2 FC66 730507  CLFT-81-DV 2 FC66 730507  CLFT-81-DV 2 FC66 730507  CLFT-101-DV & 1 FC32 730502  CLFT-101-DV & 1 FC32 730502  CLFT-141-DV 2 FC43 730502  CLFT-141-DV 2 FC43 730502  TR-10-DV 2 FC43 730507  TR-15-DV 2 FC66/1 730504  TR-15-DV 2 FC66/1 730504  TR-25-DV 1 FC42/1 730504  TR-25-DV 1 FC42/1 730506  TR-40-DV 2 FC66/1 730504  TR-60-DV(V) 2 FC79/1 730508  TR-80-DV(V) 2 FC79/1 730508  TR-80-DV(V) 2 FC32 730502  CLFG-41-V 2 FC66/1 730506  DCL(F)-60-DV 4 FC32 730502  DCL(F)-60-DVL 2 FC66 730507  DCL(F)-80-DVVL 2 FC43 730502  DCL(F)-80-DVVL 2 FC43 730502  DCL(F)-80-DVVL 1 FC66 730507  DCL(F)-80-DVVL 2 FC32 730502  DCL(F)-80-DVVL 2 FC43 730505  DCL(F)-100-DV 2 FC32 730502  DCL(F)-100-DV 2 FC43 730505  DCL(F)-130-DVVL 1 FC66 730507  DCL(F)-130-DVVL 1 FC66 730507  DCL(F)-130-DVVL 1 FC66 730507  DCL(F)-130-DVVL 5 FC79/1 730508  DCL(F)-130-DVVL 5 FC79/1 730508  DCL(F)-130-DVVL 5 FC43 730505  DCL(F)-130-DVVL 5 FC43 730505  DCL(F)-130-DVVL 6 FC79/1 730508  DCL(F)-130-DVVL 7 FC43 730505  DCL(F)-130-DVVL 8 FC79/1 730508  DCL(F)-130-DVVL 9 FC43 730505  DCL(F)-130-DVVL 1 FC66 730507  DCL(F)-130-DVVL 8 PC79/1 730508  DCL(F)-130-DVVL 8 PC79/1 730508  DCL(F)-130-DVVL 8 PC79/1 730508  DCL(F)-130-DVVL 9 FC43 730505  DCL(F)-130-DVVL 9 FC43 730505  DCL(F)-130-DVVL 9 FC43 730505  DCL(F)-130-DVVL 9 FC43 730505  DCL(F)-200-DV 9 FC43 730505					FC32	730502
CLFT-61-DV 2 FC66 730502				2	FC43	730505
CLFT-81-DV				2	FC66/1	730524
CLFT-81-DV 2 FC66/1 730524  CLFT-101-DV & 1 FC66/1 730505  CLFT-101-DV & 1 FC32 730502  CLFT-141-DV 2 FC43 730505  CLFT-141-DV 2 FC43 730505  TR-10-DV 2 FC42/1 730504  TR-15-DV 2 FC66/1 730504  TR-25-DV 1 FC42/1 730506  TR-40-DV 2 FC66/1 730506  TR-40-DV 2 FC66/1 730506  TR-80-DV(V) 2 FC79/1 730508  TR-80-DV(V) 2 FC79/1 730508  CLFG-41-V 2 FC66/1 730506  DCL(F)-60-DV 4 FC32 730502  DCL(F)-60-DV 4 FC32 730502  DCL(F)-80-DVVL 2 FC66 730507  DCL(F)-80-DVVL 2 FC66 730507  DCL(F)-100-DV 2 FC32 730502  DCL(F)-80-DVVL 1 FC66 730507  DCL(F)-100-DV 2 FC32 730502  DCL(F)-100-DV 2 FC43 730505  DCL(F)-100-DV 1 FC43 730506  DCL(F)-100-DV 2 FC43 730505  DCL(F)-100-DV 2 FC43 730505  DCL(F)-100-DV 2 FC43 730505  DCL(F)-100-DV 2 FC43 730505  DCL(F)-200-DV 2 FC43 730505  DCL(F)-200-DV 2 FC43 730505  DCL(F)				2	FC32	730502
CLFT-81-DV 2 FC66/1 730524  CLFT-101-DV & 1 FC66/1 730505  CLFT-101-DV & 1 FC32 730502  CLFT-141-DV 2 FC43 730505  CLFT-141-DV 2 FC43 730505  TR-10-DV 2 FC42/1 730504  TR-15-DV 2 FC66/1 730504  TR-25-DV 1 FC42/1 730506  TR-40-DV 2 FC66/1 730506  TR-40-DV 2 FC66/1 730506  TR-80-DV(V) 2 FC79/1 730508  TR-80-DV(V) 2 FC79/1 730508  CLFG-41-V 2 FC66/1 730506  DCL(F)-60-DV 4 FC32 730502  DCL(F)-60-DV 4 FC32 730502  DCL(F)-80-DVVL 2 FC66 730507  DCL(F)-80-DVVL 2 FC66 730507  DCL(F)-100-DV 2 FC32 730502  DCL(F)-80-DVVL 1 FC66 730507  DCL(F)-100-DV 2 FC32 730502  DCL(F)-100-DV 2 FC43 730505  DCL(F)-100-DV 1 FC43 730506  DCL(F)-100-DV 2 FC43 730505  DCL(F)-100-DV 2 FC43 730505  DCL(F)-100-DV 2 FC43 730505  DCL(F)-100-DV 2 FC43 730505  DCL(F)-200-DV 2 FC43 730505  DCL(F)-200-DV 2 FC43 730505  DCL(F)				2	FC66	730507
CLFT-81-DV 2 FC66 730505  CLFT-101-DV & 1 FC66/1 730524  CLFT-101-DV & 1 FC32 730502  CLFT-141-DV 2 FC43 730505  TR-10-DV 2 FC43 730505  TR-10-DV 2 FC42/1 730504  TR-15-DV 2 FC42/1 730506  TR-25-DV 1 FC42/1 730506  TR-40-DV 2 FC66/1 730504  TR-80-DV(V) 2 FC79/1 730504  TR-80-DV(V) 2 FC79/1 730506  CLFG-41-V 2 FC66/1 730506  DCL(F)-60-DV 4 FC32 730507  DCL(F)-60-DVL 2 FC66 730507  DCL(F)-80-DVVL 2 FC66 730507  DCL(F)-100-DV 2 FC32 730502  DCL(F)-100-DV 2 FC33 730505  DCL(F)-130-DVVL (S) FC66 730507  DCL(F)-200-DV 4 FC33 730505  DCL(F)-130-DVVL (S) FC79/1 730508  DCL(F)-200-DV 4 FC32 730502  DCL(F)-130-DVVL 5 FC32 730502  DCL(F)-130-DVVL 7 FC43 730505  DCL(F)-130-DVVL 7 FC43 730505  DCL(F)-130-DVVL 7 FC66 730507  DCL(F)-130-DVVL 7 FC66 730507  DCL(F)-200-DV 7 FC43 730508  DCL(F)-200-DV 7 FC43 730508  DCL(F)-130-DVVL 9 FC43 730505  DCL(F)-130-DVVL 1 FC66 730507  DCL(F)-200-DV 1 FC66 730507  DCL(F)-200-DV 2 FC43 730505  DCL(F)-200-DV 1 FC66 730507  DCL(F)-200-DV 1 FC66 730507  DCL(F)-200-DV 1 FC43 730508  DCL(F)-200-DV 1 FC31/1 730501  DCL(F)-200-DV 1 FC31/1 730501						
CLFT-101-DV &   1   FC32   730507						
CLFT-101-DV & 1 FC32 730502 CLFT-141-DV 2 FC43 730505 CLFT-141-DV 2 FC43 730505  TR-10-DV 2 FC66 730507  TR-15-DV 2 FC64/1 730504  TR-25-DV 1 FC42/1 730506  TR-40-DV 2 FC66/1 730506  TR-40-DV 2 FC66/1 730506  TR-60-DV(V) 2 FC66/1 730506  TR-80-DV(V) 2 FC79/1 730508  TR-80-DV(V) 2 FC79/1 730508  CLFG-41-V 2 FC64/1 730506  DCL(F)-40-DV 2 FC66 730507  DCL(F)-60-DV 4 FC32 730502  DCL(F)-60-DV 4 FC32 730502  DCL(F)-80-DVVL 2 FC66 730507  DCL(F)-80-DVVL 2 FC66 730507  DCL(F)-130-DV 2 FC66 730507  DCL(F)-100-DV 2 FC32 730502  DCL(F)-100-DV 2 FC43 730505  DCL(F)-130-DVVL 1 FC66 730507  DCL(F)-130-DVVL 8 PC79/1 730508  DCL(F)-130-DVVL 9 FC43 730505  DCL(F)-200-DV 9 FC31/1 730508  DCL(F)-200-DV 9 FC31/1 730501  CL-25-DV 7 FC31/1 730501						
CLFT-101-DV & 1 FC32 730502 CLFT-141-DV 2 FC43 730505  3 FC66 730507 3 FC66/1 730524  TR-10-DV 2 FC42/1 730504 1 513457  TR-15-DV 2 FC64/1 730506 1 FC42/1 730506 1 FC64/1 730506 1 FC66/1 730524 1 FC66/1 730524 1 FC69/1 F15411  TR-80-DV(V) 2 FC79/1 730508 1 FC69/1 515410  CLFG-41-V 2 FC64/1 730506 DCL(F)-40-DV 2 FC32 730502 DCL(F)-60-DV 4 FC32 730502 DCL(F)-60-DV 4 FC32 730502 DCL(F)-60-DV 4 FC32 730502 DCL(F)-80-DV 8 2 FC32 730502 DCL(F)-80-DV 8 2 FC32 730505 DCL(F)-100-DV 2 FC43 730505 DCL(F)-100-DV 2 FC43 730505 DCL(F)-130-DV 8 PC43 730505 DCL(F)-130-DV 8 PC79/1 730508 DCL(F)-130-DV 9 PC43 730505 DCL(F)-130-DV 8 PC79/1 730508 DCL(F)-130-DV 8 PC79/1 730508 DCL(F)-130-DV 9 PC43 730505 DCL(F)-130-DV 9 PC43 730505 DCL(F)-130-DV 8 PC79/1 730508 DCL(F)-130-DV 9 PC43 730505 DCL(F)-130-DV 9 PC43 730508 DCL(F)-130-DV 9 PC43 730505 DCL(F)-130-DV 9 PC43 730506 DCL(F)-130-DV 9 PC43 730505 DCL(F)-130-DV 9 PC43 730505 DCL(F)-130-DV 9 PC44 730506 DCL(F)-130-DV 9 PC44 730506 DCL(F)-130-DV 9 PC44 730506 DCL(F)-130-DV 9 PC44 740 PC44 PC44 PC44 PC44 PC4					FC66	730507
CLFT-141-DV 2 FC43 730505  3 FC66 730507  3 FC66/1 730524  TR-10-DV 2 FC42/1 730504  1				2	FC66/1	730524
3 FC66 730507 3 FC66/1 730524 TR-10-DV 2 FC42/1 730504 1	85	36		1	FC32	730502
TR-10-DV 2 FC66/1 730524  TR-10-DV 2 FC42/1 730504 1				2	FC43	730505
TR-10-DV 2 FC66/1 730524  TR-10-DV 2 FC42/1 730504 1				3	FC66	730507
TR-10-DV 2 FC42/1 730504  TR-15-DV 2 FC64/1 730506  TR-25-DV 1 FC42/1 730504  TR-25-DV 1 FC64/1 730504  TR-25-DV 1 FC64/1 730504  TR-40-DV 2 FC66/1 730524  TR-60-DV(V) 2 FC79/1 730508  TR-80-DV(V) 2 FC66/1 730506  CLFG-41-V 2 FC66/1 730506  DCL(F)-60-DV 4 FC32 730502  DCL(F)-60-DV 4 FC32 730502  DCL(F)-80-DV 2 FC32 730502  DCL(F)-80-DVVL 2 FC43 730506  DCL(F)-80-DVVL 2 FC43 730507  DCL(F)-130-DV 2 FC43 730507  DCL(F)-130-DV 4 FC32 730507  DCL(F)-130-DV 4 FC32 730505  DCL(F)-130-DV 5 FC66 730507  DCL(F)-130-DV 6 PC43 730505  DCL(F)-130-DV 8 PC79/1 730508  DCL(F)-130-DV 8 PC79/1 730508  DCL-198-DV 1 FC43 730505  DCL-198-DV 1 FC43 730505  DCL(F)-200-DV 2 FC43 730505  DCL-198-DV 1 FC43 730505  DCL-198-DV 1 FC43 730508  DCL-198-DV 1 FC43 730505  DCL-198-DV 1 FC43 730506  DCL-198-DV 1 FC43 730506  DCL-198-DV 1 FC43 730506  DCL-198-DV 1 FC66 730507  TCL-25-DV 7 FC31/1 730501  CL-25-DV 7 FC31/1 730501						
TR-15-DV 2 FC64/1 730506  TR-25-DV 1 FC42/1 730506  TR-25-DV 1 FC42/1 730506  1 FC64/1 730506  1 FC64/1 730506  1 FC64/1 730506  1 FC66/1 730524  1 FC66/1 730524  1 FC69/1 730508  1 FC69/1 730508  1 FC69/1 730508  1 FC610/2 515310  CLFG-41-V 2 FC64/1 730506  DCL(F)-40-DV 2 FC32 730502  DCL(F)-60-DV 4 FC32 730502  DCL(F)-60-DV 4 FC32 730502  DCL(F)-80-DVVL 2 FC66 730507  DCL(F)-80-DVVL 2 FC32 730502  DCL(F)-80-DVVL 2 FC43 730502  DCL(F)-80-DVVL 2 FC43 730502  DCL(F)-80-DVVL 1 FC66 730507  DCL(F)-130-DV 2 FC43 730502  DCL(F)-130-DV 3 FC66 730507  DCL(F)-130-DV 4 FC66 730507  DCL(F)-130-DV 5 FC43 730505  DCL(F)-130-DV 6 PC43 730505  DCL(F)-130-DVVL 1 FC66 730507  DCL(F)-130-DVVL 1 FC43 730508  DCL-198-DV 1 FC43 730501  CL-25-DV 7 FC31/1 730501  CL-25-DV 7 FC31/1 730501  CL-25-DV 7 FC31/1 730501						
TR-15-DV 2 FC64/1 730506  TR-25-DV 1 FC42/1 730504  1 FC64/1 730506  1 FC64/1 730506  1 TR-40-DV 2 FC66/1 730524  TR-60-DV(V) 2 FC79/1 730508  1 FC69/1 515411  TR-80-DV(V) 2 FC79/1 730508  1 FC610/2 515310  CLFG-41-V 2 FC32 730502  DCL(F)-40-DV 2 FC32 730502  DCL(F)-60-DV 4 FC32 730502  DCL(F)-60-DV 4 FC32 730502  DCL(F)-80-DVVL 2 FC66 730507  DCL(F)-80-DVVL 2 FC66 730507  DCL(F)-80-DVVL 2 FC66 730507  DCL(F)-130-DV 2 FC32 730502  DCL(F)-130-DV 2 FC32 730502  DCL(F)-130-DV 2 FC32 730502  DCL(F)-130-DV 2 FC43 730505  DCL(F)-130-DV 2 FC43 730507  DCL(F)-130-DV 2 FC43 730505  DCL(F)-130-DV 1 FC66 730507  DCL(F)-130-DV 2 FC43 730508  DCL(F)-130-DV 1 FC43 730508  DCL(F)-200-DV 1 FC43 730508  DCL(F)-200-DV 1 FC43 730507  DCL(F)-200-DV 1 FC31/1 730501  CL-25-DV 7 FC31/1 730501					FC42/1	
TR-25-DV 1 FC42/1 730504 1 FC42/1 730504 1 FC64/1 730506 1 FC64/1 730506 1 FC64/1 730506 1 FC66/1 730524 1 FC66/1 730524 1 FC69/1 7305308 1 FC69/1 730508 1 FC69/1 730508 1 FC610/2 515310 CLFG-41-V 2 FC32 730502 DCL(F)-40-DV 2 FC32 730502 DCL(F)-60-DV 4 FC32 730502 DCL(F)-60-DVL 2 FC66 730507 DCL(F)-60-DVL 2 FC66 730507 DCL(F)-80-DVL 2 FC32 730502 DCL(F)-80-DVVL 2 FC66 730507 DCL(F)-80-DVVL 1 FC66 730507 DCL(F)-130-DV 2 FC43 730505 DCL(F)-130-DV 1						
TR-25-DV 1 FC42/1 730504 1 FC64/1 730506 1 TR-40-DV 2 FC66/1 730524 1 TR-60-DV(V) 2 FC79/1 730508 1 FC69/1 515411  TR-80-DV(V) 2 FC79/1 730508 1 FC610/2 515310  CLFG-41-V 2 FC32 730502 1 FC66 730507  DCL(F)-60-DV 4 FC32 730502 1 FC66 730507  DCL(F)-60-DVL 2 FC66 730507  DCL(F)-80-DVVL 2 FC32 730502  DCL(F)-80-DVVL 2 FC32 730502  DCL(F)-80-DVVL 2 FC32 730502  DCL(F)-80-DVVL 1 FC66 730507  DCL(F)-130-DV 2 FC43 730505  DCL(F)-130-DV 2 FC43 730505  DCL(F)-130-DV 2 FC43 730505  DCL(F)-130-DV 2 FC43 730505  DCL(F)-130-DV 4 FC79/1 730508  DCL(F)-130-DV 8 PC9/1 730508  DCL(F)-130-DV 8 PC9/1 730508  DCL(F)-130-DV 8 PC9/1 730508  DCL(F)-130-DVVL S PC43 730505  DCL(F)-130-DV 8 PC9/1 730508  DCL(F)-130-DV 8 PC9/1 730508  DCL(F)-130-DV 8 PC9/1 730508  DCL(F)-130-DV 1 FC43 730505  DCL(F)-130-DV 1 FC43 730505  DCL(F)-130-DV 1 FC43 730505  DCL(F)-130-DV 1 FC43 730505  DCL(F)-200-DV 1 FC43 730505  DCL(F)-200-DV 1 FC43 730505  DCL(F)-200-DV 1 FC43 730505  CL-25-DV 7 FC31/1 730501  CL-25-DV 7 FC31/1 730501  CL-25-DV 7 FC31/1 730501				2	FC64/1	730506
1 FC64/1 730506 1 TR-40-DV 2 FC66/1 730524 1 TR-60-DV(V) 2 FC79/1 730508 1 FC69/1 515411 TR-80-DV(V) 2 FC79/1 730508 1 FC610/2 515310 CLFG-41-V 2 FC64/1 730506 DCL(F)-40-DV 2 FC32 730502 1 FC66 730507 DCL(F)-60-DV 4 FC32 730502 DCL(F)-60-DV 4 FC32 730502 DCL(F)-80-DVVL 2 FC66 730507 DCL(F)-80-DVVL 2 FC43 730502 DCL(F)-80-DVVL 2 FC43 730502 DCL(F)-80-DVVL 1 FC66 730507 DCL(F)-80-DVVL 2 FC43 730505 DCL(F)-80-DVVL 1 FC66 730507 DCL(F)-130-DV 2 FC43 730505 DCL(F)-130-DV 2 FC43 730505 DCL(F)-130-DVVL 1 FC66 730507 DCL(F)-130-DVVL 1 FC43 730505 DCL(F)-200-DV 1 FC43 730505 DCL(F)-200-DV 2 FC43 730505 DCL(F)-200-DV 1 FC43 730505 CL-25-DV 7 FC31/1 730501 CL-25-DV 7 FC31/1 730501 CL-25-DV 7 FC31/1 730501				1		513457
TR-40-DV 2 FC66/1 730524  TR-60-DV(V) 2 FC79/1 730508  TR-80-DV(V) 2 FC79/1 730508  TR-80-DV(V) 2 FC79/1 730508  1 FC610/2 515310  CLFG-41-V 2 FC64/1 730506  DCL(F)-40-DV 2 FC32 730502  1 FC66 730507  DCL(F)-60-DV 4 FC32 730502  DCL(F)-60-DVVL 2 FC66 730507  DCL(F)-80-DVVL 2 FC32 730502  DCL(F)-80-DVVL 2 FC32 730502  DCL(F)-80-DVVL 2 FC32 730502  DCL(F)-80-DVVL 1 FC66 730507  DCL(F)-80-DVVL 2 FC43 730502  DCL(F)-80-DVVL 1 FC66 730507  DCL(F)-130-DV 2 FC43 730505  DCL(F)-130-DV 2 FC43 730505  DCL(F)-130-DV 2 FC43 730505  DCL(F)-130-DVVL 1 FC66 730507  DCL(F)-130-DVVL 1 FC43 730505  DCL(F)-130-DVVL 1 FC43 730505  DCL(F)-130-DVVL 1 FC43 730505  DCL(F)-130-DVVL 1 FC43 730505  DCL(F)-200-DV 1 FC43 730505  DCL(F)-200-DV 2 FC43 730505  CL-25-DV 7 FC31/1 730501  CL-25-DV 7 FC31/1 730501  CL-25-DV 7 FC31/1 730501				1	FC42/1	730504
TR-40-DV 2 FC66/1 730524  TR-60-DV(V) 2 FC79/1 730508  1 FC69/1 515411  TR-80-DV(V) 2 FC79/1 730508  1 FC610/2 515310  CLFG-41-V 2 FC64/1 730506  DCL(F)-40-DV 2 FC32 730502  1 FC66 730507  DCL(F)-60-DV 4 FC32 730502  DCL(F)-60-DVVL 2 FC66 730507  DCL(F)-80-DVVL 2 FC32 730502  DCL(F)-80-DVVL 2 FC32 730502  DCL(F)-80-DVVL 2 FC32 730502  DCL(F)-80-DVVL 1 FC66 730507  DCL(F)-80-DVVL 2 FC43 730505  DCL(F)-80-DVVL 1 FC66 730507  DCL(F)-130-DV 2 FC43 730505  DCL(F)-130-DV 2 FC43 730505  DCL(F)-130-DVVL 1 FC66 730507  DCL(F)-130-DVVL (S) 4 FC79/1 730508  DCL(F)-130-DVVL (S) 4 FC79/1 730508  DCL(F)-200-DV 2 FC43 730505  DCL(F)-200-DV 1 FC43 730505  DCL(F)-200-DV 1 FC43 730505  CL-25-DV 7 FC31/1 730501  CL-25-DV 7 FC31/1 730501  CL-25-DV 7 FC31/1 730501				1	FC64/1	730506
TR-40-DV 2 FC66/1 730524  TR-60-DV(V) 2 FC79/1 730508  1 FC69/1 515411  TR-80-DV(V) 2 FC79/1 730508  1 FC610/2 515310  CLFG-41-V 2 FC64/1 730506  DCL(F)-40-DV 2 FC32 730502  1 FC66 730507  DCL(F)-60-DV 4 FC32 730502  DCL(F)-60-DVVL 2 FC66 730507  DCL(F)-80-DVVL 2 FC66 730507  DCL(F)-80-DVVL 2 FC66 730502  DCL(F)-80-DVVL 2 FC66 730502  DCL(F)-80-DVVL 2 FC66 730505  DCL(F)-80-DVVL 2 FC66 730505  DCL(F)-80-DVVL 2 FC43 730505  DCL(F)-80-DVVL 1 FC66 730507  DCL(F)-130-DV 2 FC43 730505  DCL(F)-130-DV 2 FC43 730505  DCL(F)-130-DVVL 1 FC66 730507  DCL(F)-130-DVVL 1 FC66 730507  DCL(F)-130-DVVL 1 FC66 730507  DCL(F)-130-DVVL 1 FC66 730505  DCL(F)-130-DVVL (S) 4 FC79/1 730508  DCL(F)-130-DVVL (S) 4 FC79/1 730508  DCL(F)-200-DV 2 FC43 730505  DCL(F)-200-DV 7 FC31/1 730501  CL-25-DV 7 FC31/1 730501  CL-25-DV 7 FC31/1 730501				1	,	
TR-60-DV(V) 2 FC79/1 730508 1 FC69/1 515411  TR-80-DV(V) 2 FC79/1 730508 1 FC610/2 515310  CLFG-41-V 2 FC64/1 730506  DCL(F)-40-DV 2 FC32 730502  DCL(F)-60-DV 4 FC32 730507  DCL(F)-60-DV 4 FC32 730507  DCL(F)-80-DVVL 2 FC66 730507  DCL(F)-80-DVVL 2 FC43 730502  DCL(F)-80-DVVL 2 FC43 730505  DCL(F)-80-DVVL 1 FC66 730507  DCL(F)-130-DV 2 FC43 730505  DCL(F)-130-DV 2 FC43 730507  DCL(F)-130-DVVL 1 FC66 730507  DCL(F)-130-DVVL 1 FC43 730508  DCL(F)-200-DV 1 FC43 730508  3 FC711/1 730501  CL-25-DV 7 FC31/1 730501  CL-25-DV 7 FC31/1 730501					EC66/1	
TR-60-DV(V) 2 FC79/1 730508  1 FC69/1 515411  TR-80-DV(V) 2 FC79/1 730508  1 FC610/2 515310  CLFG-41-V 2 FC64/1 730506  DCL(F)-40-DV 2 FC32 730502  DCL(F)-60-DV 4 FC32 730507  DCL(F)-60-DV 2 FC66 730507  DCL(F)-80-DVVL 2 FC66 730507  DCL(F)-80-DVVL 2 FC43 730502  DCL(F)-80-DVVL 2 FC66 730507  DCL(F)-100-DV 2 FC43 730505  DCL(F)-130-DVVL 1 FC66 730507  DCL(F)-130-DVVL 1 FC43 730505  DCL(F)-130-DVVL 1 FC43 730505  DCL(F)-130-DVVL 1 FC43 730505  DCL(F)-198-DV 1 FC43 730505  DCL(F)-200-DV 2 FC43 730505  DCL(F)-200-DV 1 FC43 730506  3 FC711/1 730511  CL-25-DV 7 FC31/1 730501  CL-40-DV 1 FC31/1 730501					1.000/1	
1 FC69/1 515411  TR-80-DV(V) 2 FC79/1 730508 1 FC610/2 515310  CLFG-41-V 2 FC64/1 730506  DCL(F)-40-DV 2 FC32 730502  DCL(F)-60-DV 4 FC32 730507  DCL(F)-60-DVVL 2 FC66 730507  DCL(F)-80-DVVL 2 FC66 730507  DCL(F)-80-DVVL 2 FC32 730502  DCL(F)-80-DVVL 2 FC43 730502  DCL(F)-80-DVVL 2 FC66 730507  DCL(F)-100-DV 2 FC43 730505  DCL(F)-130-DV 2 FC43 730507  DCL(F)-130-DV 2 FC43 730507  DCL(F)-130-DV 2 FC43 730507  DCL(F)-130-DV 4 FC79/1 730508  DCL(F)-130-DVVL (S) 4 FC79/1 730508  DCL(F)-130-DVVL (S) 4 FC79/1 730508  DCL(F)-130-DVVL 1 FC43 730505  DCL(F)-130-DVVL 1 FC43 730508  DCL(F)-130-DVVL 1 FC43 730505  DCL(F)-200-DV 1 FC43 730505  DCL(F)-200-DV 1 FC43 730505  CL-25-DV 7 FC31/1 730501  CL-25-DV 7 FC31/1 730501  CL-40-DV 1 FC31/1 730501						
TR-80-DV(V) 2 FC79/1 730508 1 FC610/2 515310  CLFG-41-V 2 FC64/1 730506  DCL(F)-40-DV 2 FC32 730502 1 FC66 730507  DCL(F)-60-DV 4 FC32 730502  DCL(F)-60-DVVL 2 FC66 730507  DCL(F)-60-DVVL 2 FC66 730507  DCL(F)-80-DVVL 2 FC32 730502  DCL(F)-80-DVVL 2 FC32 730502  DCL(F)-80-DVVL 2 FC43 730505  DCL(F)-80-DVVL 1 FC66 730507  DCL(F)-100-DV 2 FC43 730505  DCL(F)-130-DVVL 1 FC66 730507  DCL(F)-130-DVVL 1 FC66 730507  DCL(F)-130-DVVL 1 FC66 730507  DCL(F)-130-DVVL 1 FC66 730507  DCL(F)-130-DVVL 1 FC66 730508  DCL(F)-130-DVVL 1 FC43 730508  DCL(F)-130-DVVL 1 FC43 730508  DCL(F)-130-DVVL 1 FC43 730508  DCL(F)-198-DV 1 FC43 730508  DCL(F)-200-DV 2 FC43 730508  3 FC711/1 730511  DCL(F)-200-DV 7 FC31/1 730501  CL-25-DV 7 FC31/1 730501  CL-40-DV 1 FC31/1 730501				2	FC79/1	730508
1 FC610/2 515310  CLFG-41-V 2 FC64/1 730506  DCL(F)-40-DV 2 FC32 730502  1 FC66 730507  DCL(F)-60-DV 4 FC32 730502  1 FC66 730507  DCL(F)-60-DVVL 2 FC66 730507  DCL(F)-80-DVVL 2 FC32 730502  DCL(F)-80-DVVL 2 FC43 730502  DCL(F)-80-DVVL 2 FC43 730505  DCL(F)-80-DVVL 1 FC66 730507  DCL(F)-100-DV 2 FC43 730505  DCL(F)-80-DVVL 1 FC66 730507  DCL(F)-130-DVVL 1 FC43 730508  DCL(F)-130-DVVL 1 FC43 730508  DCL(F)-130-DVVL 1 FC43 730508  DCL(F)-200-DV 1 FC43 730508  DCL(F)-200-DV 2 FC43 730505  CL-25-DV 7 FC31/1 730501  CL-25-DV 7 FC31/1 730501  CL-40-DV 1 FC31/1 730501				1	FC69/1	515411
CLFG-41-V 2 FC64/1 730506  DCL(F)-40-DV 2 FC32 730502  1 FC66 730507  DCL(F)-60-DV 4 FC32 730502  1 FC66 730507  DCL(F)-60-DVVL 2 FC66 730507  DCL(F)-80-DVVL 2 FC66 730502  DCL(F)-80-DVVL 2 FC43 730502  DCL(F)-80-DVVL 2 FC43 730505  DCL(F)-80-DVVL 1 FC66 730507  DCL(F)-80-DVVL 1 FC66 730507  DCL(F)-100-DV 2 FC43 730505  DCL(F)-80-DVVL 1 FC66 730507  DCL(F)-130-DVVL 1 FC66 730507  DCL(F)-130-DVVL 1 FC66 730507  DCL(F)-130-DVVL 1 FC43 730508  DCL(F)-200-DV 1 FC43 730508  DCL(F)-200-DV 2 FC43 730501  DCL(F)-200-DV 1 FC66 730507  3 FC711/1 730511  CL-25-DV 7 FC31/1 730501  CL-40-DV 1 FC31/1 730501				2	FC79/1	730508
CLFG-41-V         2         FC64/1         730506           DCL(F)-40-DV         2         FC32         730502           1         FC66         730507           DCL(F)-60-DV         4         FC32         730502           1         FC66         730507           DCL(F)-60-DVVL         2         FC66         730507           DCL(F)-80-DVVL         2         FC32         730502           DCL(F)-80-DVVL         2         FC43         730505           DCL(F)-100-DV         2         FC43         730505           DCL(F)-80-DVVL         1         FC66         730507           DCL(F)-80-DVVL         1         FC66         730507           DCL(F)-130-DV         2         FC43         730508           DCL(F)-130-DVVL(S)         4         FC79/1         730508           DCL(F)-130-DVVL(S)         4         FC79/1         730508           DCL(F)-200-DV         1         FC43         730508           DCL(F)-200-DV         2         FC43         730501           DCL(F)-200-DV         2         FC43         730501           CL-25-DV         7         FC31/1         730501           CL-				1	FC610/2	515310
DCL(F)-40-DV         2         FC32         730502           DCL(F)-60-DV         4         FC32         730507           DCL(F)-60-DV         4         FC32         730502           DCL(F)-60-DVVL         2         FC66         730507           DCL(F)-80-DVVL         2         FC32         730502           DCL(F)-80-DVVL         2         FC43         730505           DCL(F)-100-DV         2         FC43         730505           DCL(F)-80-DVVL         1         FC66         730507           DCL(F)-80-DVVL         1         FC66         730507           DCL(F)-130-DV         2         FC43         730508           DCL(F)-130-DVVL(S)         4         FC79/1         730508           DCL(F)-130-DVVL(S)         4         FC79/1         730508           DCL-198-DV         1         FC43         730505           2         FC79/1         730508           3         FC711/1         730511           DCL(F)-200-DV         2         FC43         730505           1         FC66         730507           1         FC66         730507           2         FC43         730508 </td <td></td> <td></td> <td></td> <td>2</td> <td></td> <td>730506</td>				2		730506
1 FC66 730507  DCL(F)-60-DV 4 FC32 730502  1 FC66 730507  DCL(F)-60-DVVL 2 FC66 730507  DCL(F)-80-DVVL 2 FC32 730502  DCL(F)-80-DVVL 2 FC43 730502  DCL(F)-80-DVVL 2 FC43 730505  DCL(F)-80-DVVL 1 FC66 730507  DCL(F)-80-DVVL 1 FC66 730507  DCL(F)-130-DV 2 FC43 730505  DCL(F)-130-DVVL 1 FC66 730507  DCL(F)-130-DVVL 1 FC66 730507  DCL(F)-130-DVVL 1 FC66 730507  DCL(F)-130-DVVL 1 FC43 730505  DCL(F)-130-DVVL 1 FC43 730505  DCL(F)-130-DVVL 1 FC43 730505  DCL(F)-130-DVVL 1 FC43 730505  DCL(F)-200-DV 1 FC43 730505  DCL(F)-200-DV 2 FC43 730505  1 FC66 730507  3 FC711/1 730511  CL-25-DV 7 FC31/1 730501  CL-40-DV 1 FC31/1 730501					•	
DCL(F)-60-DV         4         FC32         730502           DCL(F)-60-DVVL         2         FC66         730507           DCL(F)-60-DVVL         2         FC66         730502           DCL(F)-80-DV &         2         FC32         730502           DCL(F)-80-DVVL         2         FC43         730505           DCL(F)-100-DV         2         FC43         730505           DCL(F)-80-DVVL         1         FC66         730507           DCL(F)-80-DVVL         1         FC66         730507           DCL(F)-80-DVVL         1         FC66         730508           DCL(F)-130-DVVL (S)         4         FC79/1         730508           DCL(F)-130-DVVL (S)         4         FC79/1         730508           DCL-198-DV         1         FC43         730505           2         FC79/1         730508           3         FC711/1         730511           DCL(F)-200-DV         2         FC43         730507           3         FC711/1         730501           CL-25-DV         7         FC31/1         730501           CL-40-DV         1         FC61/1         730504						
1 FC66 730507  DCL(F)-60-DVVL 2 FC66 730507  4 FC32 730502  DCL(F)-80-DV & 2 FC32 730502  DCL(F)-80-DVVL 2 FC43 730505  DCL(F)-100-DV 2 FC43 730507  DCL(F)-100-DV 1 FC66 730507  DCL(F)-80-DVVL 1 FC66 730507  DCL(F)-80-DVVL 1 FC66 730507  DCL(F)-130-DVVL 1 FC66 730507  DCL(F)-130-DV & 2 FC43 730505  DCL(F)-130-DVVL (S) 4 FC79/1 730508  DCL(F)-130-DVVL (S) 4 FC79/1 730508  DCL(F)-130-DVVL (S) 4 FC79/1 730508  DCL(F)-198-DV 1 FC43 730505  DCL(F)-200-DV 2 FC43 730505  DCL(F)-200-DV 2 FC43 730507  CCL-40-DV 7 FC31/1 730501  CL-25-DV 7 FC31/1 730501  CL-40-DV 1 FC31/1 730501						
DCL(F)-60-DVVL         2         FC66         730507           4         FC32         730502           DCL(F)-80-DV &         2         FC32         730502           DCL(F)-80-DVVL         2         FC43         730505           DCL(F)-100-DV         2         FC43         730507           DCL(F)-80-DVVL         1         FC66         730507           DCL(F)-80-DVVL         1         FC66         730507           DCL(F)-130-DVVL         2         FC79/1         730508           DCL(F)-130-DVVL (S)         4         FC79/1         730508           DCL-198-DV         1         FC43         730505           2         FC79/1         730508           3         FC711/1         730511           DCL(F)-200-DV         2         FC43         730505           1         FC66         730507           2         FC711/1         730511           CL-25-DV         7         FC31/1         730501           CL-40-DV         1         FC31/1         730504						
DCL(F)-80-DV & 2 FC43 730502 DCL(F)-80-DVVL 2 FC43 730505 DCL(F)-80-DVVL 2 FC66 730507 DCL(F)-100-DV 2 FC66 730507 DCL(F)-80-DVVL 1 FC66 730507 DCL(F)-80-DVVL 1 FC66 730508 DCL(F)-130-DV & 2 FC43 730508 DCL(F)-130-DV & 2 FC43 730508 DCL(F)-130-DVVL (S) 4 FC79/1 730508 DCL(F)-130-DVVL (S) 4 FC79/1 730508 DCL-198-DV 1 FC43 730505 2 FC79/1 730508 3 FC711/1 730511 DCL(F)-200-DV 2 FC43 730505 1 FC66 730507 3 FC711/1 730511 CL-25-DV 7 FC31/1 730501 CL-40-DV 1 FC31/1 730501					FC66	730507
DCL(F)-80-DV &         2         FC32         730502           DCL(F)-80-DVVL         2         FC43         730505           2         FC66         730507           DCL(F)-100-DV         2         FC43         730505           DCL(F)-80-DVVL         1         FC66         730507           2         FC79/1         730508           DCL(F)-130-DV &         2         FC43         730505           DCL(F)-130-DVVL (S)         4         FC79/1         730508           DCL-198-DV         1         FC43         730505           2         FC79/1         730508           3         FC711/1         730511           DCL(F)-200-DV         2         FC43         730505           1         FC66         730507           3         FC711/1         730511           CL-25-DV         7         FC31/1         730501           CL-40-DV         1         FC31/1         730504	VI	/L		2	FC66	730507
DCL(F)-80-DVVL 2 FC43 730505  DCL(F)-100-DV 2 FC43 730507  DCL(F)-100-DV 1 FC66 730507  DCL(F)-80-DVVL 1 FC66 730507  DCL(F)-80-DVVL 1 FC66 730508  DCL(F)-130-DV & 2 FC43 730505  DCL(F)-130-DVVL (S) 4 FC79/1 730508  DCL-198-DV 1 FC43 730505  2 FC79/1 730508  3 FC711/1 730511  DCL(F)-200-DV 2 FC43 730505  1 FC66 730507  3 FC711/1 730511  CL-25-DV 7 FC31/1 730501  CL-40-DV 1 FC31/1 730501				4	FC32	730502
2 FC66 730507  DCL(F)-100-DV 2 FC43 730505  DCL(F)-80-DVVL 1 FC66 730507  2 FC79/1 730508  DCL(F)-130-DVVL (S) 4 FC79/1 730508  DCL(F)-130-DVVL (S) 4 FC79/1 730508  DCL-198-DV 1 FC43 730505  2 FC79/1 730508  3 FC711/1 730511  DCL(F)-200-DV 2 FC43 730505  1 FC66 730507  3 FC711/1 730511  CL-25-DV 7 FC31/1 730501  CL-40-DV 1 FC31/1 730501	8	85		2	FC32	730502
2 FC66 730507  DCL(F)-100-DV 2 FC43 730505  DCL(F)-80-DVVL 1 FC66 730507  2 FC79/1 730508  DCL(F)-130-DV & 2 FC43 730505  DCL(F)-130-DV & 2 FC43 730505  DCL(F)-130-DVVL (S) 4 FC79/1 730508  DCL-198-DV 1 FC43 730505  2 FC79/1 730508  3 FC711/1 730511  DCL(F)-200-DV 2 FC43 730505  1 FC66 730507  3 FC711/1 730511  CL-25-DV 7 FC31/1 730501  CL-40-DV 1 FC31/1 730501	VI	/L		2	FC43	730505
DCL(F)-100-DV 2 FC43 730505 DCL(F)-80-DVVL 1 FC66 730507 2 FC79/1 730508 DCL(F)-130-DV & 2 FC43 730505 DCL(F)-130-DVVL (S) 4 FC79/1 730508 DCL-198-DV 1 FC43 730505 2 FC79/1 730508 3 FC711/1 730511 DCL(F)-200-DV 2 FC43 730507 1 FC66 730507 3 FC711/1 730511 CL-25-DV 7 FC31/1 730501 CL-40-DV 1 FC31/1 730501						
DCL(F)-80-DVVL 1 FC66 730507 2 FC79/1 730508 DCL(F)-130-DV & 2 FC43 730505 DCL(F)-130-DVVL (S) 4 FC79/1 730508 DCL-198-DV 1 FC43 730505 2 FC79/1 730508 3 FC711/1 730511 DCL(F)-200-DV 2 FC43 730505 1 FC66 730507 3 FC711/1 730511 CL-25-DV 7 FC31/1 730501 CL-40-DV 1 FC31/1 730501	.7	7				
2 FC79/1 730508  DCL(F)-130-DV & 2 FC43 730505  DCL(F)-130-DVVL (S) 4 FC79/1 730508  DCL-198-DV 1 FC43 730505  2 FC79/1 730508  3 FC711/1 730511  DCL(F)-200-DV 2 FC43 730505  1 FC66 730507  3 FC711/1 730511  CL-25-DV 7 FC31/1 730501  CL-40-DV 1 FC31/1 730501  2 FC42/1 730504						
DCL(F)-130-DV & 2 FC43 730505 DCL(F)-130-DVVL (S) 4 FC79/1 730508 DCL-198-DV 1 FC43 730505 2 FC79/1 730508 3 FC711/1 730511 DCL(F)-200-DV 2 FC43 730505 1 FC66 730507 3 FC711/1 730511 CL-25-DV 7 FC31/1 730501 CL-40-DV 1 FC31/1 730501 2 FC42/1 730504	VI	'L				
DCL(F)-130-DVVL (S) 4 FC79/1 730508 DCL-198-DV 1 FC43 730505 2 FC79/1 730508 3 FC711/1 730511 DCL(F)-200-DV 2 FC43 730505 1 FC66 730507 3 FC711/1 730511 CL-25-DV 7 FC31/1 730501 CL-40-DV 1 FC31/1 730501 2 FC42/1 730504				2	FC79/1	
DCL-198-DV 1 FC43 730505 2 FC79/1 730508 3 FC711/1 730511 DCL(F)-200-DV 2 FC43 730505 1 FC66 730507 3 FC711/1 730511 CL-25-DV 7 FC31/1 730501 CL-40-DV 1 FC31/1 730501 2 FC42/1 730504	V	7 &		2	FC43	730505
2 FC79/1 730508 3 FC711/1 730511  DCL(F)-200-DV 2 FC43 730505 1 FC66 730507 3 FC711/1 730511  CL-25-DV 7 FC31/1 730501  CL-40-DV 1 FC31/1 730501 2 FC42/1 730504	V٦	VL (S)	)	4	FC79/1	730508
3 FC711/1 730511 DCL(F)-200-DV 2 FC43 730505 1 FC66 730507 3 FC711/1 730511 CL-25-DV 7 FC31/1 730501 CL-40-DV 1 FC31/1 730501 2 FC42/1 730504				1	FC43	730505
3 FC711/1 730511 DCL(F)-200-DV 2 FC43 730505 1 FC66 730507 3 FC711/1 730511 CL-25-DV 7 FC31/1 730501 CL-40-DV 1 FC31/1 730501 2 FC42/1 730504				2	FC79/1	730508
DCL(F)-200-DV 2 FC43 730505 1 FC66 730507 3 FC711/1 730511 CL-25-DV 7 FC31/1 730501 CL-40-DV 1 FC31/1 730501 2 FC42/1 730504					•	
1 FC66 730507 3 FC711/1 730511 CL-25-DV 7 FC31/1 730501 CL-40-DV 1 FC31/1 730501 2 FC42/1 730504	. 7	7				
3 FC711/1 730511 CL-25-DV 7 FC31/1 730501 CL-40-DV 1 FC31/1 730501 2 FC42/1 730504	V					
CL-25-DV 7 FC31/1 730501 CL-40-DV 1 FC31/1 730501 2 FC42/1 730504						
CL-40-DV 1 FC31/1 730501 2 FC42/1 730504					FC711/1	
2 FC42/1 730504				7	FC31/1	730501
2 FC42/1 730504				1	FC31/1	730501
·				2		
2 1.007/1 730300						
KTA-140/1 4 FC713/1 731142						
·		E14				
KTA 100 <b>RP8516</b> 1 FC717/1 731143	, 3	210		1	FC/1//1	101143



### FILTER BAGS

ST1033 Small Herbert Filter Bag 5-1/4" x 20" (item #33)
 ST1036-1 Technotrans, Tempaste Filter Bag w/ring 7" x 16-1/2" x 7" neck (item #1 above)
 ST1036-2 Royse Filter Bag (Model #6000-11) Technotrans 6-1/2" x 9-3/8" x 1-1/2" neck (item #2 above)
 ST1036-3 Filter Bag 9" x 11-3/4" (item #3 above)

**ST1036-4** Heid 40" 11-3/8" x 23-3/4" x 4" neck **ST1036-5** Baldwin #88670 9" x 12" x 2-5/8" neck **ST1036-6** Nylon Bag w/string 12" x 17" x 12" neck

**ST1036-9** Filter Bag 9-3/4"x 18-1/2"x 3-1/4"neck (item #9)

**ST1036-10** Baldwin #88529 8" x 10" x 1" neck

**ST1036-11** Filter Bag - Baldwin #88508 (item #11 above) 16" x 20-1/2" x 2.3" neck

**ST1036-12** Baldwin # 79829 18" x 20" x 2" neck

**ST1036-13** Baldwin #808GENII Filter Bag

8-1/2" x 12-1/2" x 1" neck (item #13 above)

**ST1036-14** Filter Bag 13" x 17-1/2" x 4-1/2" neck (item #14)

**ST1036-15** Filter Bag 8-1/4" x 11-3/4" x 2" neck

**ST1036-16** Filter Bag 10-3/8" x 20-3/4" x 4" neck

**ST1036-17** Royse (tubeless) 7" x 10-1/2" x 1-1/2" neck

**ST1036-18** Filter Bag 10-1/4" x 22-1/2" x 2-1/4" neck **ST1036-19** Filter bag w/string 13-7/8" x 18" x 5" neck


ST1036-19 Filter bag w/string 13-7/8 x 18 x 5 neck ST1037 Large Herbert 15-1/2" x 24-1/4" x 5-1/2" neck

**ST1095** Felt Tube for Baldwin System 3" x 7"

RP7914 Royse Filter Bag w/plastic fitting (item

#01)

CUSTOM SIZES AVAILABLE
FOR MOST FILTER TYPES.
CALL FOR MORE INFORMATION.



# FOUNTAIN FILTERS

A&B Available in Felt or Polyfiber. Specify Desired Size.

C **#ST1017** Flat Foam Filter 7" x 14"

D #**ST1013** Foam Filter Box 8" x 10"

E #**ST1010** Fountain Filter with 5" diameter.

F #**ST1007** Fountain Filter with 6" diameter.

G #**ST1006** Fountain Filter with 4" diameter.

H #ST1039 Round Diffusion Pad

I #**ST1008** U-Shaped Filter 7" x 15"

#ST7001 Filter Kit - 12ea.(ST1017) and 6ea.(ST1039)



### WATER PURIFICATION FILTERS

Fount-N-Kleer replacement filters #PCT-40-10Z **PC7411** R/O Water Post Treatment Repl. Filters #OP-S2-09 **PC7439** R/O Water Activated Carbon Filters #PCRX-10-20 **PC7437** R/O Water Sediment Pre Filter #PCG-01-2 **PC7438** 

SEE PAGE 28 FOR INFORMATION ON R/O WATER SYSTEMS

# FILTER BAGS



#### KOMORI WASH-UP BLADES

Part #	Press	<u>Material</u>	<u> </u>	<u>Size</u>
ST1410-93	40"	Plastic	8-Holes	2" x 42-1/7"
ST1410-93U	40"	Urethane	8-Holes	2" x 42-1/7"
ST1410-118	40"	Urethane	15-Holes	2" x 43.5"
ST1490-75	40"	Metal/Rubber	15-Holes	1.94" x 42.4"
ST1490-89	26"	Metal/Rubber	10-Holes	1.85" x 27-7/8"
ST1495-120	28"	Metal/Rubber	11-Holes	1-7/8" x 30-9/16"
ST1495-23	26"	Urethane	6-Holes	1-3/8" x 28-9/16"
ST1495-30	28"	Metal/Rubber	11-Holes	1-7/8" x 30-1/8"
ST1495-73	40"	Metal/Rubber	15-Holes	1-7/8" x 43-3/4"
ST1495-73U	40"	Urethane	15-Holes	1-7/8" x 43-3/4"
ST1500-44	26"	Metal/Rubber	6-Holes	1-3/8" x 28-9/16"
ST1540-138	29"	Acetal	11-Holes	1-1/2" x 31-23/32"

#### RYOBI WASH-UP BLADES

Part #	Press	<u>Material</u>		Size
ST1495-37	3302M, 3985	Rubber	6-Holes	1-5/8" x 13-7/8"
ST1495-46	512	Rubber	9-Holes	1-3/16" x 22-3/16"
ST1495-62	522, 524	Rubber	9-Holes	1" x 22-3/8"
ST1495-71	3985	Rubber	6-Holes	1-5/8" x 14"
ST1500-21	3200, 9985	Rubber	6-Holes	1-3/4" x 14"
ST1495-92	RS34LS2	Metal/Rubber	5-Holes	1-5/8" x 14-1/16"


#### MITSUBISHI WASH-UP BLADES

Part #	Press	<u>Material</u>	Size
ST1520-36	3F4	Metal/Urethane 11-	Holes 1.575" x 42-15/16"
ST1520-36M	<b>I/R</b> 3F4	Met/Rubber 11-	-Holes 1.575" x 42-15/16"
ST1520-20	3FG	Metal/Rubber 11-	-Holes 1-3/8" x 42-1/2"
ST1520-21	1F	Plastic/HDPE 9-	Holes 1.115" x 30-9/16"

#### MISC. WASH-UP BLADES

Part #	Press	Material	9	Size
ST1350-9	Harris	Metal/Rubber	17-Holes	2.5" x 62-3/4"
ST1420-43	Miehle 28"	Metal/Rubber	8-Holes	2.5" x 31-7/8"
ST1480-1	Miller TP104	Metal/Rubber	12 Slots	2-5/8" x 44-7/8"
ST1490-6	Solna	Urethane	None	0.78" x 28-1/2"
ST1490-14	Omni(Adast)	Rubber	17-Holes	1-1/16" x 26-1/4"
ST1490-36	Hamada 770	Metal/Rubber	13-Holes	1-5/8" x 19"
ST1490-40	Sakurai	Rubber	10-Holes	1-15/16 x 31-1/16
ST1490-40U	Sakurai	Urethane	10-Holes	1-15/16 x 31-1/16
ST1490-49	Oliver/Sakurai	Rubber	9-Holes	1-15/16 x 24-3/8"
ST1490-7	Chief 22	Metal/Rubber	14-Holes	1" x 25"
ST1500-37	Akiyama	Rubber	11-Holes	1-3/4" x 31-5/16"
ST1540-25	Akiyama	Rubber	12-Holes	1-3/4" x 44"

WE HAVE WASH-UP
BLADES AVAILABLE FOR
YOUR PRESS. IF WHAT YOU
NEED IS NOT LISTED HERE
THEN SIMPLY GIVE US A
CALL AND WE WILL GET
YOU THE BLADE YOU NEED.



Part #	Press	Mater	<u>ial</u>	<u>Size</u>
ST1280-1	KOR/KORA	M/R	10-Holes	1.975" x 23-9/16"
ST1280-2	SM72	M/R	11-Holes	2-3/8" x 31-3/32"
ST1290-2	GTO46	M/R	5-Holes	2-3/8" x 19-11/16"
ST1290-3	GTO52	M/R	6-Holes	2-3/8" x 22-1/16"
ST1290-4	SORK	M/R	8-Holes	2-3/8" x 28-5/32"
ST1290-5	SORDZ	M/R	10-Holes	2-3/8" x 37-13/16"
ST1290-10	MO Blanket	M/R	7-Holes	2-3/8" x 27-1/4"
ST1290-18	SM52	M/R	7-Holes	2" x 27-13/16"
ST1300-1	SM102	M/R	11-Holes	2-3/8" x 42-29/32
ST1300-9	SM74	M/R	9-Holes	2-1/4" x 32-1/2"
ST1510-1	Windmill	M/R	5-Holes	1.975" x 14-15/16"
ST1510-5	QM46	Nylon	5-Slots	1-11/16" x 14-3/4"

MANY DIFFERENT SIZES AND MATERIALS AVAILABLE FOR YOUR HEIDELBERG PRESS. CALL US WITH YOUR BLADE SIZE AND/OR PRESS MODEL NUMBER.



CUSTOM SHAPES & SIZES
AVAILABLE. SPECIFY WIDTH,
LENGTH, # OF HOLES OR
SLOTS, PRESS MODEL, AND
BLADE MATERIAL TYPE.

# WASH UP BLADES



SIEBERT ICS SUPER BLADDER

# SIEBERT ICS PRESOAKED CLEANING CLOTH ROLLS

- -No VOC Chemicals
- -Works with conventional, UV, and Hybrid inks
- -Cleans Better
- -Cleaning fluid is biodegradable

Available for a wide range of presses. Popular varieties are stocked in our warehouse for quick order fulfillment.

# Designed to replace OEM bladder materials. Dimensionally the same as OEM bladders but weighs almost twice as much. Specifically formulated rubber compound has superior chemical, abrasion, heat and impact resistance. Compatible with conventional, UV, and hybrid inks. Better product, better value. Send in your bladder and we will have it installed for you and quickly returned.

# POSCO DRY ABW ROLLS

Part #	Press	<b>Package</b>
<b>STP1723</b>	Heid. SM 52	25 Rolls/Case
STP1836	Heid. SM 74	25 Rolls/Case
STP1760	Komori 26	25 Rolls/Case
STP1780	Komori 28	25 Rolls/Case
STP2680	Komori 40	25 Rolls/Case
STP2680W	Komori 40 (white)	25 Rolls/Case
STP2630	Mitsubishi 40	25 Rolls/Case
STP2650	Roland 600/700	25 Rolls/Case
STP3000	KBA Planeta 55	25 Rolls/Case
STP3400	KBA Planeta 64	25 Rolls/Case
STP3009MW	KBA 142	16 Rolls/Case

# **POSCO WET ABW ROLLS**

Part #	<b>Specifications</b>	<b>Package</b>
I.774-9-15	30-1/2 x 10yd x .5" Core	10 Rolls/Case
I1.04-13.5-15	40-7/8 x 15yd x 1.28 Core	10 Rolls/Case
I1.04-16-15	40-7/8x 17.5ydx 1.28 Core	10 Rolls/Case
I1.05-17-15	41-1/4 x 18.6yd x 1" Core	10 Rolls/Case
I1.054-13.7-15	41-1/2 x 15yd x 1.28 Core	10 Rolls/Case
I1.07-9-15	42-1/8 x 10yd x 1.28 Core	10 Rolls/Case
I.857-8.5	33-3/4 x 9.3yd x1.28 Core	10 Rolls/Case
I.984-8.5	38-3/4 x 9.3yd x1.28 Core	10 Rolls/Case
I.984-9	38-3/4 x 10yd x 1" Core	10 Rolls/Case

#### MANY OTHERS AVAILABLE. PLEASE CALL



POSCO PRIVATE
LABELED WET & DRY
AUTO BLANKET WASH
ROLLS ARE AN EXCELLENT ECONOMICAL
ALTERNATIVE TO
NATIONAL BRAND
ABW CLOTH ROLLS









#### **DUPONT SONTARA AUTO BLANKET WASH ROLLS - WHITE OR BLUE**

#### HEIDELBERG CLOTH ROLLS

Part #	<u>Press</u>	<u>Material</u>	<b>Package</b>
STF1715	Heid. QM46 Plate	White Cloth, Metal Core	24 Rolls/Case
ST1716	Heid. QM46 Back Cyl.	Blue Cloth, Metal Core	4 Rolls/Case
ST1723	Heid. SM 52	Blue Cloth, Plastic Core	25 Rolls/Case
ST1751	Heid. MO	Blue Cloth, Plastic Core	25 Rolls/Case
ST1836	Heid. SM 74	Blue Cloth, Plastic Core	25 Rolls/Case

#### KOMORI CLOTH ROLLS

Part #	Press	<u>Material</u>	<b>Package</b>
ST1760	Komori 26	Blue Cloth, 1/2"Cardboard Core	25 Rolls/Case
ST1765	Komori 26	Blue Cloth, 3/4"Cardboard Core	25 Rolls/Case
ST1780	Komori 28	Blue Cloth, 1/2"Cardboard Core	25 Rolls/Case
ST1825	Komori 28	Blue Cloth, 3/4"Cardboard Core	25 Rolls/Case
ST2680	Komori 40	Blue Cloth, Cardboard Core	25 Rolls/Case
<b>ST2680W</b>	Komori 40	White Cloth, Cardboard Core	25 Rolls/Case

#### OTHER PRESS MANUFACTURERS CLOTH ROLLS


Part #	Press	<u>Material</u>	<b>Package</b>
ST2630	Mitsubishi 40	Blue Cloth, Cardboard Core	25 Rolls/Case
ST2687	Mitsubishi 40 Back Cyl.	Blue Cloth, Cardboard Core	25 Rolls/Case
ST2650	Roland 600/700	Blue Cloth, Cardboard Core	25 Rolls/Case
ST3000	KBA Planeta 55	Blue Cloth, Cardboard Core	25 Rolls/Case
ST3400	KBA Planeta 64	Blue Cloth, Cardboard Core	25 Rolls/Case


AVAILABLE FOR ALL OFFSET & WEB PRESSES. THIS LISTING IS ONLY A SAMPLE OF WHAT IS AVAILABLE. PLEASE CALL US WITH YOUR NEEDS.


CUSTOM SIZES: SPECIFY WIDTH, LENGTH, PRESS MODEL, CORE TYPE, AND CLOTH MATERIAL TYPE

# AUTOMATIC BLANKET WASH CLOTH ROLLS

Made to Manufacturers Specifications. Guaranteed Quality and Fit.







PART#	<u>PRESS</u>
ST1660-1	MILLER (2-Holes)
ST1660-2	KOMORI - 2" x 1-1/4"
ST1660-3	AKIYAMA - rubber
ST1660-4	MIEHLE
ST1660-5	AKIYAMA - urethane
ST1660-6	HEIDELBERG - speedmaster
ST1660-7	HEIDELBERG - metal/rubber
ST1660-8	SPECIAL - metal/rubber
ST1660-9	PLANETA 40" (no holes)
ST1660-10	SHINOHARA 52HP - 1-1/4" x 1"
ST1660-11	SPECIAL - 1" x 4"
ST1660-12	PLANETA 40 - 2 x 1-1/2 -urethane
ST1660-13	KOMORI - 2-1/4" x 2"
ST1660-14	MILLER (one hole)
ST1660-15	MITSUBISHI waterless
ST1660-16	HEIDELBERG met/rub special
ST1660-18	PLANETA 50 urethane
ST1660-19	MITSUBISHI - 1-1/2" x 1"
ST1660-20	SHINOHARA waterless (white)
ST1660-21	SHINOHARA urethane/brass
ST1660-22	KOMORI soft thick waterless
ST1660-23	KOMORI thin metal
ST1660-24	MITSUBISHI - black rubber
ST1660-25	SAKURAI - 2-hole
ST1660-26	ROLAND 800 - 4-hole
ST1660-27	KOMORI 2-1/4" x 2" thin metal
ST1660-28	PLANETA KBA w/bend
ST1660-29	HEIDELBERG MO (one slot)
ST1660-30	SPECIAL—waterless
ST1660-31	HEIDELBERG MO (no holes)
ST1660-32	HEIDELBERG MO (2 holes)
ST1660-33	HEIDELBERG SPECIAL
ST1660-34	HEIDELBERG SORDZ
ST1660-35	RYOBI 522
ST1660-36	MITSUBISHI 17"
ST1660-38	SHINOHARA 52 - 1-1/2" x 3/4"
ST1660-39	PLANETA VARIMAT
ST1660-40	ROLAND 300
ST1660-41	HEIDELBERG SM74(old style, narrow)
ST1660-42	MITSUBISHI 11"

ROLAND 100 - 1-1/4" sq

PLANETA RAPIDA

**HEIDELBERG SM52** 

HEID SM74(new style)*M*2.033.061IS/03

HEIDELBERG Alcolor 93.205.516/B

HEIDELBERG SM52 G2.207.001

PLANETA - 3-3/8" x 1-1/8" red

**HEIDELBERG** conventional

# HICKEY PICKERS

ST1660-43

ST1660-45 ST1660-46

ST1660-47

ST1660-50

ST4330 (6H)

RP7494 (51)

RP7896 (52)



#### **Hyton Dampener Covers**

All Sizes = 25 Yards Per Case

Size 33 - 1-7/8" - 2-1/2"

Size 33S- 1-7/8" - 2-1/2"

Size 43 - 2-1/2" - 3-3/8"

Size 45 - 2-1/2" - 3-3/8"

Size 53 - 3-3/8" - 4"

Size 55 - 3-3/8" - 4"

Size 63 - 4" - 5" Roller Dia.



#### **Snowtex Cloth Wipes**

QF80 - 13"x13" - 375 wipes/case K560080-15

QF81 - 13"x17" - 375 wipes/case QF82 - 16"x17" - 375 wipes/case K560082-15

PR96 - 12.2"x17.3" - 400/roll K561190-15



#### Webril Natural Citrus **Hand Cleaner**

Available with or without pumice

1-gal Jug w/pump top

4.5lb Tubs - singles or case of 6



#### **Nubtex Shop Cloths**

#313 - 13"x 13"- 375 wipes/case K560029-15

#317 - 13"x 17" - 375 wipes/case #617 - 16"x 17" - 375 wipes/case K569027-15

#216R - 12.2"x 15.75" - 400/roll K561920-1

Pop-Up Box - 12"x17"- 150/box



#### Red 1 Shrink Damp. Covers

GENERIC SIZES

Size 50 & 75 = 10 Meter Rolls Size  $100 \& 200 = 10 \text{ yd } \underline{\text{or}} 25 \text{ yd}$ Size 300-700 = 25 Yard Rolls CUSTOM SIZES

Available for many presses. Heid GTO, Ryobi, Chief, Didde, Hamada, Davidson, & More.



#### **Alternative Product: POSCO Blue Shop Towels**

Quarter folded 13" x 13" Wipes - SE002-15 50 wipes per bundle - 400 wipes per case.



#### **Webril Cotton Pads**

4"x4" Handi-Pads (100/Pkg) 20 Sleeves per Case K56221

8"x8" Wipe Rolls (100/roll) 8 Rolls per Case **K562207** 



#### **Red Runner Dampening Sleeves**

6 Sleeves per Case Specify Roller Diameter and Length

With or Without Tie Strings

# **Alternative Products:**

Baseline 4x4 Cotton Pads- **Q562211BL-15** - 20 Pkgs/Case Baseline 8x8 Cotton Pads- Q562207BLN - 8 Roll Case



#### Web Lock Splicing Tape

-Double Faced Tape Red (DN-31) -Double Faced Tape Clear (DN-32) -Transfer Tape Pink (TN-25) Above 3 item widths 1/2" 3/4", 1", 1-1/2", or 2"

-Transfer Tape Clear (TN-26) Above item widths 1/2"- 2"

All Types = 60 Yard Rolls



#### **Photex Scanner Wipes**

9"x13" Wipes (100/box) 4 Boxes per Case K548026-15



# **BBA PRODUCTS**



#### Wash-Up Bottles

Preprinted with safety info. Available for the following products: Press Wash 902X, Solvit Regular, Blanket Cleaner 505, Blanket Wash 430, Blanket Wash, Color Wash #1, Low VOC M.R.C., Press Wash PWM Special, Press Wash A-6.



#### **Gooseneck Bottles**

Nalgene Brand, chemical resistant wash up bottles allow for dispensing of wash without inverting bottle.

16oz **L3152-1** 32oz **L3154-1** 



#### **Empty Containers**

Drums, Pails, Gallons, Quarts. Available in plastic or steel.



#### **Stitching Wire**

Flat or Round


Please specify Gauge and roll size (weight) when ordering.

5# rolls have 10 Rolls/Case




# **Padding Compound**Red **VL7415** or White **VL8113**1 Quart Bottle (or 16/Case)

1 Gallon Jug (or 4/Case)




For Carbonless Paper. Same package sizes as above.



#### **Cutting Sticks**

Plastic cutting sticks available in materials that will perform well with your cutter. Specify dimensions when ordering.



#### **Metal Corners**

Makes racking loads easy and fast. Reduces offset by reducing load size (4/set)

6" Tall **RP8488** (Set of 4) 9" Tall **RP8033** (Set of 8)



#### Paper Drills & Drill Blocks

High quality mirror finish bits available in Teflon or Regular. Challenge- 2"or 2.5"- 1/8"to 1/2" Dia. Nygren Dahly- 3.5"- 1/8"to 1/2" Dia Lawson- 3.5"or 4"L - 1/8"to 1/2" Dia. Seybold- 1/8" to 1/2" Diameters



#### Ink Eliminator L0000

Nylon mesh bag filled with absorbent material is designed to maintain fountain solution effectiveness by removing emulsified ink and picking up floating and suspended ink. Simply place it in your circulating tank reservoir and watch it work.



#### **Static Tinsel**

Quality all copper tinsel removes static build-up (2x36ft rolls/box)

L828-1



#### **Scotch Hones**

A proven satisfactory replacement for the original Tam-O-Sahnta Scotch Hones that are no longer made. **LI6076-9** 



#### Razor Blades

#12 Razor Blades (HD) **LRB12** #9 Razor Blades (MD) **RP7854** 119-01 Exacto Knives (1/box) **RP7934** 

119-11 Exacto Blades (100/box) **RP7881** 

# PRESSROOM ACCESSORIES



#### **Sponges**

6F -Cellulose RP7785 6"L x 3"W x 1"H

8F -Cellulose **LIT8AF** 6"L x 1-1/4"W x 1-1/2"H


1DF -Cellulose **RP9043** 4-1/4"L x 4"W x 2-1/4"H

4S- Natural Sea Sponge LIT8550



#### **Scotch Brite Pads**

Used for cleaning dried ink and grime off of surfaces. Steel wool effectiveness, yet safe for blankets and rollers. **RP7728** 



#### **Blanket Scrubbers**

Durable Nylon Pocket containing a cellulose sponge that holds a reservoir of solvent to thoroughly and effortlessly clean your blankets without the use of expensive shop towels **RP8715** 



#### **Absorbent Socks**

These flexible universal absorbent socks lay flat on any surface to prevent seepage of liquids.

3" Diameter x 4' Length

30 socks per case CSS7820-30




#### **Heavy Duty Absorbent Mat**

16" x 20" - Universal Absorbent 100/box **RP7385** 

15" x 19" - Absorbs Oil Only 100/box **CSS7821** 

30" x 300' Roll (with perfs) Universal Absorbent **CSS7822** 



#### **Absorbent Drum Covers**

Fit 55-Gallon Drums

Comes with precut holes to match small & large bungs

25 Covers per case. CSS7861



#### **Drum Spigot**

Available for 3/4" or 2" drum openings. Fit metal or plastic drums.

2" - **PC101** 3/4" - **PC100** 



#### **Bung Wrench**

Works with plastic or metal drums with 2" and 1/2" openings Available in Aluminum or bronze



#### **Metal Pail Pump #PPUMP**

Used for dispensing products from 5-gallon pails.

**Metal Drum Pump PC1218** 

Economical means of dispensing products from steel drums. **P366T-MODEL** 

P366T-MODEL P6087-TEEL BRAND

#### Plastic Drum Pump P375

Economical means of dispensing products from plastic drums.



#### Dayton Brand Rotary Drum Pump

Longer lasting rotary pumps.

Item# PCPUMP



#### **Goat Throat Pumps**

Long lasting, chemical resistant drum and pail pumps improve safety and keep drum sealed when not dispensing in order to improve air quality. Replaceable seals extend pump life. Optional extensions and alternative dispensing nozzles available as well as the ability to hook pump up to compressed air to allow dispensing without manually pumping. Specify chemical being used so that appropriate seals are shipped.

Sponges, Scotch Brite, Absorbent Materials, Spigots, Pumps



#### Scrubs In-A-Bucket Hand Cleaner Towels

72 Towels Per Bucket

Dual action, pre-saturated hand cleaner towels work great for a variety of applications.

Available by the single bucket or in cases of 6 buckets. **L7045** 



#### **Really Works Hand Cleaner**

4.5lb Tub or Cases of 6 Tubs An excellent waterless hand cleaner designed to meet the demands of press operators. Citrus Scent L7216



#### **Poly Scrub Hand Cleaner**

3.8lb Tub or Cases of 6 Tubs

Industrial strength, paste-type hand cleaner that utilizes soft poly scrubbers and a special blend of detergents to power away grime. No solvents or harsh pumice. Has a refreshing lemon-lime fragrance





### **Webril Natural Citrus Hand**

**Cleaner**(with or without Pumice)

- 1-gal Jug w/pump top
- Case of 4 Gallon Jugs
- 4.5lb Tubs
- Case of 6 tubs



#### **Hand Cleaner Dispenser**

Works with 4.5 lb cans of Really Works or Webril Hand Cleaners.

K569903

CALL FOR MANY OTHER TYPES OF GLOVES, EAR PLUGS, AND SAFETY EQUIPMENT.



#### **Disposable Nitrile Gloves**

Chemical resistant blue nitrile gloves available with or without powder in S, M, L, XL, XXL 100 Gloves per Box 10 Boxes per Case



#### **Disposable Vinyl Gloves**

These economical clear gloves are available in 4 sizes—S, M, L, XL. Powdered or unpowdered 100 Gloves per Box 10 Boxes per Case



#### **Best N-Dex Gloves**

Durable, US made disposable nitrile rubber gloves. Powdered 100 Gloves per Box 20 Boxes per Case



#### **Best Nitrisoly Gloves**

These durable, chemical resistant gloves are available in bags containing one dozen pair.

Sizes - 8(S), 9(M), 10(L), 11(XL)



#### **MAPA Knit-Lined Gloves**

These neoprene gloves provide superior performance in terms of chemical and wear resistance. Rough Grip. Sold by the dozen.

Sizes - 10(L), 11(XL) **SE8856** 



#### **Pre-Shaped Foam Ear Plugs**

Smooth, Soil-Resistant outer skin helps prevent soils from penetrating while rolling plugs. Individually wrapped pairs.

- Available with or without cords
- 200 pair/Box Uncorded
- 100 pair/Box Corded



#### **Dust Masks**

Disposable mask is lightweight and comfortable. Has adjustable metal nosepiece.

50 Masks per box

RP9063

# HAND CLEANERS & GLOVES

Hand Cleaners, Dispensers, Gloves, Ear-Plugs, Dust Masks

Type 1 (	Cans
----------	------

Type 1 Ca	ans			
6	Capacity	<b>Description</b>	Approval Listing	Model Number
	1 Pint	Terne Plate, 4-5/8" OD x 6-3/4" H	FM, UL, ULC	J10001
	1 Quart	Terne Plate, 4-5/8" OD x 8-1/4" H	FM, UL, ULC	J10101
J10301	1 Gallon	Terne Plate, 7-1/4" OD x 11-1/2" H	FM, UL, ULC	J10301
	2 Gallon	Terne Plate, 9.5" OD x 13.75" H	FM, UL, ULC	J7120100
	2-1/2 Gallon	Terne Plate, 11.75" OD x 11.5" H	FM, UL, ULC	J7125100
J7150100	5 Gallon	Terne Plate, 11-3/4" OD x 16-7/8" H	FM, UL, ULC	J7150100
	5 Gallon	Terne Plate, 11-3/4" OD x 16-7/8" H With polyethylene funnel no. 11200, 3/4" OD x 11" L	FM, UL, ULC	J7150110
	1/2 Gallon	Oval RED polyethylene w/stainless steel fittings, 4-5/8" W x 7-5/8" L x 9-1/2" H	FM	J14065
100	1/2 Gallon	Oval WHITE polyethylene w/stainless steel fittings, 4-5/8" W x 7-5/8" L x 9-1/2" H	FM	J12163
	1 Gallon	Oval RED polyethylene w/stainless steel fittings, 4-5/8" W x 7-5/8" L x 12-3/4" H	FM	J14160
J14160	1 Gallon	Oval WHITE polyethylene w/stainless steel fittings, 4-5/8" W x 7-5/8" L x 12-3/4" H	FM	J12162
2471	2-1/2 Gallon	Polyethylene w/stainless steel fittings, 10-3/4" OD x 14-1/4" H	FM	J14261
14/17 E4	5 Gallon	Polyethylene w/stainless steel fittings, 12-3/4" OD x 16" H	FM	J14561

J14561

Full Line of Justrite Products Available. Call If What You Need Is Not Listed Here.









J893000 J894520

J893020

J894500

### **Safety Can Storage**

Door Type	Capacity	Ext. Dim H x W x D	Adj, Shelves	Approval Listing	ItemNumber
2 dr. Manual	30 gal.	44" x 43" x 18"	1	FM, N, O	J893000
2 dr. Self-closing	30 gal.	44" x 43" x 18"	1	FM, N, O, U	J893020
2 dr. Manual	30 gal.	35" x 36" x 24"	1	FM, N, O	J893300
2 dr. Manual	45 gal.	65" x 43" x 18"	2	FM, N, O	J894500
2 dr. Self-closing	45 gal.	65" x 43" x 18"	2	FM, N, O, U	J894520
Sliding door, Self-closing	30 gal.	44" x 43" x 18"	1	FM, N, O, U	J893080
2 dr. Manual	60 gal.	65" x 34" x 34"	2	FM, N, O	J896000
2 dr. Self-closing	60 gal.	65" x 34" x 34"	2	FM, N, O, U	J896020
2 dr. Manual	90 gal.	65" x 34" x 34"	2	FM, N, O	J899000
2 dr. Self-closing	90 gal.	65" x 34" x 34"	2	FM, N, O, U	J899020
Sliding door, Self-closing	30 gal.	44" x 43" x 18"	1	FM, N, O, U	J893080
Sliding door, Self-closing	45 gal.	65" x 43" x 18"	2	FM, N, O, U	J894580

#### **Wall-Mount / Bench Cabinets**

Door Type	<b>Capacity</b>	Ext. Dim H x W x D	Adj, Shelves	Approval Listing	<u>Item Number</u>
2 dr. Manual	20 gal.	44" x 43" x 12"	5	FM, N, O	J893400
2 dr. Manual	17 gal.	24" x 43" x 18"	1	N, O	J8917008

### **Undercounter Cabinets**

Door Type	<b>Capacity</b>	Ext. Dim H x W x D	Adj, Shelves	<b>Approval Listing</b>	Item Number
2 dr. Manual	22 gal.	35" x 35" x 22"	1	FM, N, O	J892300
2 dr. Self-closing	22 gal.	35" x 35" x 22"	1	FM, N, O, U	J892320

J899000







J894580



### **Horizontal Drum Storage**



3					
Door Type	<u>Capacity</u>	Ext. Dimensions H x W x D	Approval Listing	Model Number	
2 dr. Manual	55 gal.	50" x 30" x 48"	N, O	J899300	
2 dr. Self-closing	55 gal.	50" x 30" x 48"	N, O, U	J899320	

Approv./LstgRegulation Key	
Factory Mutual tested and appro	

FM-UL-N-Designed in accordance with specifications set forth in the National Fire Protection Association (NFPA)

Code 30.
Complies with OSHA regulations.
Complies with Uniform Fire Code.

#### J899100





### **Vertical Drum Storage**

J899320



J896260

ium Storage				
<b>Door Type</b>	Capacity	Ext. Dim H x W x D	Approval Listing	Model Number
2 dr. Manual	1-55 gal.	65" x 34" x 34"	FM, N, O	J896200
2 dr. Self-closing	1-55 gal.	65" x 34" x 34"	FM, N, O, U	J896220
2 dr. Manual	2-55 gal.	65" x 59" x 34"	N, O	J899100
2 dr. Manual with drum rollers	1-55 gal.	65" x 34" x 34"	FM, N, O	J896260
2 dr. Self-closing with drum rollers	1-55 gal.	65" x 34" x 34"	FM, N, O, U	J896270
2 dr. Manual with drum rollers	2-55 gal.	65" x 59" x 34"	N, O	J899160
2 dr. Manual with drum rollers	2-30 gal.	65" x 43" x 34"	FM, N, O	J899060
2 dr. Self-closing with drum rollers	2-30 gal.	65" x 43" x 34"	FM, N, O, U	J899070
Ramp for all Drum cabinets		28" x 24-1/2"		J25932

### **Plunger Cans**





	Cupucity	2 00011011
	1 Pint	Terne plate w/brass pump assembly; 4-7/8" OD x 6" H, dasher 2-3/4" diameter
	1 Quart	Terne plate w/brass pump assembly; 7-1/4" OD x 6-1/2" H, dasher 5" diameter
	1/2 Gallon	Terne plate w/brass pump assembly; 7-1/4" OD x 8" H, dasher 5" diameter
	1 Gallon	Terne plate w/brass pump assembly; 7-1/4" OD x 11" H, dasher 5" diameter
	1 Quart	Nonmetallic w/brass pump assembly; 5-1/2" OD x 5-1/2" x 9" H, dasher 5" dia.
Bio S		

<b>Capacity</b>	<u>Description</u>	Approval Listing	Model Number
1 Pint	Terne plate w/brass pump assembly; 4-7/8" OD x 6" H, dasher 2-3/4" diameter	FM	J10008
1 Quart	Terne plate w/brass pump assembly; 7-1/4" OD x 6-1/2" H, dasher 5" diameter	FM	J10108
1/2 Gallon	Terne plate w/brass pump assembly; 7-1/4" OD x 8" H, dasher 5" diameter	FM	J10208
1 Gallon	Terne plate w/brass pump assembly; 7-1/4" OD x 11" H, dasher 5" diameter	FM	J10308
1 Quart	Nonmetallic w/brass pump assembly; 5-1/2" OD x 5-1/2" x 9" H, dasher 5" dia.	FM	J14018

# **Dispenser Cans**



J14002 J14004 J14010

Capacity	Description	Approval Listing	Model Number
4 Ounce	Nonmetallic w/self-closing brass valve 2-1/4" OD x 5-1/2" H		14002
1/2 Pint	Nonmetallic w/self-closing brass valve 3-1/8" OD x 5-1/2" H	FM	14004
1 Quart	Terne Plate, 4" OD x 10-1/2" H	FM	14010





#### 3M Aerosols

Super 77 Multipurpose Adhesive 16.75 oz can or 12 Can Case **L6084-9** 

Spray Mount Artist's Adhesive 10.25 oz can or 12 Can Case **L6065-9** 



#### **Indigo Sapphire Solution**

Used to treat paper stocks for use on HP Indigo presses.

Available in: 1-Gallon Jug, 5-Gallon Pail, 30-Gallon Drum, 55-Gallon Drum, more.

- · 3.2% Sapphire Solution Ready to run concentration
- 10% Sapphire Solution
  3X strength. Water it down yourself in order to save on shipping costs or run your own desired final concentration level
- <u>Sapphire 5/15 Blend</u> Formulated to work with some semi synthetic & plastic stocks.



#### **Sapphire Indicator Solution**

30ml eye-dropper bottle. Tests coverage and uniformity of sapphire solution on treated paper.



#### **WR Silicone Release Agent**

Designed for use on all metal surfaces. Great for guillotine cutting tables and knives. 10X the silicone concentration of most aerosol sprays. Cleans & Protects

Available in pints, quarts, gallons

W8811



#### **Process Color Wax P7140**

Aids in ink transfer. Dots reproduce without causing "dot gain" and "hickies" are eliminated. Reduces tack without affecting ink body. Achieve sharper print quality. Improves metallic inks. 1.5# Cans (or Case/15 cans) 6# Cans (or Case/6 cans)



#### **Offset Spray Powders**

Coated or uncoated spray powders available in various micron sizes

OxyDry Brand:

Available in: 55 lb boxes

Varn Brand:

Available in: 55 lb boxes

11 lb boxes

OMC Brand:

Available in: 50 lb boxes

10 lb boxes



#### **Dosatron Metering Units**

Non-Electric fountain solution metering units automatically mix your Fountain Solution and/or Alcohol Replacement with your incoming water source. No need to measure solutions, just set the Dosatron to your desired mix percentage and turn on your water.

Full product line available.
Popular DI150 unit shown here.
Installation service also available



#### R/O Water System PC8675-MINI PC8674-300

Reverse Osmosis water system will provide your pressroom with better water. This purified water will increase your print quality as well as save you time and money.

Available in a size to meet the water quantity demand of your operation. Tank sizes and configurations can be adjusted to suit your needs. Installation is also available for these units.

We also offer filters and other parts for these systems as well as many other popular water

See page 16 for replacement filters

# PRESSROOM CONSUMABLES



#### Clean Up Sheets

All Sizes Available

Specify Press, Size, S/C or PB



#### **Super Blue Nets**

All Sizes Available

POSCO offers the complete line of products from PRI



#### **Putz Pomade**

Liquid Flow Putz Pomade - 13oz Tubes **L21534** 

Putz Pomade Paste - 1# Cans VL7308



#### **Super Image Remover Deletion Fluid**

This strong liquid deletes large areas on metal plates 3.4oz.

RP7606



#### 3M #616 Litho Tape

Scotch Brand Red Litho Tape

Available Widths: 1/8", 1/4", 3/8", 1/2", 3/4", 1"



#### 3M #465 Transfer Tape

Scotch Brand #465 Performance Adhesive Transfer Tape

1/2", 3/4", and 1" available

OTHER 3M TAPES ARE ALSO AVAILABLE



#### Velcro

Specify width & color. Choose hook or loop




#### **Master Brand Pens**

Metal Plate Addition and Deletion Pens. Choose Fine or Broad Tip. (10 Per Box) RP7579 Addition-Broad RP7578 Addition-Fine RP7475 Deletion-Broad RP7474 Deletion-Fine



#### **Marktex Pens**

Metal Plate Addition and Deletion Pens. Choose Fine or Broad Tip. (12 Per Box) L5525 Addition-Broad L5524 Addition-Fine L1002 Deletion-Broad L1001 Deletion-Fine



#### **Etching Needles**

Available in sizes 00, 0, 1, 2, 3, 4, 5, 6

**RP8548**- 00

**RP7427**– 0

**RP7428**– 1

**RP8567**– 2

**RP7961**–3



#### Wedges - Pile Separators

Blue

Style A LIT-PPSA


Large- 7-3/4"x 3"x 1"

Style B LIT-PPSB

Medium- 6"x 1-3/8"x 3/4"

Style C LIT-PPSC

Small– 4-7/8"x 1-1/8"x 7/8"



#### Red

Style A RP7674

Large- 7-7/8"x 3-1/8"x 1"

Style B RP7766

Medium- 7-7/8"x 2-3/8"x 1-1/4"

Style C RP7434

Small- 7-7/8"x 1-5/16"x 1-1/4"

# PRESSROOM CONSUMABLES



#### **Loupes & Linen Testers**

- -Folding Linen Tester 1/4"- 4" (1)
- -Plastic Base Loupe 12X (2)
- -Folding Loupes 10X-20X (3)
- -Fixed Focus Loupe 5x-22x (4)

Specify desired magnification power when ordering



#### **Alcohol Testers**

Fast easy readings from these testers help take the guesswork out of alcohol control.

Low Range - 12% to 1% **L5704** Normal e - 28% to 5% **L5705** 



#### **Conductivity Meters**

- -Conductivity Meters
- -pH Meters
- -Combination Meters
- -Myron L Brand



#### **Gaebel Rulers**

Stainless steel construction. One or Two sided Inches, Points, Picas, Agates, Metric

0.00		
#604	24"	Front has inches and gauge point slit. Back has picas & lines .
#605	12"	One-sided ruler. 1-1/4" width and .032" thickness
#605	18"	Top has Inches in 16ths and bottom is Picas L7829
#605	24"	Flush start on these in stock sizes L7830
#611	6"	Pica and Inches on front. Picas and Metric on back
#612	12"	Two-Sided
#612	18"	Front has 6 & 12 Point and Inches
#612	24"	Back has 6 & 12 Point and Agate
#612F	12"	Two-Sided LIT612F12
#612F	18"	Front has Inches and Agates
#612F	24"	Back has 6 & 12 Point (Picas) & Points
#612H	12"	Two-Sided LIT-L612H12
#612H	18"	Front has 6 & 12 Point on the left and Inches on the right
#612H	24"	Back has Metric and Points LIT-L612H24
#624	12"	Two-Sided. 1-1/4" width and .032" Thickness
#624	18"	Front = 32nds for 1st in. only and then 16ths the length
#624	24"	Bottom front = Picas. Back = like front & agates on bottom
#624M	12"	Two-Sided. Front is exactly the same as #624 series
#624M	18"	Back has two Metric scales running in opposite directions
#624M	24"	Top is millimeters. Bottom is half-millimeter L7828
CENTED TO		
#Sangarana	distribitions	hilditalitakibintelahkibintelahkibintelahkibibintelahkibitatakibibitatakibilahkibilah

\*



#### Thermometer

3" Head x 6" Probe



#### **Hand Held Packing Gauge**

Accurately measures the height of the surfaces of the two cylinders (in thousandths of an inch) and the total of these heights indicates if the degree of contact is proper. Dial indicator is calibrated in thousandths of an inch and is actuated by the vertical movement of the pressure lever



#### **Magnetic Packing Gauge**

Best instrument available to measure actual thickness of packing under the blanket and plate on press. Although the packing & blanket thickness may have been measured prior to installation, after a few thousand impressions, packing can crush, changing plate pressure. **LEOP-TPP** 



#### **Digital Packing Gauge**

Digital Packing & Blanket Gauge For use only on blanket or aluminum and polyester plates applied to a ferrous substrate and use the magnetic properties of the substrate material to determine the material thickness. Easy to use. LITEQP-DPGM1



#### Micrometer RP7640


.0001" Graduations on Vernier Read digital counter to .001" Ratchet Stop & Lock Nut Fitted Case w/adjusting wrench Sizes 1-2" and larger available Baked enamel finish Carbide faces on anvil & spindle



#### #3 Zahn Cup

Used to measure the viscosity of coatings. **CA8064** 

# **MEASURING EQUIPMENT**



Mini Level Controller HI 7873 Idea for liquid level control over distances of up to 1000'. Features high & low level control and overflow alarm. Requires HI 7874, HI 7164 & HI 731324.

Mini Level Controller System

Bar Holder w/Amplified Circuitry HI 7873

**Undecal Connector HI 7873** 

Threaded Measuring Bars HI 731324

#### Advanced Testers

HANNA advanced testers feature waterproof, floating casings & Automatic Temperature Compensation (ATC).

#### Combination

Combo Waterproof pH/EC/TDS Temperature Tester

Measures 0.00 to 14.00 pH, 0 to 3999 µS/cm (EC) & 0 to 2000 ppm (TDS). Features replaceable pH electrode cartridge & dual level LCD.

Combo Waterproof pH/EC/TDS Temperature Tester

Measures 0.00 to 14.00 pH, 0.00 to 20.00 mS/cm (EC) & 0.00 to 10.00 ppt (TDS). Features replaceable pH electrode cartridge & dual level LCD.

#### Conductivity

DiST® 5 Waterproof EC/TDS

Temperature Tester HI 98311

Features replaceable graphite EC Probe cartridge & dual level LCD. Measures 0 to 3999  $\mu$ S/cm (EC) & 0 to 2000 ppm (TDS).

#### Temperature Testers

Most HANNA thermometers feature HANNA's exclusive CAL-Check Auto Calibration Test.

°F & Factory calibration certificates are available

#### Checktemp® 1 w/Remote Stainless Steel Probe HI 98509

Features a 6.29 x 0.12" stainless steel probe & measures -50.0 to 150.0°C.

HANNA single use calibration sachets provide the assurance of an accurate calibration everytime.

Calibration Solutions

Cambo

12.88 mS/cm solution HI 70030P\* 14.13 µS/cm solution HI 70031P\*

pH 4 & 7 solution kit HI 77400P\*\*

EC & pH 14.13 μS/cm & pH 7 solution kit HI 77100P\*\*


TDS & pH 1500 ppm & pH 7 solution HI 77200P\*\*

\*(25) 20 mL sachets \*(20) 20 mL sachets, 10 per value



#### Portable Meters

HANNA portable meters offer accurate results in the field.



#### pH/EC/TDS


3-in-1 Meter HI 9810 Measure 3 of the most crucial parameters in printing with a single probe! Measures 0.00 to 14.00 pH, 0 to 6000 µS/cm (EC) & 0 to 3000 ppm (TDS).



#### Hygrometer

Compact, Portable

Thermo-hygrometer HI 93640 Features a built-in, thin-film capacitor sensor and dual temperature range. Measures 5.0 to 95.0% RH, 0.0 to 60.0°C & 32 to 140°F.



# HANNA INSTRUMENTS



#### PHOTO DIRECT PRINTING PLATE CHEMICALS

SilverChem products for all Mitsu. Silvermaster, Itek Mega-Lith, and AB Dick (Presstek) poly and paper printing plates:

**Solutek SilverChem Activator Concentrate - G547-24** 4 x 1 Gallon bottles/unit - Makes 8 working gallons

**Solutek SilverChem Stabilizer Concentrate - G548-24** 4 x 1 Gallon bottles/unit - Makes 16 working gallons

Solutek SilverChem Etch - G549-76

6 x 1 Quart bottles/unit - Ready-to-use

#### SOLUTEK RAPID ACCESS FILM CHEMICALS

#### Solutek 2200 Developer/Replenisher Concentrate

A single solution, concentrated developer, for use with all rapid access films, including 4th and 5th generation, plus Phototypesetting papers and films in replenishment type processors. Hardest dots. Fast development times. Similar to Kodak 2000 developer. **G539-04** 4 x 1.25 Gal bottles **G539-40 -** 2 x 2.25 Gal jugs

#### Solutek 2201 Developer Ready-To-Use

Single solution, ready-to-use, Premium Rapid Access Developer for use with rapid access films, Reprographic films, and RC papers in batch processors such as: LogE Line 17 and 25, Kodak Readymatic, and Compugraphic MCS. Can be used for tray processing and POSC-1 type camera processors. **G536-40** - 2 x 2.25 Gal jugs

#### **Solutek 3300 Fixer Concentrate**

A high speed, non-corrosive Fixer. Can be used for either Automatic or Manual processing of all Graphic Arts and Photographic films or papers. Companion product to all Graphic Developers.

G107-24 - 4 x 1 Gal jugs

G107-40 - 2 x 2.25 Gal jugs

#### Solutek Uni-Fix Premium Fixer Ready-To-Use

A universal, ready-to-use, non-hardening Fixer for all Rapid Access, Phototypesetting, and RC materials. Companion product to Solutek 2201 developer G519-40 - 2 x 2.25 Gallon jugs/unit

#### ANALOG PLATE CHEMICALS

**Solutek 2-in-1 Subtractive Developer:** Ready-to-use Developer for most analog plates. **G555-24** 4 x 1 Gal bottles

**G555-40 -** 2 x 2.25 Gal jugs

#### **Solutek Subtractive Developer:**

To be used with a finisher. **G556-24** 4 x 1 Gallon bottles **G556-40 -** 2 x 2.25 Gallon jugs

#### **Soluplate Finisher:**

For use with subtractive developer. **G557-25** 1 x 2.5 Gallon jugs **G557-40** - 2 x 2.25 Gallon jugs

#### **Soluplate UPC:**

Universal Processor Cleaner. **G720-77** 12 x 8oz Bottles/Case



# SILVER MASTER SLM-F III 100

#### Mitsubishi Silver Master

SLM-F - Poly Plate Material -Available in .005 or .008 thick -Specify width when ordering

SLM-R - Paper Plate Material -Specify width when ordering

2 Rolls Per Case



#### Mitsubishi Silver DigiPlate

Specify: SIZE, SPEC, & TYPE SDP-FRS175, SDP-FD175, SDP-FRM175, more

725 Spec, 820 Spec, 867 Spec, 1520 Spec, more



#### **SLM-AC Activator**

Mitsubishi Silver Master Plate Activator

G6018608002-15

4 Gallon Jugs per Case



#### **SLM-ST Stabilizer**

Mitsubishi Silver Master Plate Stabilizer

G6018609003-15

4 Gallon Jugs per Case



#### **SLM-OD Fountain Solution**

Mitsubishi Silver Master Plate Fountain Solution **G6018611004-15** 

4 Gallon Jugs per Case



#### **SLM-OH III Etch**

Mitsubishi Silver Master Plate Etch

G6018610004-6

6 Quart Bottles per Case



# FILM & PLATE CHEMISTRY, PLATE MATERIAL

Solutek Chemistry, Mitsubishi Plate Material & Chemistry



# **Jade Plates**

#### 1 or 2 Sided Analog Metal Plates

Agfa compatible analog plates. Wide variety in stock. When ordering, please specify:

- -Size: Around and across
- -Gauge
- -Pinbar or Straight Cut



# **Laser Plates**

Numerous brands of laser plates are available from POSCO. Full line of the following brands available for various machines.

- -Baseline/Graphline
- -Lehman
- -Hurst
- -DotWorks

# Mitsubishi Alpha Violet L

Single sided anodized aluminum plates. Compatible with Agfa LAP-V plates. Available in .006", .008", and .012" gauges

# **Silver Violet Plate Chemistry**

Ready to use for Agfa direct-to-plate processors.

# SDP Alpha Chemistry

Ready to use for Mitsubishi direct-to-plate processors

### **Optima Negative Thermal Plates**

No pre-bake required. LPI 2%-98% IR laser at 830nm. .006", .008", .012" Gauges

### **Optima Thermal Plate Chemistry**

# Optima Violet Photopolymer CTP Plates

CTP Plates. Negative working laser plates for use on Violet CTP devices.

# Optima Violet Photopolymer Plate Chemistry

### **PLATES**



# POSTOS In-linga Blanket Emmerter



IBS-762

Excellent 4-ply blanket for Sheetfed Offset as well as Web. Minimal dot gain. Premium quality blanket is ready and waiting to take the place of your current blankets.

IBS-811

Versatile 4-ply blanket that is compatible with conventional as well as hybrid inks. Durable surface and strong carcass just like all of the IBS series blankets.

IBS-760

Durable 3-ply blanket with excellent resistance to edge cutting. Great when changing sheet sizes.

Fuji

Fujikora 5-Ply: Olive green compressible blanket with a smooth, buffed surface.

IBS-704

Specifically designed for UV. Surface is resistant to swelling caused by UV inks. 3 & 4Ply



Premium 4-ply blanket for high quality sheetfed offset printing. Excellent dot reproduction and rich solids.

**SPOT** 

COATING PLATE

High quality strippable varnishing plate. Super strong mylar carcass. Easy stripping coupled with superior resistance to penetration by coatings and cleaners.

Stript-Ease

3-ply and 4-ply coating blanket. Large strippable compressible layer. Cotton carcus. Buffed surface offers excellent transfer of coating. Easy to cut & strip knockouts.

# CALL US TODAY FOR ADDITIONAL INFORMATION OR FOR A QUOTE.

- Offset Blankets
- UV Blankets
- Coating Blankets

- CAD Cutting Service
- Varnish Plates
- Fast, Friendly Service
- Long Lasting Materials
- One-Call Service
- Live people answering calls



# **Attaining Maximum Print Quality with Sunshine Press Packing**



Gauges Available:

.016"

.020"



Other packing

### **Utility**

SunPak is suitable for all web and sheetfed offset applications as well as packaging, forms and letterpress printing.

### **Sunpack Special Features**

Surface smoothness and uniformity helps maintain consistent solids.

Typical Stock Sizes:

44" x 57"

- Helps maintain uniformity of solids
- Helps control print length
- Provides improved registration control



- **Reduces costs**
- **Uniform Caliper**
- **Excellent Sheet Density**



31	
15" x 21"	.002"
19.5" x 25.5"	.003"
20" x 26.5"	.004"
21" x 29"	.005"
24" x 30"	.006"
23" x 35"	.008"
25" x 38"	.010"
28" x 40"	.012"
31" x 41"	.014"

\*Custom sizes are available, cutting fee applies. Call for pricing and details.



.008"

.010"

.014"

#### **Non-Adhesive Polyester Press Packing**

Heat resistant polyester film, nonadhesive press packing is used to pack the cylinder of the plate and/or the blanket. Ideal where the packing needs to be changed frequently. Available in

<b>CUSTOM CUT</b>
TO YOUR SIZE



#### **Adhesive Backed Polyester Press Packing**

Polyester film with a heat resistant adhesive coating on one side. Used to pack the cylinder of the plate and/or the blanket. Ideally suited for applications where an adhesive provides maximum hold during long, high speed operation. Custom cut to your desired size.

**Advantages** 

Available T	<u> Thicknesses</u>	<b>CUSTOM CU</b>
		TO YOUR SIZ
.002"	.003"	
.004"	005"	
.006"	.007"	

.009"

.012"

<u> Available T</u>	<u> Thicknesses</u>	
		Accurate Packing
.002"	.003"	Dimensionally Stable
.004"	.005"	No Swelling
.006"	.007"	No Slippage
.008"	.009"	Durable
.010"	.012"	Reusable
.014"	.016"	Decreased Changeover
.018"	.020"	Fast Removal
		Easy Clean-Up

# PRESS PACKING



# Transfer Cylinder Jacket For Heidelberg® Presses



Print uard Orange Hide

MICROCELLULAR LAYER

US Patent 6,811,863

Prin for

Microcellular Backed AntiMarking Product

Animarking Products	
ntGuard <i>Plus</i> Jackets Heidelberg Presses	
er Cylinder for	00

PrintGuardPlus SM74T Jacket for Heidelberg SM-74 press

PrintGuardPlu Product Code (Stock Items)		
SM102RL SM-102 Post 19		
SM102LL	SM-102 Pre 1994	
SM74T	SM-74	
SM72T	SM-72	
MO26T	MOV	
SM52T	SM-52	
GTO52T	GT0 <sup>®</sup> -52	

in the U.S. and/or other countries.

Both Heidelberg and GTO are registered trademarks respectively, trademarks of Heidelberger Druckmaschinen AG PrintGuardPlus SM102RL Jacket for Heidelberg SM-102 press (post 1993)

Delivery and Perfecting Jackets also made to fit on Heidelberg Presses.

NEW Perfector Cylinder Jackets for Mitsubishi 3000D Press Custom Jackets Made Upon Request.

#### **Care & Maintenance:**

For longest product life, clean PrintGuardplus Jackets with uniform light pressure using a cotton shop cloth saturated with water miscible mild press wash-preferably diluted 50/50 with water. Never let ink dry on the surface or use sharp tools or high abrasion to remove dried ink, let soak for a few minutes and wipe surface again with wet shop cloth.

PrintGuard, Orange Hide, and PrintGuardPlus are registered trademarks of PrintGuard, Inc. in the U.S. and/or other countries.

#### **PrintGuard Guarantee**

The manufacturer and technical sales team stand behind PrintGuard's Performance! Buy two PrintGuardPlus jackets to confirm for yourself that PrintGuard will actually save you money by decreasing your press downtime and improving your print quality. Follow care and maintenance instructions below and if you are not satisfied with Printguard's performance, simply return these jackets within one month and we will refund the full product price.

# PRINTGUARD JACKETS

Perfect Fit for Your Heidelberg Press





#### **PrintGuard Features:**

- Durable Construction: Glass beads, adhesive and film are extremely tough and resistant to oils and mild press washes.
- Dense Glass Bead Matrix: Supports the printed sheet evenly and prevents ink buildup in the area between the glass beads. Glass bead surfaces are easy to clean and naturally repel ink buildup.
- Monolayer: A perfect single layer of glass beads guarantees equal support and release across the entire wet printed sheet width, thereby eliminating marking.
- Glass Bead Diameter: Provides a uniform bead height at every point of contact with the wet printed sheet. Choose from a variety of glass bead sizes (Small, Large) and smoothness levels to maximize your printing yield.

#### PrintGuard = Glass Bead Matrix Bonded to Film

#### PrintGuard Anti-Marking Sheets Are Available For All Presses:

Heidelberg Komori Mitsubishi Shinohara Akiyama Sakurai Ryobi Hamada

PrintGuard Product Code	Description	Description	PrintGuard Product Code
F100R	Regular Small glass bead film. Thickness: 8mils / 200µ	Regular Large glass bead film. Thickness: 11 mils / 280µ	F300R
F110R	F100R Product with removable sticky back adhesive. Thickness: 11 mils / 280µ	F300R Product with removable sticky back adhesive. Thickness: 14.5mils / 370µ	F310R

Stop Marking Stop Marking

Start Printing

with




Orange Hide® Glass Bead Film AntiMarking Products We have advanced our proven
PrintGuard technology by adding a
proprietary Orange Hide ink repellent
coating. Orange Hide works better
than any other glass beaded product in the
market! Pressman who have tried both
the Regular and the Orange Hide product
tell us Orange Hide works three times better!
Orange Hide improves your print quality, your
customer satisfaction, your press up-time, your quality
of life, and of course the company's bottom line!

### Orange Hide = PrintGuard + Orange Ink Repellent Coating

#### Orange Hide features:

Orange Hide coating: A cross linked orange ink repellent coating reduces the surface energy of the PrintGuard glass beaded surface. This means that ink does not want to stick to the Orange Hide surface. Less ink attraction = less marking = more profit.

Orange Hide Silicone Topcoat Glass Bead Permanent Adhesive 100 Micron Polyester Film Pressure Sensitive Adhesive (opt.) 50 Micron Polyester Film



Orange Hide Product Code	Description
F100S	Orange Hide Small glass bead film. Thickness: 8mils / 200µ
F110S	F100S Product with removable sticky back adhesive. Thickness: 11mils / 280µ
F300S	Orange Hide Large glass bead film. Thickness: 11 mils / 280µ
F310S	F300S Product with removable sticky back adhesive. Thickness: 14.5mils / 370µ



## PRINTGUARD SHEETS

Glass Beaded Anti-Marking Products



POPULAR COATINGS ARE IN STOCK AND READY TO SHIP. NON-STOCK ITEMS SHIP QUICKLY FROM NJ OR NC.

AVAILABLE IN VARIOUS SIZES INCLUDING 55 GALLON DRUMS, 30 GALLON DRUMS, 5 GALLON PAILS, AND MORE

Coatings & Adhesives is the market leader in overprint coatings for the graphic arts, and is the largest manufacturer of water based overprint coatings in North America. Coatings are manufactured in Leland, NC and used by commercial and packaging printers throughout this continent, South America, and Asia.

### **Water Coatings for Sheet Fed Offset Presses**

- 1423D excellent general purpose work and turn with good gloss, high rub resistance, and good post-finishing properties.
- 1385D faster drying work & turn with better receptivity to glue, hot stamping, and UV coating
- 1428D highly user-friendly satin coating
- 1443C very dull, smooth laying satin coating
- 1478D low curl gloss coating for text weight gloss paper
- 1394D low curl satin coating for text weight dull stock
- 1407D low curl coating for offset paper and some matte stocks

### **UV** Coatings

- 5113C excellent, high gloss UV for inline and offline application
- 5111D satin UV coating
- 5144C matte UV coating

### Glues

- 4002B low viscosity glue for extrusion gluers
- 4000A glue for pot/wheel application and mounter/laminators

Both glues are very high performance, high adhesion formulas with competitive pricing as well





These proven overprints are applied directly through offset inking systems and allow any offset printer to produce jobs that previously required a separate unit.

- KS-190 Gloss: High Body, High Gloss, Press Stable
- KS-191 Satin: Press Stable, High Body, Satin OPV
- KS-702 Retarder: Plate & Blanket Spray (Primer Coating)
- Many Other Formulations Also Available Please Call

#### Sizes Available

- 1 Gallon Jugs
- 5 Gallon Pails
- Drums & More

#### Oil Base Inks

Quickson Pro	2.2 lb
Process Yellow	BVS3110-2.2
Process Magenta	BVS3111
Process Cyan	BVS3112
Process Black	BVS3113
Intense Black	BVS3117-2.2

<b>Quickson Plus</b>	5.5 lb
Intense Black	BVS6137-5.5
Extreme Black VS6138	BVS958-4
Process Yellow VS6130	BVS951-4
Process MagentaVS6131	BVS952-4
Process Cyan VS6132	BVS953-4
Process Black VS6133	BVS954-4

Multi Fresh	5.5 lb
Intense Black	BVS9537-4
Process Yellow VS9530	BVSQSF9230
Process MagentaVS9531	BVSQSF9231
Process Cyan VS9532	BVSQSF9232
Process Black VS9533	<b>RVSOSF9233</b>

<b>Quickson Signature</b> 5.5 lb		
Intense Black	BVS9837	
Process Yellow	BVS9830	
Process Magenta	BVS9835	
Process Cyan	BVS9832	
Process Black	BVS9833	

# **Quickson Basic Pantone colors** available in 2.2 and 5.5 lb cans

CML Oil Base	1 lb	<b>5</b> lb
Universal Black	VS745	VS795
Process Yellow	VS746	VS796
Process Magenta	VS747	VS797
Process Cyan	VS748	VS798
Process Black	VS749	VS799
	_	

# CML Basic Pantone colors available in 1 lb and 5 lb cans

<b>SonaGloss</b>	5.5 lb
Process Yellow	BVS371-4
Process Magenta	BVS372-4
Process Cyan	BVS373-4
Process Black	BVS374-4
Intense Black	BVS376-4
Royal Black	BVS375-4
	_

SonaGloss Basic Pantone colors available in 5.5 lb cans

SonaPrint Inks Avail. In 2.2#



#### **Rubber Base Plus**

Black 10850	VS101 - 1lb	BVS151 - 5 lb
Black 12630	VS102 - 1lb	BVS152 - 5 lb
Black 40904	_	BVS150 - 5 lb

Rubber Base Basic Pantone colors available in 1 lb and 5 lb cans

### **Infinity Acrylic**

Black VS103 - 1lb VS153 - 5 lb

Infinity Acrylic Basic Pantone colors available in 2.2 lb cans.

<b>SonaDry</b>	2.2 lb	5.5 lb
Process Yellow	VS8010	VS8030
<b>Process Magenta</b>	VS8011	VS8031
Process Cyan	VS8012	VS8032
Process Black	VS8013	VS8033

SonaDry DI Process and Basic Pantone colors avail. in 2.2 lb cans Tough Tex 1 lb 2.2 lb Universal Black VS745 VS795

ToughTex Process and Basic Pantone colors are available in 2.2 lb cans

Tough Tex LR Highly Light Resistant - Basic Pantone colors available in 2.2 lb cans.

<b>Unipak</b>	2.2 lb
Middle Gold	VS280
Pantone 871 Gold	
thru 876 Gold	VS871-VS876

Magnetic Black Ink #68841 1 lb - BVS109-6 10 lb - VS119

**VS877** 

## **Web Forms Black Ink**

5 lb - VS58111 30 lb - VS38111

#### **Flourescent Inks**

Pantone 877 Silver

Pantone colors 801 thru 807 available in 1 lb cans.

### Rotason

Intense Black 5.5 lb Can BVS2911-4

Rotason Basic Pantone colors available in 2.2 lb cans

### **Additives & Solutions**

<b>High Gloss Overprint Varnish</b>	V2174	1.0 lb. Can
<b>High Gloss Overprint Varnish</b>	V2175	4.5 lb. Can
Ultra Gloss Varnish	V2176	4.5 lb. Can
Satin Overprint Varnish	V2166	4.5 lb. Can
<b>Matte Overprint Varnish</b>	V2171	4.5 lb. Can
Anti-Ghosting Varnish	V5050	2.2 lb. Can
Easy Street	V2082	10 oz. Tube
Easy Street	V2083	9.0 lb. Pail
Aqua Flo Varnish #30	V2159	1.0 lb.
Liquid Cobalt Drier	V2163	1.0 lb.
Multi-Drier (Liquid Activated)	V4210	12 oz. Tube
Smooth Lith	V2150	1 Quart
Three Way Drier	V2155	1 lb.
Tack Reducer	V2162	1 lb.
All Purpose Fountain Solution	V2020	1 Gallon
Fountain Stimulator	V2153	1/2 Gal.
<b>Rapid One Step Glaze Remover</b>	V2028	Quart
Rapid One Step Glaze Remover	V2028	Gallon
Ouick	V2085	10 oz. Tube
<b>A</b>	, 2000	10 020 1400



# **Custom Mixed Pantone Inks**

Quickson Series, Sonaprint & Rotason PANTONE Mixes include UPS Ground service.

CML-Oil Base Plus, Sonagloss, Rubber Base Plus, Infinity, SonaDry, Tough Tex PANTONE Mixes include Next Day Air service. Orders received by 3:00p.m. local time will ship the same day. Orders received after 3 p.m. ship the next business day.



Perf, remains the Industry standard today for reliability and high-quality performance. It is available in 6-, 8-, 12- and 16-tooth blades with height selections from .0125 inch to .029 inch, allowing you to perform perforations on a wide variety of different paper and card stocks used for such jobs as direct response mailing cards, coupon booklets, and raffle tickets

10-Foot Rolls 20-Foot Rolls #L800 6-Tooth Paper #L808 6-Tooth Paper **#L801** 6-Tooth Card **#L809** 6-Tooth Card #L810 8-Tooth Paper **#L802** 8-Tooth Paper **#L803** 8-Tooth Card **#L811** 8-Tooth Card **#L804** 12-Tooth Paper **#L812** 12-Tooth Paper **#L805** 12-Tooth Card **#L813** 12-Tooth Card **#L806** 16-Tooth Paper **#L814** 16-Tooth Paper **#L815** 16-Tooth Card **#L807** 16-Tooth Card

functions in the same manner as
Litho-Perf, creating perforated, quickseparation snap-out or snap-apart forms. Available
in 3- and 4-tooth blades, Litho-Snap 3-tooth is
available only for paper stock.

 10-Foot Rolls
 20-Foot Rolls

 #L820 3-Tooth Paper
 #L821 3-Tooth Paper

 #L822 4-Tooth Paper
 #L824 4-Tooth Paper

 #L823 4-Tooth Card
 #L825 4-Tooth Card

LITHO-DIE Litho-Dies are designed for die cutting on the offset press. Doorknob, door hanger and window dies are available in a wide variety of sizes. All are mounted on shim stock for ease of attachment, and are heattreated.

Available for paper or card. Call for any custom sizes.

LITHO-SCORE/CARD ■ The new Litho-Score has no sharp, square edges that risk cutting the heavier stocks. Its wider, round scoring edge helps minimize cracking and is excellent for heavy coated and uncoated stock, cast-coated paper, and jobs where scoring over solid coverage is required.

10-Foot Rolls #L826-3 Heavy Card

20-Foot Rolls #L827-3 Heavy Card

in-the-run, on-press scoring accessory designed for the offset press, Litho-Score holds consistent register with the printed copy. The rule prepares the stock for a neater fold and is available in various heights for card and paper stocks. Litho-Score is ideal for scoring newsletters, folders, thank-you cards, announcements and table tents. 

The first
in-the-run, on-press scoring accessory designed in the printed copy. The rule prepares the stock for a neater fold and is available in various heights for card and paper stocks. Litho-Score is ideal for scoring newsletters, folders, thank-you cards, announcements and table tents.

10-Foot Rolls #**L826** Paper/Light Card

20-Foot Rolls #**L827** Paper/Light Card

eliminated separate runs by permitting on-press straight-cutting possibilities. The blade is effective for slitting, straight-line die cutting and insertion slots in presentation folders and can be used on either card or paper stocks. Litho-Slit can be selected with either a straight knife edge, or a serrated edge to meet specific criteria for cleanness of cut.

10-Foot Rolls #L828 Paper #L829 Paper #L833 Straight-cut Card 20-Foot Rolls #L830 Paper #8L31 Paper #L832 Straight-cut Card





LITHO-SCORE/CS ■ A new development for the offset

press, Litho-Score/CS has no sharp, square edges that risk cutting heavy stock. Its wider, rounder scoring edge helps minimize cracking and is excellent for heavy-coated and uncoated stocks, cast-coated paper, and jobs where scoring through solid coverage is required.

> 10-Foot Rolls **#L626** For Paper

20-Foot Rolls #L627 For Paper

LITHO-PERF/CS the same perforating performance as the standard, side-aligned Litho-Perf, Litho-Perf/CS has center-mounted teeth for increased pressure and longer runs. This is currently the only centermounted rule available that is heat-treated using Boyd's time-tested methods for extended life.

10-Foot Roll	ls
(00 ( Tastle	D

#L600 6-Tooth Paper **#L601** 6-Tooth Card #L602 8-Tooth Paper **#L603** 8-Tooth Card **#L604** 12-Tooth Paper **#L605** 12-Tooth Card

#### 20-Foot Rolls

#L608 6-Tooth Paper **#L609** 6-Tooth Card #L610 8-Tooth Paper **#L611** 8-Tooth Card **#L612** 12-Tooth Paper #L613 12-Tooth Card

With the new H S Day Perf special high you now can micro perforate card stock, offering a perforation line that remains clean. The blades are available in a blade height of .029 inch, designed for use on heavier paper or card stocks up to 12pt.

#### Special Low

#L8000 20-ft. 6-Tooth (.0125) **#L8002** 20-ft. 8-Tooth (.0125) **#L8004** 20-ft. 12-Tooth (.0125) **#L8006** 20-ft. 16-Tooth (.0125) **#L8011** 20-ft. 4-Tooth (.0125) **#L8014** 20-ft. Score (.0125) **#L8021** 20-ft. 16-Tooth (.014) **#L8022** 20-ft. 12-Tooth (.015) **#L8023** 20-ft. 8-Tooth (.016)

#### Special High

#L8001 20-ft. 6-Tooth (.029) #L8003 20-ft. 8-Tooth (.029) #L8005 20-ft. 12-Tooth .029) #L8007 20-ft. 16-Tooth .029) #L8008 20-ft. 4-Tooth (.029) **#L8012** 20-ft. Score (.023) **#L8013** 20-ft. Score (.019)

**#L8015** 20-ft. Score (.029) **#L8017** 20-ft. Slit (.029)

**#L8019** 20-ft. Slit St Cut(.029) **#L8020** 20-ft. 16-Tooth (.021)

MICRO-PERF/SS ■ With 30-, 40- and 50 to ... 30-, 40- and 50-tooth blades, Micro Perf is ideal for perforating continuous feed forms, offering a perforation line that remains clean. The blades are available in a blade height of .022 inch, designed for use on paper or lightweight card stocks. Use Micro-Perf for jobs that will pass through a laser printer after being perforated.

30-Tooth #300 10-ft Roll #301 20-ft Roll

40-Tooth 50-Tooth #400 10-ft Roll #500 10-ft Roll #401 20-ft Roll #501 20-ft Roll

LITHO-SCORE / WideTrac

The new Litho-Score WideTrac has no sharp, square edges that risk cutting the heavier stocks. Its wider, rounded scoring edge helps minimize cracking and is excellent for heavy coated and uncoated stock, cast-coated paper, and jobs where scoring over solid coverage is required.

> 10-Foot Rolls #L626-3 Heavy Card

20-Foot Rolls **#L627-3** Heavy Card

**LITHO-SLIT/CS** The

straight-cut, center-mounted blade performs virtually all types of die cuts and cut-outs more economically than ever.

10-Foot Rolls #628 For Paper #629 For Card Stock

20-Foot Rolls #630 For Paper #631 For Card Stock

**LITHO-PUNCH** Litho-Punch creates a punched circular cut that remains lightly attached for removal by the end user. It is available in 1/8", 3/16", 1/4", 3/8", 1/2", 1", 1 1/4", and 1 1/2" diameters. A serrated or straight-cut edge may be used -- available for both paper and card stocks.

When ordering, specify punch hole size and paper or card.





## SUCKERS, PRESS PARTS AND ACCESSORIES



1 KLUGE, paper suckers. Red or gum rubber. F8868-12





1a KLUGE, Narrow Margin Sucker, very handy in tight places.



KLUGE, card suckers. Red or gum rubber. Gum-F8869-12 Red F8610-12















10 MILLER, Simplex, Major, for cardboard. Gum rubber or black. F53521-12





fit Ebco presses. F8609-12





MIEHLE CS427 FEEDER, Farrington Collator, Giant, Web, Chief, For paper. **F9035-12** 

MIEHLE CS1026 FEEDER, Giant, Web, Chief, for cardboard.











DISCS, Over 70 different sizes available up to 2". Submit sample. More info listed at bottom of page.



**WASHERS** Miehle vertical







SANDPAPER DISCS a - ready glued b - without alue Kluge, C&P, others. 3/4" or extra large 1-1/8".



not tear this. F7565-12





DEXTER RGA 717. Raised inside pattern for Light stock. Submit sample.



**KLUGE METAL CAP** Holds standard rubber Sucker. For feeder And delivery. F7465



**BRASS SUCKER** a - for paper.

b - for cardboard. Chief & Webendorfer Offset Presses.



MIEHLE FEEDER CAP, plastic, shuts off openings on



a - MIEHLE VERTICAL Fluffer Wires for Paper. **b** - MIEHLE VERTICAL Fluffer Wires for cardboard. c - THUMB SCREW for Fluffer Wires, includes



a - MIEHLE VERTICAL Air Release Valve. Used on feeder arm instead of #28 cap. Release a little air by turning screw. Excellent for cardboard

and tissue. b - MIEHLE VERTICAL Cylinder Gripper, Complete only. Fits all verticals.



JOB PRESS Gripper Fingers. Fits Kluges, C&P, etc. Short, long, extra long. Standard &



a - KLUGE SHEET TONGUES. Sizes 1 to 6. b - SHEET TONGUE SCREWS. Fits all Kluges, includes washer.



MIEHLE VERTICAL TRANSFER TABLE LEVER KEY. Keeps feedboard in place. Fits all



**MIEHLE VERTICAL BACKSTOPS** Fits all plain boards. Simple instructions.



**KLUGE REGISTER ROD** CAM, left or right.



38a ENDLESS BELTS, Vertical & Kluge. Leather for drive & motor.



Fabric CHIEF 15-17 - Fabric



39 TELESCOPING SUCKER for ATF Chiefs except Super Chief & Chief 15. Used with flat disc 19K.



40 FEED SUCKER BLOCK For Chief 20, 22, 29 Presses. Holds Part E.



a - Straight type, small and large.

b - "S" type, small. d - Komori Pin Wrench.



#### 43 KLUGE REGISTER ROD HOLDER



- a complete 7 piece set.
- b Wrench.
  - Gripper nut.
  - d Side guide nut.
  - e Delivery pickup bolt.
  - f Delivery track bolt.



#### KLUGE MISCELLANEOUS PARTS. Fits all models.

- a Side guide tongue.
- b Magazine separator
- c Center comber spring.
- d Side guide eyebolt holds side guide to platen.



**BOOK TRIMMING GUIDES.** Challenge style. Bolt portion fits on back finger gauge of cutter. Keeps and size booklets flat for trimming.




BOOK TRIMMING GUIDES. Economy style. Fits on back

gauge of cutter.



48 KLUGE

- a Delivery pickup bolt. b - Delivery pickup clamp
- c Delivery pickup clamp
- base. Specify left or right d - Delivery pickup suction
- 50 GUM RUBER HOSE. 1/4" or 3/8" ID.



e 0 120

51 KLUGE

- a Kluge Side Guide, complete. Left or right.
- b Kluge Side Guide Block
- c Bottom Feed Gauge. d - Feed Gauge Tongues
- e Kluge Side Guide,
- complete with offset stem. Left or right.



a - Kluge Bottom Gauge Band. Špecify length - 19-1/2", 23-1/4" or 25-1/2".

b - Kluge Bottom Gauge Band Člamp. Quick release.


c - Kluge Bottom Gauge Band Clamp with screw to hold band. Specify left or



**BLOWER FLEXIBLE** STEEL TUBING. Fits all

#19 Flat Rubber Sucker Discs are available in 5 different thicknesses .015"(1/2mm), .032"(1/32" or 0.8mm), .040"(1mm), .062"(1/16" or 1.6mm), .080"(2mm) and Poly(1/32") When ordering, specify Outside Diameter, Inside Diameter, and Thickness (ex. 1-1/2"x1/2"x1/32")

## SUCKERS, PRESS PARTS AND ACCESSORIES





MF 3968 and ATF Superchief pickup suckers.



MF MIEHLE FEEDERS, MF 3336 and packaging machines. Fits 1/2" tube. For light stock. Gum rubber or Neo. F7024-12



57 HARRIS 1108, fits 5/8" tube, for heavy stock.



MIEHLE STREAM **FEEDERS**, CS 11398, packaging machines. Occasionally replaces 3122, 3123, 3124. Fits 1/2" tube -1-3/8" across. F53515-12 Gum rubber or Poly



HARRIS 956-ELB, fits 5/16" tube. 1-3/8" across. For light stock. F53516-12



MF MIEHLE FEEDERS, MF 3558 packaging machines, Superchief tissue suckers. Fits 1/2" tube - 1" across. For light stock. Gum rubber or Neo.



HARRIS 391-ELB, fits 5/16" tube. 1-3/8" across. For heavy stock. **F9007-12** 



CS MIEHLE FEEDERS. CS-357. 1-1/4" across.



**SHERIDAN** & other collators With 1/8" tube.



MIEHLE FEEDERS, K-1196.



**65 SHEET SEPARATORS** (Cat Whiskers). For small offset press. Specify: Multilith or Hamada

> Davidson Chief Ryobi-Itek

Komori or Fuji



A.B. DICK, BIG FOOT Molded sucker. For all presses with 1/4" bottom tube. Regular or Heavy.



HARRIS polyurethane, 3361-LTY. Occasionally replaces 59 & 61. Fits 5/16" tube. 1-3/4" across. For heavy stock. F53517-12



**HEIDELBERG** cylinders. Cup shape prevents snap-back. 1-1/8" across. F7463-12

**GRIPPER BOLTS** for C&P or



RYOBI / ITEK telescoping sucker. Comes with #19R discs.

Kluge. Sold in pairs.

**POSCO Carries a wide vari**ety of suckers. Too many to list here. If you don't see what you need, please contact us today and submit a sample. We would be happy to find a match for you.



MIEHLE VERTICAL telescoping sucker for cardboard and envelopes. Fits existing shoe. Comes with #30A vacuum valve and #19K discs.



MIEHLE VERTICAL

telescoping sucker. For difficult and wavy stock. Comes with #19K discs.

A.B. DICK metal telescoping sucker. Comes with #19K discs. 74c For difficult and wavy stock.



A.B. DICK plastic telescoping sucker with shut-off valve. Comes with a #66 sucker.



A & B SET - MULTILITH or HAMADA telescoping suckers. Uses #19-K discs. For difficult



NEW STYLE MULTILITH telescoping sucker. 1250-

and wavy stock.



1250W and 1850. Comes with #19-K discs. CHIEF 15 & 17 telescoping



sucker. Uses #19K or and wavy stock.



MULLER collating & gathering



machines. Green or Black. F8192-12



81 KLOCKNER 18092-1 packaging machines. 1-1/8" across, 1/2" high. Black, Red, Blue, or Tan.



RYOBI. Ryobi-Itek F5960H-12 Heavy F5960-12 Regular **HEIDELBERG GTO** offset





KLOCKNER 18092 packaging machines. 1-1/2" across. 3/4" high. Black, Red, Blue, or Tan.



HAMADA CK 02-77 printing presses F7169-12



HARRIS 398-0026 7/8" across bottom.



TOYO DYY-9-R1 MULTI 1218-CJ-11 **IMPERIAL CJ-11** Bourg Modulen Collator. F7865-12 HAMADA H05-49-01-3



Hard or Soft F8227-12 HEIDELBERG 22.016.008 For T-Press TOK-TOM. F8216-12

Black plastic tube.



92Q HEIDELBERG QUICKMASTER F7552-12



93 MULLER 020.1913 Collating and gathering machines. F8937-12



inserters, bellows type.

**PHILLIPSBURG** 



McCAIN, bellows type. F8007-12



HARRIS / AURELIA, bellows type. 1-1/4" across, 1" high. F8428 RYOBI, 5640-35-531.



F8901-12 Clear F8902-12 WHITE MULLER, 020.1901. Orange rubber cap.

F8618-12



HEIDELBERG 42.016.073. FOR GTO. F7618-12 100 NORFIN COLLATOR.



**UHLMANN PACKAGING** MACHINES.



HORIZON COLLATOR, 3013. Small dark grey sucker. **HORIZON COLLATOR, 3015** 

Lg. blue sucker. F7517-12



104 DUPLO COLLATOR

Bellows type sucker. F7566-12 104a HORIZON COLLATOR, Bellows Cup. F8220-12



105 HAMADA bellows cup, 6901-05057. F7641-12 106 BOURG MODULEN



COLLATOR. Vinyl. F7634-12



107 A.B. DICK CENTURY 3000. Bellows type sucker.



108 MITSUBISHI KA 24236-A, Black. F7866-12



109 PHILLIPSBURG Bellows Cup, Blue.





124L CHIEF 24 Light. For Light stock.



125 CUMMINGTON collator, Miehle Vertical for cardboard. F7700-12



MIEHLE CS and other feeders. For heavy stock or sheet metal. 1-7/8" high. 1-9/16" across. Fits 3/4" OD tube or





RCS3123



Fits 1/2" OD tube. MIEHLE TF and other feeders. For cardboard or



sheet metal. 1-7/16" high, 1-9/16" across. Fits 3/4" OD tube or 1/2" pipe. MIEHLE TF and other



feeders. For heavy cardboard or sheet metal, 2-1/8" high. 2-1/2" across. Fits 3/4" OD tube or 1/2" pipe. Gum rubber



PAPER STOP DEFLECTOR.

Clear rigid plastic. Equivalent to Chief M-1-184




302 WRENCH, Open end. Equivalent to Chief special wrench.



304 DRILL ADAPTOR - If you want to drill paper with a standard wood or metal drill use this adaptor and Style D Hollo Drills

19-AB DICK discs. For difficult





Suckers and sheet separators available by the dozen.

If you can't find what you need listed here than we would be happy to find what you need if you could submit a sample to us.



#### **Ink Knife Set (4-Color)**

1 of Each Color

Cyan, Magenta, Yellow, Black 270mm x 70mm

**BVS2876** 



#### White Ink Knife

298mm x 80mm **RP7775** 



#### **Yellow Ink Knives**

3" x 7-1/2" (13-1/2" overall) **RP8784** 4" x 4" (11" overall)


3" x 6" (11-1/2" overall)



#### **Metal Ink Knives**

High Quality Lamson Ink Knives Steel blades with walnut handles All sizes available.

L900-4 4"



#### Pin Wrenches

#### Heidelberg

A- Bent type 4.5"L. 4mm both ends

- **A** Bent type 8"L. 4mm both ends
- **B** Straight Type 7"L. 6mm/4mm
- C- Plate Cyl & Speed Clamp Wrench
- **D** 10mm Open End Wrench



8mm Open End Pinwrench #PW516



#### Web Knife

Durable lightweight metal alloy Efficiently opens paper rolls Minimizes paper waste **RP7833** 



#### Plastic Web Knife

Heat and Solvent resistant Can be used to remove kraft outer wraps, damaged paper, and even wrap-ups. **RP7436** 



#### Paper Puck

Advantages:

- -Rolls can be turned even on roll stand
- -Minimizes damage to papers outer wrap
- Reduces risk of work related injury
- -Durable Construction

RP8099 8" or RP8801 12"



SHEETB1 66.028.810F/01

Sheet separator complete fork with bent frame. Thickness 0.20mm/0.008"

Sheet separator complete with bent frame.

Heidelberg Speedmaster/S-Offset

Heidelberg Speedmaster/S-Offset

**RP7545** SHEETB2

66.028.110F

**RP7546** 

SHEETF1

Heidelberg Speedmaster/S-Offset Sheet separator complete fork with flat frame.

Thicknesses: 0.20mm/0.008"

Thickness 0.20mm/0.008"

SHEETF2 RP7354

RP7343

Heidelberg Speedmaster/S-Offset 1 piece Sheet separator complete with flat frame.

Thickness 0.20mm/0.008"



SHEETBR1 66.028.109F Heidelberg Speedmaster/S-Offset Sheet separator brush

1 piece

1 piece

RP7547

SHEETBR2 04.022.0069

Heidelberg GTO single sheet feeder 1 piece

Brush for feeder

RP8365

SHEETBR2C

Heidelberg GTO single sheet feeder 1 piece 04.022.069F/02 Brush for feeder complete with clamp

25/pack

RP8576

Sheet separator- Heid, Roland, Mitsu, KBA, Miller

Sheet 101 - .004" - **RP7299** Sheet 102 - .008" - **RP7300** 

Sheet 103 - .012" - RP7301 Sheet separator-Komori, Fuji-Shinohara, Hashimoto

Sheet 201 - .004" - **RP7441** Sheet 202 - .008" - **RP7713** Sheet 203 - .012" - **RP7538** 25/pack

Sheet separator-Komori, Fuji-Shinohara, Hashimoto

Sheet 301 - .004" - **RP7344** Sheet 302 - .008" - **RP7679** Sheet 303 - .012" - **RP8962** 25/pack

Sheet separator for Mitsubishi

Sheet 401 - .004" - **RP8338** Sheet 402 - .008" - **RP7695** Sheet 403 - .012" - RP9074

SHEET74F1 #L4.028.164S

Heid Speedmaster 52/74 Sheet Separator Fork (D/S, O/S.) (set)

25/pack

#L4.028.165S RP8163



SHEET74BC #L4.028.167S #L4.028.168S

Heid Speedmaster 52/74 Sheet Separator (D/S, O/S.) (set) RP8686

MP4952

Miller KBA Rapida 104 Sheet Separator



RP8686



SHEETB20 RP8339

Sheet B20 Thickness .15mm/.006" Sheet Separator - Bent for Mitsubishi; 12 pcs/pack



TT72190 66,072,190 Sheet Smoother Tabs Teflon(dozen)

Heid GTO 46 & 52 Hold Down Strap -



HE-462281 42.015.240

RP8807

HE-36-017-084 Heid Rubber Hood for Sheet Separator 36.017.084 1 Dozen Per Bag

RP8055



#### **Dampening Seal Kits**

Set of 2 Seals (w/plastic tabs) Heid QM46 & DI (MV.027.163) Printmaster 46 (MV.034.739)


RP7839 QM46 / RP7792 PM46



**Ink Fountain Side Plates** 

Heid OM 46 DI (A4.008.323) **RP8247** (A4.008.324) (A1.008.104) Heid QM 46

**RP8714** 



# **Quickmaster Blankets**

4-Ply Compressible printing blankets with bars. Stock Size: 21-7/8" x 13-3/8" Custom sizes avail. upon request



#### **Nubtex #313 Cloth Wipes** 13" x 13" Blue Cloth (375/cs)

K560029-15

White Snowtex cloths also available (#QF80) **K560080-15** 



#### **Optimol PD2 Grease**

Grease Cartridges for use on your Quickmaster.



RP7691



Wash-Up Blade for QM46

Heid QM 46 Liners (100/box)

Part # ST4540 (A1.008.142)

ST1510-5 (A1.205.006)

**Ink Fountain Liners** 



#### **Baseline Masking Sheets**

Masking sheets made to fit your QMDI (100/sleeve or 500/case)



Wash-Up Felts

Without Holes: ST4320 (A1.205.026) QM46 ST4322 (A1.205.511) PM With 3 Holes: ST4325 (A1.205.14/O1B) DI ST4327 (A1.205.014/02) DI



#### **Plate Cleaning Cloth Rolls**

ST1715 - Plate Rolls with notched metal core (20/box)

Back Cylinder Rolls (4/box)



#### Sucker #92Q F7552-12

Heid QM46 Suckers #92Q 12 per bag (#A1.016.327)

Also Available:

#19H Flat Tan Suckers **F8127-12** #22 Tan Cup Suckers **F7565-12** 



## Blanket Wash #430

This fast drying blanket wash is used in place of pronto by many of our customers on their Quickmaster presses. P4300



#### Alpha 499 Wash

A water miscible wash that is used by many of our customers on their Quickmaster presses. P7101



#### Silver-Digiplate Film (QM)

For HeNe and Red LD. SDP-FRm175 - 13-5/16" x 100' 4 Rolls/Box

Many other types available. Currently Not avail. for QM46DI



#### Heid QM 46 Air Filters

(#A1.014.144) **RP8180** 

# 317856 RP8293 #317900 RP7431



## HEIDELBERG OM & PM SUPPLIES



#### **Ink Fountain Liners**

Available for Sheetfed or Web.

	1
Heid 102	Web 8
Heid 72&74	Web 16
Heid MO	Web 110C
Heid GTO52	Web 1000C
Heid SM52	Web 120C
Heid QM46	Web 130
(100 per box)	(50 per box)



#### **Tesamol Tape**

Adhesive backed foam tape for CPC Ink Fountains.

(33 Foot Roll) **RP7326** 



#### **CPC Protective Strips**

Protect your fountain keys with these adhesive backed strips.

Heid 102	RP7327
Heid 72 & 74	RP8051-12
Heid MO	RP7720
Heid GTO 52	RP7690
Heid OM 46	RP8335



#### Ink Fountain Side Plate Sets

Complete with tabs, screws, and scraper cleaners. Ready for mounting onto press.


	•	_	-
Heid 102 & 72	2	Heid 74	
Heid MO		Heid QM 46	)
Heid GTO52 (#MV.022.805)		HeidSM52 (#G2.008.309E	OS)
(#69.008.012)		(#G2.008.310F	
(#MV.037.346)		(#G2.008.112F (#G2.008.113F	



#### **Plastic Tabs for Ink** Fountain Side Plates

Plastic tabs mount under metal tabs on side plates.

(25pcs./pack) **RP7466-25** 



#### Slowdown "O" Rings

Used on delivery slowdown wheels. RP8551

Available for: MO/GTO Speedmaster



#### **Ink Fountain Side Plate Tape Strips**

Tape for CPC Ink Fountain Side Plates. RP8624

10 strips/package **RP7328-10** 150 strips per package RP8624



#### **Ink Fountain Side Plate Tape**

Tape for CPC Ink Fountain Side Plates. RP7328



#### **Heid Safety Cage Springs**

Pneumatic spring for safety guard.

Pneumatic spring for safety guard delivery



#### **Blow Down Fans**

Available in AC or DC

Terminal Fan Wire Fan DC Fan .36amp/8.6 watt Fan w/ terminals 115V Terminal Fan 18/16w 125/105MA



#### **Feedboard Brushes**


Replacement brush for gripper type feeders.



#### **Blankets**

Offset Blankets, UV Blankets, and Strippable Coating Blankets are made in-house. Ready to ship

See Page 34 for more details



#### **Brush Wheels**

60mm diameter / Fit 6mm shaft Choose: Soft White Bristle Stiff Black Bristle

See Pg.29 for more brush wheels



#### Heid Wash Up Brush Roller

For automatic blanket cleaner. Made to exact OEM Specs



**Rubber Feedboard Wheels** 

Used on Heid. Feedboard RP7404



#### **Replacement Cloth Rolls**

Available for all press types. Available in Blue or White DuPont Sontara material. Custom sizes available. - See Pg 19 for more info.

Durable Steel Casters, Laminated

Exterior, Steel Pick-Up Bars, Bumper Guards, Carrying Handles,12-Ply Hardwood Platforms

Two-Year Guarantee



#### **Main Air Filter for 102CD**


Fits Heidelberg 102CD RP8718 More Filters on Pages 14-16



#### **Gripper Pad Gauge**

Heid. CD 102, SM 102, S-Offset

Heid Feeler Gauge .004 (10mm) **RP8426** 




#### **Impression Cylinder Jacket**

Available for most Heid presses. Superior fit. Great savings over buying direct!

RP7825-GTO52 RP8967-SM52 RP8035-102

**Press Dollies** 



#### **Sheet Hold Down for Heid**

#102L - Large hold Down RP7340

#102S - Small Hold Down **RP7339** 



#### **Control Buttons**

SD2C1R - Emergency Stop 35mm SDD2F2S - Push and Rotate to Maintain

SD2A2S - Push Forward (Black)

SD2H2Y - Turn for 2 Position Yellow SD2A2U - Push Button Full Guard

B915114B - Heid CPC Consol (4 prong)

B915114 - Heid CPC Consol Ink Control SD3G2S - 2-Way Selector Switch

SD3G3S - 3-Way Selector Switch SD2E1B - Blue Toggle Switch SD2E1W - White Toggle Switch



#### **Heid Lateral Spring Plate**

146mm x 120mm x 0.10mm

**RP9066** 

## HEIDELBERG SUPPLIES







#### Self tracking

SM74 sheet slowdown belt. Punched, endless with self tracking guide. Two models available: grey and yellow



SM102 sheet slowdown belt perforated in staggered pattern and assembled for easy installation.

HEIDELBERG PIN Durable,
Flexible,
Anti-static

CODE:	MFG P/N	MODEL:		
FBGTO	89.020.007/01B	GTO52		
FBMO	53.020.029	МО		
FBSO	66.020.080/F	SORK/SORM SORD		
FBSM52	G2.020.009	SM52		
FB74	MV.025.949	SM74 (I set: I perforated/I standard)		
FB102/72	86.020.029/D	SM102/72		
FB74SSY	MV.032,934	SM74 SLOWDOWN BELT (YELLOW)		
FB74SSG	MV.032,933	SM74 SLOWDOWN BELT (GREY)		
FB102SS	C3.015.453	SM102 SLOWDOWN BELT		
-				

Precision cut, punched and skived

#### UNIQUE PACKAGING



For easy handling and safe storage with clear, precise labeling detailing product code, press model, length and width.

Code: FB700

#### PERFECT SKIVING




For accurate and easy assembly!

#### PERFORATED BELTS



Perforations enable the belts to have air suction ensuring the material is conveyed as intended and also allows for cooling air to pass through.



Examples of precise perforation patterns. Perforations can be executed according to customer's specifications.

**ROLAND 700** 



#### **ROLAND**

CODE:	MODEL:	CODE:	MODEL:
FBOB	FAVORIT OB	FB3B	REKORD 3B
FB200	R200	FB600	R600
FB300	R300	FB700	R700
FBPAR	PARVA	FB800	R800

KOM	OKI			
CODE:	MODEL:	CODE:	MODEL:	
FBKL40	KOMORI LITHRONE 40"	FBKL26	KOMORI LITHRONE 26"	
FBKL28	KOMORI LITHRONE 28"	FBKS26	KOMORI SPRINT 26"	



#### Mitsubishi Feedboard Tape

Mitsu. 3F/3E (FBMIT3F/E) Mitsu. 1F (FBNITIF) Mitsu. 28 (MITIFG28)



#### **Glue for Feedboard Tapes**

Heat activated glue to permanently bond feedboard tape together. RP7390



#### **Feedboard Tape Iron**


Designed to fit all types of feedboard tapes. To operate, just plug in and clip in feedboard tape along guide (simple to use) **RP8440** 



#### **Cutting Sticks**

Plastic cutting sticks will perform well with every grade of steel paper knife. Available for all cutters.

All sizes and types available.



#### **Plastic Jogging Blocks**

Safely aligns paper stock for square, precise cuts. Strong magnetic base helps jog bottom sheets perfectly. Durable heavydty kimoplastic const. Rounded handles. LITMIS-JB310



#### **Cutter Replacement Lamps**

Polar Lawson Challenge Reliant Senator Snyder Senator Triumph Many Others



#### Magnetic "Clamp Pad"

Protects paper stock from clamp marks. Durable foam pad laminated to a rubberized magnetic base. An economical way to protect top sheets of carbon, NCR, and other paper from marks.



#### **Circulation Pumps**

Royse, Dahlgren, Baldwin

115V or 230V Models


Available New, Rebuilt pumps occasionally available. Or send us your old pump for rebuilding.

Call for more Information



#### **Bearer Wipes**

- -Mitsubishi Bearer Wipe
- -Heidelberg Half Web
- -Komori ST4370
- -Harris M200 **ST4374**



#### Plastic Tabs for Web 16


Plastic tabs that mount under metal tabs on side plates for Heidelberg Web 16 25pcs./pack



#### End Block Tab & Screw Set

Item # 21BTAB - 1 set

**RP7764** 




#### Harris & Bruno Coater

HBE-1/2" Blue Foam End Seal SF1BB-01-

HBMS- Micro Steel Doctor Blade C4039-

HBC-Poly Containment Blade

C4045- **RP8178** 



#### Replacement Bulbs

- -Platemakers & Printers
- Camera Projectors & Microfiche
- Paper Cutters & Light Boxes
- -Blue Printing & White Printing
- Flourescent Lamps
- Drying Systems
- -UV & Infrared Curing
- -Halogen Lamps, General Lighting
- -Many other applications. Call Us

## PRESS PARTS



Model: SM102

Description: Coater blade - large

(Rakel) for coating tower - drive side

Packing: I piece



Model: SM102

Description: Coater blade - small

(Rakel) for coating tower - drive side

Packing: I piece




Model: SM102

Description: Coater blade - large

(Rakel) for coating tower - operator

side

Packing: I piece



Model: SM102

Description: Coater blade - small

(Rakel) for coating tower - operator

side

Packing: I piece

























	Cylinder	Grip Texture	Mfr. I.D/ Item # .	Press
10 0 0 0	Imp. Cyld. Finger WxL: 19 x 84.25mm Between Holes Ctr-Ctr: 40mm	D/C	<b>49-011-1027</b> 20/3000	Speedmaster SORD
15.8 mm 20/3008	Imp. Cyld. Finger WxL: 15.8 x 84.25mm Between Holes Ctr-Ctr: 40mm	D/C	<b>91-581-827</b> 20/3008	Speedmaster 102 & 72 1990–present
22 mm	Imp. Cyld. after Pe WxL: 18.9 x 73.75mm Between Holes Ctr–Ctr: 22mm	erfector D/C	<b>91-581-827</b> 20/3009	
22 mm 16 mm	Imp. Cyld. after Pe WxL: 16 x 74mm Between Holes Ctr–Ctr: 22mm	rfector D/C	<b>C3-581-727N</b> 20/3033	Speedmaster 102 & 72 1990–present
	Imp. Cyld. Pad WxH: 20 x 18mm	M/G	<b>91-581-620</b> 20/3001	Speedmaster SORD
	Imp. Cyld. Pad WxH: 18 x 18mm	M/G	20/3004	
	<b>Delivery Pad</b> Head size: 18mm Temp. rated: 350°F.	D/C	<b>93-525-310-K02</b> 20/3002	
	Imp. Cyld. Pads af	ter Perfect	tor 53-711-101	
- Linear	Head size: 20mm		20/3003	
0	Head size: 18mm	M/G	<b>C3-581-920A</b> 20/3013	
	End Pad			
Tund , sund ,	Head size: 20mm Between Holes Ctr-Ctr: 55.5mm	M/G	<b>91-581-621</b> 20/3014/Dr	Drive side
35.5 mm	Head size: 20mm Between Holes Ctr–Ctr: 55.5mm	M/G	<b>91-581-622</b> 20/3014/Op	Operator side
and the same of th	End Pad Head size: 20mm	M/G	20/3028/Dr	Speedmaster 72"
As s cons	Between Holes Ctr-Ctr: 58.3mm	M/G	20/3028/Op	
17 6 17 52.8 mm -	Perfector Fixed Gri WxL: 18.9 x 73.75mm	ipper No coating D/C	<b>91-581-827</b> 20/3012 20/3012-D	Speedmaster 72"
17	Perfector Spring G WxL: 17 x 38.8mm	ripper D/C U/C	<b>91-580-337</b> 20/3015-D 20/3015-U	Speedmaster 72"
10 or 15 full grippers	& I "half wide gripper" make a se	t. To order the "h	oalf wide gripper," add "N"	to the part number.




13 60 0 0

 Cylinder
 Grip Texture
 Mfr. I.D/ Item # .
 Press

 Delivery Finger
 63-014-024
 MO

 WxL: 13 x 43mm
 D/C
 20/3010-D
 19" x 25"

20/3010-U



Cyld. Finger

D/C

20/3011-D


GTO

69011-727

U/C

20/3011-U

MO




Imp. & Transfer Cyld. Finger 52-581-827 GTO
WxL: 13.9 x 60mm D/C 20/3017
Between Holes Ctr-Ctr: 22mm



#### In Feed or Swing Arm Gripper Ranger Drum

U/C

**27-013-049** MO 20/3018 SORSZ 40"



#### **Perfector Fixed Gripper**

Wxl.: 18 x 45,3mm

Between Holes Ctr-Ctr: 17.66mm U/C


WxL: 15 x 50.2mm No Coating 20/3025 MO D/C 20/3025-D GTO




#### Perfector Spring Gripper

WxL: 15 x 35.2mm D/C 20/3016-D U/C 20/3025-U

10 full grippers & 1 "half wide gripper" make a set. To order the "half wide gripper," add "N" to the part number.




# Imp. Cyld. Finger 11275 RVO WxL: 18 x 73.5mm D/C 20/3005 Between Holes Ctr-Ctr: 55.5mm 20/3005



 Imp. Cyld. Finger
 \$1127F
 SBD

 WxI.: 18 x 73.5mm
 D/C
 20/3005

 Between Holes Ctr-Ctr: 55.5mm
 20/3005




# Imp. Cyld. Finger Original WxL: 18 x 76.5mm D/C 20/3006 Between Holes Ctr-Ctr: 32.5mm Original



 Imp. Cyld. Finger
 \$1127F (New)
 KORD-64

 WxL: 18 x 73.5mm
 D/C
 20/3007
 SBB, SBG

 Between Holes Ctr-Ctr: 36mm
 SB, S



 Imp. Cyld. Finger
 03-011027F (Old)
 KORD-64

 Wxl.: 18 x 73.5mm
 D/C
 20/3007
 SBB, SBG

 Between Holes Ctr. Ctr.: 36mm
 SB, S
 SB, S



**Imp. Cyld. Finger** 222-011-032 TOK D/C 20/3019-D

U/C 20/3019-U Reconditioned only

D/C=diamond cut; U/C=urethane coating: M/G=machine grooved

## **GRIPPER FINGERS**

	Cylinder	Grip Texture	Mfr. I.D/ Item #	Press
12.6 mm/\( \tau \)	Delivery Finger WxL: 12.6 x 54.2mm Between Holes Ctr-Ctr: 22.3mm	D/C	<b>10404F</b> 20/3020-D	SBB, SBG, SBD, S-Line
12.6 mm/ O	<b>Delivery Finger</b> WxL: 12.6 x 54.2mm Between Holes Ctr–Ctr: 22.3mm	U/C	<b>1404F</b> 20/3020-U	SBB, SBG SBD, S-Line
9.5 mm 0 0	Feed Board WxL: 9.5 x 49.8mm Between Holes Ctr-Ctr: 12mm	D/C U/C	<b>34-020-035F</b> 20/3021-D 20/3021-U	GTO, KSB, KS, KSBA 46–52"
1.5 mm ( )	Feed Board WxL: 9.5 x 49.8mm Between Holes Ctr–Ctr: 12mm	D/C U/C	20/3022-D 20/3022-U	KSB, KS, KSBA, Letterpress
12.6 mm/ O/ O/ P	<b>Delivery Finger</b> WxL: 12.6 x 54.4mm Between Holes Ctr–Ctr: 22.3mm	D/C U/C	20/3023-D 20/3023-U	KORD, GTO 52"
12.6/00 1 19 mm	Rack Finger WxL: 12.6 x 76mm Between Holes Ctr–Ctr: 19mm	D/C U/C	1451 20/3024-D 20/3024-U	S-LINE, SDB
12.8 O O	Rack Finger Cover WxL: 12.6 x 60mm Between Holes Ctr-Ctr: 19mm	Plate D/C U/C	Cover plate for 20/3024 20/3029 20/3029	S-LINE, SDB
9mm/666	<b>Feed Finger</b> WxL: 9 x 45.3mm Between Holes Ctr–Ctr: 7.8mm	D/C U/C	<b>03-020-035</b> 20/3026-D 20/3026-U	S-LINE, SB, SBG, SBD
Delivery Bar				
Steel Pads	Delivery Bar Repair gripper bar. Machine old pad surface oil and screw on a new diamond coa	D/C	20/3027	KORD
	<b>Diamond Covers</b> To improve the gripping texture of each pad. Set of 35	D/C	20/3034	
Side Guide I	Bars			
	Side Guide Bar 12.371" long	D/C	20/3030	Speedmaster
	Side Guide Bar 14.2" long	D/C	20/3031	
Plate Clamp	Strips Length: 200mm/7.875" Length: 134mm/5.275" Length: 80mm/3.150"	D/C D/C D/C	20/3032-1 20/3032-2 20/3032-3	Diamond coated spring steel strips that can be bonded to the clamping bar to give a new clamping surface

#### Wiper Brushes for Description Part No. Manufacturer's Part No. 870mm L x 20mm W, Wood Block x 65mm 04669 Komori 274-8805-300 **Gripper Bars** Trim x .012 Level Natural Nylon 650mm L x 20mm W, Wood Block x 65mm 04670 Komori 244-8840-004 04669 Trim x .012 Level Natural Nylon 1020mm L x 20mm W, Wood Block x Komori 444-8840-012 04671 65mm Trim x .012 Level Natural Nylon annamaning analysia analysis 04671 810mm L x 20mm W, Wood Block x 65mm 04672 Komori 294-8840-300 Trim x .012 Level Natural Nylon Manufacturer's Part No. Description Part No. **Kicker and Rotary** Scheffer C13544-1 Refill Split Core Poly Block, 4 1/2" dia. 02038 **Cutter Brushes** x .014 Crimped Black Nylon Fill Refill Split Core Poly Block, 5 1/8" dia. x .016 03016 Scheffer C15286 Crimped Black Nylon Fill Delrin Segment Brush, 11/2" trim x .012 Scheffer B22542 03243 Crimped Yellow Nylon 03243 02038 Delrin Segment Brush with Inserts, Scheffer B23714 04808 - 211/4" trim x .012 Crimped Yellow Nylon Letterpress Brushes Manufacturer's Part No. Part No. Description 04763 Heidelberg (all models) Refill Aluminum or Steel Bar, 5/8"-7/8" Angled Trim x Goat Hair Fill 04700 Miller 024203 Wood Block, 41 1/2" L x 1" W x 1/2"-1" Angled Trim x Horse Hair Fill Paster-Parallel-Catalog No. Description Sheeter Brushes Heidelberg Gripper Pad Sweeper 48" L x 2" W x 3 1/2" 04250 nylon trim Double Parallel Brush 22 1/2" L x 1 1/2" W x 3/4" thick 04075 Angle Filled 1 ½" trim Horse Hair or Nylon Fill Double Parallel Brush 22 1/2" L x 3" W x 3/4" thick 04077 Angle Filled 2" trim Horse Hair or Nylon Fill Catalog No. Description **Cut Off & Splicer Brushes** 41 3/8" long x 1" overall trim .025 Nylon Fill— 04071 Metal Black Strip 41 3/4" long x 13/8" overall trim .027 Nylon 04072 Fill—Metal Black Strip 39 3/8" long x 17/16" overall trim .027 Nylon 04073 Fill—Metal Black Strip 04074 42" long x 1 1/2" overall trim .018 Nylon Fill— Metal Black Strip **Refillable Brushes** Catalog No. Description 04214 G-16 Page Folder Brush (Chopper Brush) (Baker Perkins) 04205 Stobb VSB Bundler Tall Brush Refill **计编辑程序设置程度设置设置设置设置** Royal Zenith Pulley Wheel Refill Vit Sheeter Refill Sheet Cleaner



Folder Br	ushes		04303	04302		04590
Catalog No.	Metal Back Strip		04085	04321	04604	
04199	23 <sup>5</sup> /s" L x 1 11/16" Overall Trim—Horse Hair Fill / (Baker Perkins #9237215DO)		04738	9	04805	
04217	23 <sup>5</sup> / <sub>8</sub> " L x 3" Overall Trim—Horse Hair Fill / (Baker Perkins #9922221B)			0		
04110	19" L x 2 1/2" Overall Trim—.018 Nylon Fill	04084				
04111	19" L x 3" Overall Trim—.018 Nylon Fill	0408-1	04322	04739		Same of the last
04112	19" L x 2 1/2" Overall Trim—Horse Hair Fill		04322	04303	04300	04593
04113	63/4" L x 21/2" Overall Trim—Horse Hair Fill	Feede	r and Delivery	Wheels		
04136	G-16 Replacement Folder Brush (Baker Perkins #9237213H) Brush only, holder available upon request.	Part No. 04084	Manufacturer's Part No. Heidelberg	Description 2 3/8" dia. x 1/4" Art	bor Hole x	<sup>29</sup> /64" W x 004
04131	G-Set Replacement Folder Brush (Baker Perkins #9237162K)	01001	ricidelbeig	Crimped Natural I		704 W X .001
04132	Goss C-150 Folder Brush 18" long x 4" Overall Trim—.012 Nylon Fill	04085	Heidelberg	2 3/8" dia. x 1/4" Arl Crimped Natural I		<sup>29</sup> / <sub>64</sub> " W x .008
04133	Goss C-700 Folder Brush (Goss #B159554-4, B159554-6, B159554-1)	04088	Heidelberg	2 <sup>3</sup> /8" dia. x <sup>1</sup> /4" Arl Hair Fill	bor Hole x	<sup>29</sup> / <sub>64</sub> " W x Hors
Catalog No. 04185	Formed Strips 10" L x 1" Overall Trim—.014 Nylon Fill—Radius Arc Brush	04303	Komori 444-1341-124	17/s" dia. x 1/4" Arb Hair Fill	oor Hole x	.550" W x Hor
04186	10 <sup>1</sup> / <sub>4</sub> " L x 1" Overall Trim—.010 Nylon Fill—Radius Arc Brush	9				
04187	11" L x 1" Overall Trim—.006 Nylon Fill—Radius Arc Brush	04738	Komori 046-3363-05I	1.84" dia. x .236" .004 Crimped Nat		
04222	REFILL: Heidelberg US Folder Brush .004 Nylon or Goat Hair (Price on new brushes available on request)	04739	Komori 046-3363-05H	1.84" dia. x .236" Horse Hair Fill		
Catalog No. 04137	Urethane and Leather 12.795" (9237181F) 1" W polyurethane x 1/2" Horse Hair	04302	Man Roland 3E-903	17/8" dia. x 1/4" Arb Hair Fill	oor Hole x	.550" W x Goa
04138	Trim 17.716" (9237182D) 1" W polyurethane x ½" Horse Hair	04303	Man Roland 3T-69	17/s" dia. x 1/4" Art Hair Fill	oor Hole x	.550" W x Hor
04139	Trim 21.456" (9237183B) 1" W polyurethane x ½" Horse Hair	04321	Mabeg 04-012116-000	2 ½" dia. x ¼" Ar Hair Fill		
04141	Trim 9922240J G-14 C1 Folder—Specify Length	04084-1	Miller 039602	2 7/16" dia. x 5/16" A Crimped Natural I		x <sup>29</sup> / <sub>64</sub> " W x .00
04149	9922210G G-14 C1 Folder—Specify Length	04300	Miehle 123595	2 5/8" dia. x 5/16" A	rbor Hole >	c .640" W x
Catalan Na	Other sizes and brush backings available.  Wheels	04604	Shinohara 2P52 Press	Horse Hair Fill 11/4" dia. x .276" A Hair Fill	Arbor Hole	x 1/2" W x Goa
Catalog No. 04062	Harris Folder Brush 4" dia. x 1" W x 1 <sup>1</sup> / <sub>4</sub> " Arbor Hold— .008 Nylon Fill	04605	Shinohara	1.874" dia. x .276 Goat Hair Fill	" Arbor Ho	le x 1/2" W x
04063	REFILL: Harris Folder Brush #04062	04590	Bobst Pulley Wheel	3.18" dia. x 1.25" Horse Hair Fill	Arbor Hole	e x 1.10" W x
Catalog No. 04093	Split Core Harris TC3—4" dia. x 1" W x 1 <sup>1</sup> / <sub>4</sub> " Arbor Hole—	04593	Planetta	2.60" dia. x 1" Art Hair Fill, Bearings	oor Hole x Included	13/8" W x Pony
04099	.008 Nylon Fill REFILL: Harris TC3 #04093	Folder	r Brushes			
04099	Many printers have requested that their Folder Wheels be	Part No.	Manufacturer's Part No.	Description		
	split in half for ease of mounting and removal. NOTE: These brushes can be made to fit any dimensions you may require.	03135	Royal Zenith RZ420	Refill Aluminum V Arbor Hole x Hors	Vheel, 3 <sup>3</sup> / <sub>32</sub> se Hair Fill	" dia. x .861"
Catalog No. 04064	Double Former Harris Double Former Brush 7/16" Radius Trim—	03106	Heidelberg Web 8	Refill Aluminum C 2 3/4" Trim x Horse		ock, 2" tapered
	TIATIS DOUDIC FORMER DIUSH 716 RACHUS ITIII—	04222	Heidelberg U5	Refill Aluminum C	n!	1. 1" T

Catalog No.	Guide Brushes	
04047	1" W leather—.008 Nylon Fill—7/16" Trim—Straight filled	
04048	1" W leather—.008 Nylon Fill—3/4" Trim—Straight filled	
04049	1" W leather—.008 Nylon Fill—3/4" Trim—Angle filled	
04067	1" W leather—Horse Hair Fill—7/16" Trim—Straight filled	
04068	1" W leather—Horse Hair Fill—3/4" Trim—Straight filled	
04069	1" W leather—Horse Hair Fill—3/4" Trim—Angle filled	
04190	1" W x 10 ft. L Leather—.008 Nylon and Brass Mix—3/4" Trim Straight filled (Harris #298869)	
04249	1" W x 6 1/2" L Leather Nylon Fill Trim Straight filled (Harris #373753)	
04245	2" W x 5 3/8" L Leather—Horse Hair Fill—3/4" Trim Angle filled—Toward length (Rockwell, Hantscho)	
04246	3" W x 5 5/8" L Leather—Horse Hair Fill—3/4" Trim Angle filled—Toward length	
04247	37/8" W x 53/8" L Leather—Horse Hair Fill—5/8" Trim Angle filled—Toward length	
04248	4" W x 15" L Leather-Horse Hair Fill-3/4" Trim Angle filled-Toward length	

Catalog No.	Stop Brushes
04241	11/4" x 21/2" Leather—Horse Hair Fill—5/8" Trim—Angle filled (Harris #362294)
04240	11/4" x 21/2" Leather—Horse Hair Fill—5/8" Trim—Angle filled (Harris #477509)
04065	2" x 2 1/2" Leather—Horse Hair Fill—5/8" Trim—Angle filled
04066	2 1/2" x 2 1/2" Leather—Horse Hair Fill—3/4" Trim—Angle filled
04042	2 % x 2 3/4" Leather—Horse Hair Fill—5/8" Trim—Angle filled
04244	2" W x 4 15/16" L x 3/4" Horse Hair Trim (Hantscho)
	NOTE: Above brushes can be filled with Nylon
04252	15mm x 75mm PVC—Horse Hair Fill—32mm Overall Trim—Angle filled (Baker Perkins #9237409B)
04253	2" x 2 ½" grey PVC—Horse Hair Fill—5/8" Trim— Angle filled
04254	2" x 2 ½" x .400" thick grey PVC—Horse Hair Fill— 5/s" Trim—Angle filled



Dampening Brushes			Sheet Cleaner Brushes			
zamponing zroones			Part No.	Manufacturer's Part No. Description		
Catalog No. 04050	Press Harris M-1000	Coils 55.0	03111	Doyle Sheet Cleaner	Refill Aluminum Block x .008 Crimped Black Nylon Fill x 7/8" Trim	
04053	Harris M-1000A	65.0	03112	Doyle Sheet Cleaner	Refill Aluminum Block x .004 Crimped Black Nylon Fill x 7/s" Trim	
04055 04144	Harris M-110 Harris M-120	34.0 41.0	03113	Doyle Sheet Cleaner	Refill Aluminum Block x .008 Crimped Black Nylon Fill with .003 Brass x 7/s" Trim	
04054 04234	Harris M-200 Harris M-300	52.0 56.0	03114	Doyle Sheet Cleaner	Refill Aluminum Block x .004 Crimped Black Nylon Fill with .003 Brass x <sup>7</sup> /s" Trim	
04291	Harris M-400	46.0	03130	Vit Sheet Cleaner	Refill Bar, filled with Nylon or Nylon and Brass Mix	
04169 04230	Harris M-845 Harris V-15	51.0 47.0	MBS-82	Herbert Static Control	Strip Brush, .812"4375" Beveled Trim x 41" L x .003 Level Brown Nylon Fill	
04228 04224	Harris 900 Harris 936	61.0 47.0	02290	Herbert Static Control	Strip Brush, .625"375" Beveled Trim x 35" L x .006 Crimped Black Nylon Fill	
04290	Harris 954	72.0	Blanket Wo	asher Brushes	,	
04233	Harris 9000	86.0	Part No.	Manufacturer's Part No.	Description	
Catalog No. 04151	<b>Press</b> Baker Perkins G-14	Coils 72.0	04571	Heidelberg	Speedmaster 102, 3 ½" dia. x 41" Brush Face x .010 Crimped Black Nylon	
04170	Baker Perkins G-16	72.0	Stacker Bru	ushes	SANCTORY SERVICE CONTROL OF THE SERVICE OF THE SERV	
04152	Baker Perkins G-16	120.0	Part No.	Manufacturer's Part No.	Description	
04153 04154	Baker Perkins G-16 Baker Perkins G-16	105.0 68.0	04203	Baldwin Stobb PC-1697	Aluminum Split Core Block, 2 1/4" dia. x 5" L x .020 Level Natural Nylon	
Catalog No.	Press	Coils	04204	Baldwin Stobb PC-3599	Aluminum Split Core Block, 2 1/4" dia. x 4" L x .020 Level Natural Nylon	
04174	Timson T78324	72.0	04203-1	Baldwin Stobb	Aluminum Split Core Block, Refill P/N 04203	
04175	Timson T006002	83.0	04205	Baldwin Stobb	Aluminum Split Core Block, Refill P/N 04204	
Catalog No.	Press	Coils	Hold Down	Brushes	~-	
04148	Goss C-700	75.0	Part No.	Manufacturer's Part No.	Description	
04225 04227	Goss C-150 Goss C-700	46.0 85.0	03115	Komori 444-1665-00S	Spring Steel, 23mm–15mm Angled Trim x Horse Hair Fill	
04232 04235	Goss Suburbanite Goss Community		03129	Man Roland 3D-38	Carbon Steel Holder with Slot, 7/8" Trim x .010 Level Natural Nylon Fill	
04236	Goss Metro		03150	Man Roland BX1185MTG	Steel Rod with Brass Holder, 1 1/4" Trim x .016 Level Natural Nylon Fill	
Catalog No. 04165	Press Hantscho	<b>Coils</b> 63.0	04381	Man Roland 3E-902	Carbon Steel Holder, 1"-9/16" Angled Trim x .010 Level Natural Nylon Fill	
04160 04163	Hantscho Hantscho	33.0 50.0	Tail Stock	& Hold Down	14.	
04162	Hantscho	45.0	Catalog No.	Description		
04164	Hantscho	51.0	04061	1" W x 2 <sup>1</sup> / <sub>2</sub> " Angle Trim x <sup>7</sup> / <sub>16</sub> " thick x <sup>1</sup> / <sub>4</sub> " hole—Side bore— Bristle Fill (Hantscho)		
04142	Hantscho	45.0	0/101	1" W x 2 1/4" Trim x 7/		
Catalog No.	Press	Coils	04191		and the second s	
04143 04155	Mitsubishi L600 Mitsubishi L700	68.0 54.0	04193	1 1/2" W x 2" Trim x 7/	0000 U   004 0 40 0 0 0 0 0 0 0 0 0 0 0 0 0 0	
			04081		x 3/4" thick—Bristle Fill	
Catalog No. 04146	<b>Press</b> Toshiba TV Guide	<b>Coils</b> 80.5	04194	3" W x 2 ½" Trim x ¾" thick—Nylon Fill—Holes bored (Harris #102447)		
04156	Toshiba 206W26	80.5				
04157	Toshiba 248T0301	100.0	04096	#8 Oval Hold Down I	Brush complete with wood holder	
04171	Toshiba 248T0301	70.5			2017년 1일 12일 전 2017년 <sup>20</sup> 12일 12일	
04172	Toshiba 248T0301	72.5	04097		Brush only (Harris #258640)	
04173	Toshiba 248T0301	91.5	04098	Wood Holder only		
Catalog No.	Press	Coils		NOTE: Variations or	modifications made at customer's request	
04237	Color King	61.0		(9):791		
Catalog No.	Press	Coils				
04238	MAN/Roland	43.0	E41 5			



## **Reitschle Pumps**

### Available New or Remanufactured. Lubricated and Non-Lubricated models



### **Carbon Vanes**



#### **Vacuum Hoses and Tubing**

Call with the size and length that you require for your application



#### **Connectors and Tube Fittings**

Quick-fitting joint for pneumatic tubing, Simply insert the tube, then the lock claws will hold it firmly in place. Push release ring to release the lock. Choose 4mm, 6mm, or 8mm

Part No.	Pump Model	Quantity in Set	Original Height	Minimum Height	Part No.	Pump Model	Quantity in Set	Original Height	Minimum Height
RP9056	CLFT-41-DV	8	28	22	514870	TR-81	7	59	45
507108	CLFT-61-all	8	34	25	524005	VFT-25	4	27	22
507109	CLFT-81-DV	8	40	30	524007	VFT-40	4	28	22
507110	CLFT-101-DV	8	40	30	524009	VFT-60	4	34	25
RP9299	CLFT-141-DV	8	47	34	524011	VFT-80	4	40	30
523777	DTA-60	6	52	38	524002	VFT-100	4	40	30
526886	DTA-80	6	52	38	523556	VFT-140	4	55	40
RP8239	DTA-100	6	52	38	523399	VFT-250	4	55	40
RP8238	DTA-140	6	52	38	523400	VFT-340	4	73	60
513455	KLT-10	6	31	20	523446	VFT-500 A	4	73	60
513702	KLT-15	6	39	24	523447	VFT-500 B	4	73	60
513431	KLT-25	6	39	24	513455	VLT-10	6	31	20
518943	KLT-40	7	47	35	513702	VLT-15	6	39	24
518943	KTA-40	6	47	27	513431	VLT-25	6	39	24
523777	KTA-60	6	52	38	518943	VLT-40	7	47	35
526886	KTA-80/1,2,3,4	6	52	38	526344	VLT-60	7	47	35
524436	KTA-80/5	8	43	38	526886	VTA-80	4	52	38
525977	KTA-100	6	52	38	525977	VTA-100	4	52	38
525421	KTA-140	6	52	38	525421	VTA-140	4	52	38
513431	TR-26	7	39	29	522716	VTE-3	4	16	12
518943	TR-41	7	47	36	507051	VTE-6	4	14	12
515642	TR-61	7	51	40	523474	VTE-8	4	17	12

## REITSCHLE PUMPS



#### **CHEMICALS**

These and many other chemicals are available and in stock at POSCO. We are equipped to package these items into a wide variety of package sizes. Bulk deliveries are also available. POSCO also offers a bulk packaging service. Contact us for details or pricing.

Acetic Acid 56%

Acetone

Ammonia 26°

Ammonia Blends 1-10% Antifoam – Silicone Defoamer

Aromatic 100 Aromatic 150 Butyl Carbitol

Butyl Carbitol Acetate Butyl Cellosolve Butyl Propionate Calimulse PRS Castor Oil

Citric Acid Cuprous Chloride Cyclohexanone D-Limonene

Denatured Ethyl Alcohol 190 Proof Denatured Ethyl Alcohol 200 Proof

Diacetone Alcohol
Dibasic Ester
Diethylene Glycol
Diisodecyl Phthalate
Dipropylene Glycol
Dow Corning #244 Fluid

Dow Corning Printers Solution #62

Ethyl Acetate Ethyl Lactate Ethylene Glycol Gluconic Acid Glycerin

Glycol Ether DB

Glycol Ether DPM

Glycol Ether DPNB Glycol Ether EB Glycol Ether PM

Glycol Ether PM Acetate

Glycol Ether PNP

Glycolic Acid (Hydroxyacetic Acid)

Heptane Hexane Hexylene Glycol

Hydrochloric Acid (Muriatic Acid)

Isobutyl Alcohol
Isobutyl Isobutyrate

Isopar E

Isopropyl Acetate

Isopropyl Alcohol 99%

Isopropyl Alcohol (Distilled)

Isopropyl Alcohol / DI Water Blends

Igepal CO 210 Surfactant Igepal CO 520 Surfactant Igepal CO 530 Surfactant

Kwik Dri Solvent (Shellsol D38, Exxsol D40)

**Lactol Spirits** 

M-Pyrol (N-Methyl Pyrrolidone) Magnesium Nitrate Solution

Malic Acid

Methyl Alcohol (Methanol) Methyl Ethyl Keytone Methyl Isobutyl Keytone Mineral Spirits (Non-Exempt) Mineral Spirits (Odorless) Monoammonium Phosphate

N-Butyl Acetate N-Butyl Alcohol N-Propyl Acetate N-Propyl Alcohol Oxalic Acid

Phosphoric Acid 85%

Pine Oil

Potassium Hydroxide (KOH, Liquid Caustic Potash)

Polyethylene Glycol (PEG 300)

Propylene Glycol

Pumice Powder Type FFF Rhodia 47V50 Silicone Sodium Acetate Sodium Benzoate

Sodium Hexametaphosphate

Sodium Hydroxide 50% Liquid (Liquid Caustic Soda)

Sodium Hypochlorite 15% (Bleach)

Sodium Metasilicate Sodium Silicate N

Sodium Xylene Sulfonate (SXS40)

Solvent 142 (High Flash Aliphatic Solvent)

Sorbitan Monooleate Soy Methyl Ester Star Pol 136 Starch Tall Oil, Fatty Acid Tergitol 15-S-7 Surfactant Tergitol 15-S-9 Surfactant Tetrahydrofuran (THF)

Tetrapotassium Pyrophosphate (TKPP)

VM&P Naphtha

### **CHEMICALS**



# INDEX

Δ		Circulator Pumps	49	Filters	14-16
Abouthout Motoriala	22	Circulator Tank Cleaner	9	Foam Aid	7
Absorbent Materials	23 32	Clean-Up Sheets	29	Folding Aid	8, 9
Activator		Cloth Rolls, Dry ABW	19	Fountain Filters	14-16
Addition Pens	29	Cloth Rolls, Pre-Sat. ABW	18	Fountain Solutions	6
Aerosols	12, 13, 28	Coating Blankets	34	Fungus Arrest	7
Air Filters	14, 15 –	Coating Cleaner	8	G	
Alcohol	7	Coating Plates	34	9	
Alcohol Replacements, Substitute		Coating Tower Blades	50	Gauges	30, 31
Alcohol Testers	30	Coatings	38	Gear oil	11
Ammonia	8	Color Wash	5	General Purpose Cleaner Glass Beaded Sheets	8 36
Anti-Foam	7	Conductivity Meters	30, 31	Glass Cleaner, Aerosol	12
Anti-Fungus	7	Contact Cleaner, Aerosol	12	Glass Cleaner, Liquid	8
Anti-Marking Jackets	36	Control Buttons	47	Glass Cleaner, Liquid Glaze Removers	3
Anti-Marking Sheets	37	CPC Protective Strips	46	Gloves	24
Anti-Offset Spray Powder	28	Cutting Sticks	22, 49	Glue & Adhesives	38
Anti-Skin Spray	8		,	Gooseneck Bottles	22
Anti-Static Spray	12	D		Graphline Products	32
Aqueous Coating Cleaner	8	Dahlgren Pumps	49	Greases	10
Automatic Blanket Wash	4	Dampener Covers	21	Gripper Fingers	51-53
Automatic Blanket Wash Rolls	18, 19	Dampening Seal Kits	45	Gripper Pad Gauge	47
В		Deglazer	3	Gum Arabic	7
		Degreaser, Aerosol	13		
Back Cylinder Cleaner	8	Deletion Gel, Fluid	29	н	
Back Cylinder Cleaning Rolls	19, 45	Deletion Pens	29	Hand Cleaners	24
Bag Filters	14-16	Detergent	8	Harris & Bruno Parts	49
Baldwin Pumps	49	Doctor Blades	49	Hickey Pickers	20
Baldwin Unit Filters	14-16	Dosatron	28	Hoil Penetrating Oil	12
Bearer Wipes	49	Drill Bits	22	Hones, Scotch  Hydraulic Oil	22 11
Belt Dressing, Aerosol	12	Drill Blocks	22	Hyton Dampener Covers	21
Bench Cans	25-27	Drum Opener	23	nyton Dampener Covers	21
Blanket Brite	3	Drum Pumps	23		
Blanket Fix	8	Dust Masks	24	Image Remover Pens	29
Blanket Hardener	8		24	Image Remover, liquid	29
Blanket Scrubbers	23	E		Impression Cylinder Jackets	47
Blanket Wash	5	Ear Plugs	24	Indigo Sapphire Solution	28
Blankets	34	Elkalube	10	lnk	39
Blow Down Fans	46	Empty Containers	22	Ink Drying Additive	7
Brush Rollers	47	Etch	7	Ink Fountain Side Plate Tape	46
Brush Wheels	47, 55	Etching Needles	29	Ink Fountain Side Plates	45, 46, 50
Brushes	54-56			Ink Grabbers	22
Bung Wrench	23	F		Ink Guard, Anti-Skin Spray	13
C		Fan-A-Part	22	Ink Knives	44
Coloium Classes	0	Fans, Blow Down	46	Iron for Feedboard Tapes	49
Carbon Vanna	8	Feedboard Brushes	46	Isopropyl Alcohol	7
Carbon Vanes	57	Feedboard Tapes	48, 49	J-K	
Cat Whiskers	43, 44	Feeder Suckers	42, 43	Jogging Blocks	49
Chain Saver Chiller Filters	10 14-16	Film Cleaner, Liquid	8	Kentucky Shine	38
Chiller Filters Chrome Roller Cleaner	14-16	Film Cleaner, Aerosol	13	Kluber Lube	10
Chromo Roller Oleaner	0	1		.114001 2400	

# INDEX

L		Plates	32, 33	Silvermaster	32
Light Bulbs	49	Plunger Cans	27	Slowdown O Rings	46
Linen Testers	30	Polyester Press Packing	35	Snowtex Products	21
Liquid Flow Putz Pomade	29	Powder	28	Solutek Products	32
Litho Tape	29	Power Paste	9	Spindle Oil	11
Litho-Score & Litho Perf	40, 41	Press Dollies	47	Splicing Tape	21
Loupes	30	Press Oil	11	Sponges	23
Lubricant, Aerosol	13	Press Wash	3, 4	Spray Powder	28
Lubricants	10, 11	Process Color Wax	28	Stabilizer	32
Lubricants	10, 11	Pumice Powder	9	Static Tinsel	22
M		Pumps	23	Sticky Back Poly Packing	35
Magnetic Clamp Pad	49	Putz Pomade	29	Stitching Wire	22
Magnifiers	30	ruiz romaue	29	Storage Gum	7
Marktex Pens	29	Q		Suckers	42, 43
Masking Sheets	29	Quick Change	9	SunPak	35
Matte Fixative, Aerosol	13			Super Blues	29
Metal Corners	22	В		Super Lube	10
Metal Plate Correction Pens	29	R		_	
Metering Roller Cleaner	3	R/O System Filters	16		
Micro Perf	41	R/O Water Filtration System	28	Tesamol tape	46
Micrometer	30	Razor Blades	22	Thermometer	30
Mobil	10, 11	Really Works Hand Cleaner	24	Tinsel, Static	22
N-0		Red 1 Dampener Covers	21	Tower Coater Blades	50
		Red Runner	21	Transfer Cylinder Jackets	36
Nitrile Gloves	24	Reitschle Pumps	57	Two Step Washes	5
Non-Piling Additive	7	Respirators	24	V	
Nubtex Wipes	21	Roller Lube	9	Vacuum Tubes, Connectors	57
Offset Blankets	34	Roller Paste	9	Van Son Inks	39
Offset Spray Powders	28	Roller Washes	4	Varnish	38
Oil Filters	14	Royse Filters	14-16	Velcro	29
Oils	10, 11	Royse Pumps	49	Vintage Quacks	21
One Step Chain Saver	10	Rubber Feedboard Wheels	47	Vinyl Gloves	24
One Step Washes	4	Rubber Gloves	24	Viscosity Meter	30
Overprint Varnish	38	Rubber Rejuvenator, Spray	13	\A/	
P		Rubber Rejuvenator, Liquid	3	W	
Packing Gauges	30	Rulers	30	Wash Up Blades	17
Padding Compound	22	6		Wash Up Bottles	22
Paper Drills	22	S		Wash Up Felts, Heid QM	45
Paper Press Packing	35	Safety Cabinets	26, 27	Wash-Up Mats	29
Paper Pucks	44	Safety Cage Springs	46	Water Filters	14-16
PD2 Grease	10	Safety Cans	25-27	Water Filtration System	28
Penetrating Oil, Aerosol	13	Sapphire Solution	28	Web Fold Concentrates	9
Perfing Products	40, 41	Scotch Brite Pads	23	Web Knife	44
Perma Lube	10	Scotch Hones	22	Web-Lock Tapes	21
pH Meters	30, 31	Scratch Remover	7	Webril Products Wedges	21 29
Photex Wipes	21	Scrubs In-A-Bucket	24	White Grease Lubricant	29 12
Pile Separators	29	Sheet Hold Downs	47	Wrenches	44
Pin Wrenches	44	Sheet Separators	43, 44	_	77
Plate Cleaners	7	Silicone Spray, Aerosol	12	Z	
Plate Storage	7	Silicone Spray, Liquid	9	Zahn Cup	30